

Historic, archived document


Do not assume content reflects current scientific knowledge, policies, or practices.


6273

71535

APR 8 - 1935

ANDORRA





The Japanese Maple
Fall Coloring

acer polymorphum

For Prices see page 44



UNDER the shade of Oaks, with a carpet of Japanese Spurge, Rhododendrons, Azaleas and shade-enduring plants have been massed with superb effect. Through this evergreen carpet spring flowering bulbs are effectively used.

ANDORRA NURSERIES, INC.

CHESTNUT HILL,
PHILADELPHIA, PA.

ESTABLISHED 1886

INCORPORATED 1923

1000 ACRES

W. Frazier Harrison, *President*

William B. Garrett, *Vice President*

J. Howes Humphreys, *Secretary*

Robert L. Winter, *Treasurer*

Directors

W. Frazier Harrison

George D. Widener

Jay Gates

W. B. Read

B. F. Mechling, Jr.

Frederic L. Ballard

William B. Garrett

Sales Department

Jean H. Cojan

Leroy R. Dukenfield

Lewis S. Frick

Donald MacKubbin

Joseph Schwab

Wendell F. Oliver

Landscape Department

Arthur F. Paul,

Landscape Architect

Terms of Sale

Nomenclature 1923 Edition Standardized Plant Names

PRICES in this catalog cancel all previous lists and quotations and are subject to change without notice. **Prices include packing, except on special bulky pieces, for which cost of packing will be extra, and are f. o. b. our shipping station, or local delivery on our regular delivery routes.**

ALL ORDERS ARE ACCEPTED SUBJECT TO prior sale, and to conditions of stock at delivery date, under the following terms and conditions:

STANDARD GRADING OF STOCK.—Guaranteed up to or better than the grading standard of the American Association of Nurserymen.

STOCK SPECIALLY SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen, irrespective of catalog list price.

WE WARRANT all goods to be true to name, full count, up to grade, and in good condition when shipped.

GUARANTEE.—We give no guarantee on the life of stock, as we have no control after it leaves our hands, and we will not replace stock without charge.

RATES.—Lots of 5 and 25 of a variety will be furnished at the 10 and 100 rates respectively.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their responsibility, when for your convenience accounts will be opened due in 30 days from date of invoice.

OVERDUE ACCOUNTS subject to interest at 6 per cent.

Forwarding and Shipping

Give explicit directions as to address and mode of shipment. Shipments will be forwarded exactly as directed, but when without instructions, we will use our judgment in forwarding.

SHIPPING SEASON opens about March 1st in the Spring and August 15th in the Fall.

CLAIMS must be made within **five days** after receipt of goods. Stock delivered as per order and in good condition is not returnable.

GOODS IN TRANSIT.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

CLAIM FOR DAMAGE WHILE IN TRANSIT MUST BE MADE AGAINST THE DELIVERY COMPANY. Have delivery agent note the damaged condition on the freight bill, and present your claim promptly to the transportation company.

ANDORRA NURSERIES, Inc.

CHESTNUT HILL, PHILADELPHIA, PA.

ANDORRA NURSERIES, INC.

CHESTNUT HILL
PHILADELPHIA, PA.

ESTABLISHED 1886

INCORPORATED 1923

1000 ACRES

This price list of trees, shrubs and plants is presented with the statement that the stock is of high quality and will be packed for shipment, or for local orders will be delivered, in first-class condition.

We have been fortunate in being able to keep this stock up to the Andorra Standard and offer it to our customers with full confidence that with the ordinary care necessary for freshly planted material, it will give full satisfaction.


ANDORRA NURSERIES, INC.

An Invitation to Andorra

Those interested in trees and plants out-of-doors are always cordially welcome at Andorra. Excellent highways through this beautiful rolling section of Pennsylvania, with its charm of Colonial manor house and country-place, offer inviting roads from every direction to visitors in motor cars.

BY MOTOR from Philadelphia, go out the Parkway; along the East River Drive, continuing up the Wissahickon and Lincoln Drives to McCallum Street, turn left and follow through to dead end, turning right on Mermaid Lane and follow good road, turning left on St. Martins Lane, follow through turning right over bridge at Highland Station, continuing three blocks to Germantown Avenue. Turn left to City Line and then left one square to the Nursery.

TRAIN CONNECTIONS over the Chestnut Hill branches of both the Pennsylvania and Reading Railroads make Andorra a two-hour run out of New York and a half hour from the heart of Philadelphia to Chestnut Hill Stations; from Chestnut Hill a ten-minute ride on the City Line motor bus to City Line brings you within one block of the office.



EVERGREEN TREES

ABIES concolor.

WHITE FIR. Tall, rapid growing; hardy rich silvery needles. For specimen or groups.

| | | | Per 10 |
|---|----------------|-------------|---------|
| 1½ to 2 | ft. | Each \$3 00 | \$24 00 |
| 2 | to 2½ ft. | 4 50 | 36 00 |
| 2½ to 3 | ft. | 6 00 | 48 00 |
| 3 | to 3½ ft. | 7 50 | 60 00 |
| 3½ to 4 | ft. | 10 00 | 80 00 |
| 4 | to 5 ft. | 12 50 | 100 00 |
| 5 | to 6 ft. | 15 00 | |
| Specimens. 8 to 14 ft. ..Each \$35 00 to 75 00 | | | |

A. nordmanniana.

NORDMAN FIR. Tall; dark, glossy green foliage. Most useful as a specimen.

| | | | |
|---------|---------------|--------------|--|
| 3½ to 4 | ft. | Each \$15 00 | |
| 4 | to 5 ft. | 17 50 | |
| 5 | to 6 ft. | 25 00 | |
| 6 | to 7 ft. | 35 00 | |

Specimens. Broad, spreading trees, from 10 to 14 ft. in height..\$100 00 to 150 00

A. veitchi.

VEITCH. FIR. Tall slender growth. Foliage deep green—the under side glaucous, giving a bluish effect. Distinct and handsome.

| | | | |
|--|----------|--------------|--------|
| 4 to 5 | ft. | Each \$12 50 | 100 00 |
| 5 to 6 | ft. | 15 00 | 125 00 |
| 6 to 7 | ft. | 20 00 | 160 00 |
| 7 to 8 | ft. | 30 00 | 260 00 |
| Specimens. 12 to 14 ft. \$50 00 to 75 00 | | | |

CEDRUS atlantica.

MOUNT ATLAS CEDAR. Airy pyramidal tree with gray green foliage. Splendid as a specimen.

| | | | |
|---|---------------|--------------|--|
| 3½ to 4 | ft. | Each \$12 50 | |
| 5 | to 6 ft. | 17 50 | |
| 6 | to 7 ft. | 20 00 | |
| 8 | to 9 ft. | 35 00 | |
| Specimens. 20 to 25 ft.\$125 00 to 175 00 | | | |

C. atlantica glauca.

BLUE MOUNT ATLAS CEDAR. Airy pyramidal tree with silvery-green needles. Use as specimen.

Specimens. 18 to 25 ft. Each \$150 00 to 250 00

C. libani.

CEDAR OF LEBANON. Broad, spreading habit; foliage bluish green.

| | | | |
|--------|----------|--------------|--|
| 5 to 6 | ft. | Each \$12 50 | |
| 6 to 7 | ft. | 15 00 | |
| 7 to 8 | ft. | 17 50 | |

CHAMAECYPARIS (Retinospora) filifera.**THREAD BRANCHED JAPANESE CYPRESS.**

Medium height; foliage deep green. Valuable in formal work, in mixed evergreen plantings, as specimens, screen groupings and hedges.

| | | | Per 10 |
|-------------------|--------------|------------------------|------------------|
| 4 | to 4½ ft. | Heavy Each | \$15 00 \$120 00 |
| Specimens. | 5½ to 6 ft. | Heavy | 17 50 140 00 |
| Specimens. | 6 to 7 ft. | Heavy | 20 00 180 00 |
| Specimens. | 7 to 8 ft. | | 25 00 225 00 |
| Specimens. | 8 to 9 ft. | | 35 00 |
| Specimens. | 10 to 16 ft. | . . . \$50 00 to 85 00 | |

C. filifera aurea.

GOLDEN THREAD BRANCHED. Growth same as "filifera" but color golden yellow.

| | | | |
|-------------------|-------------|----------------------------|--------------|
| 1½ | to 2 ft. | Each | \$3 00 24 00 |
| 2 | to 2½ ft. | | 4 00 32 00 |
| 3 | to 3½ ft. | | 7 50 60 00 |
| 3½ | to 4 ft. | | 12 50 100 00 |
| Specimens. | 8 to 10 ft. | \$35 00 to 50 00 | |

C. obtusa.

HINOKI CYPRESS. Tall growth, habit dense; foliage short and deepest green.

| | | | |
|-------------------|--------------|------------------------|--------------|
| 2 | to 2½ ft. | Each | \$4 50 36 00 |
| 2½ | to 3 ft. | | 6 00 48 00 |
| 3 | to 3½ ft. | | 7 50 60 00 |
| 3½ | to 4 ft. | | 10 00 90 00 |
| 4 | to 4½ ft. | | 12 50 |
| Specimens. | 10 to 18 ft. | Each \$75 00 to 135 00 | |

C. obtusa crippsi.

YELLOW HINOKI CYPRESS. Bright Golden foliage, free habit.

| | | | |
|----|-----------|----------------------------|--------------|
| 2 | to 2½ ft. | Each | \$4 50 36 00 |
| 2½ | to 3 ft. | | 6 00 48 00 |
| 3 | to 3½ ft. | | 7 50 60 00 |
| 5 | to 6 ft. | | 20 00 |
| 6 | to 7 ft. | | 25 00 |
| 8 | to 9 ft. | \$35 00 to 50 00 | |

C. obtusa nana, and obtusa magnifica.

DWARF HINOKI CYPRESS. Very slow-growing, dwarf. Rich, dark green color. Useful in pots, in garden or in rich base plantings.

| | | | |
|-------------------|--------------|----------------|---------|
| Specimens. | 5 to 6 ft. | Each | \$50 00 |
| Specimens. | 6 to 7 ft. | | 65 00 |
| Specimens. | 8 to 9 ft. | | 100 00 |
| Specimens. | 10 to 11 ft. | | 150 00 |

C. obtusa gracilis.

GRACEFUL JAPANESE CYPRESS. Broad oval form with graceful bright green foliage.

| | | | |
|-------------------|------------|----------------------------|--------|
| 2 | to 2½ ft. | Each | \$3 50 |
| Specimens. | 5 to 6 ft. | | 15 00 |
| Specimens. | 6 to 7 ft. | | 20 00 |
| Specimens. | 7 to 9 ft. | \$25 00 to 35 00 | |

CHAMAECYPARIS (Retinospora) pisifera.

SAWARA CYPRESS. Tall, pyramidal shape; broad, flat foliage of deep, glossy green. A beautiful formal specimen.

| | | | | |
|------------|--------------|----------------|--------|----------|
| 2½ to 3 | ft. |Each | \$3 50 | |
| 3½ to 4 | ft. | | 5 00 | |
| 4 to 4½ | ft. | | 7 50 | |
| 5 to 6 | ft. | | 8 50 | |
| 6 to 7 | ft. | | 10 00 | Per 10 |
| Specimens. | 7 to 8 ft. | | 17 50 | \$150 00 |
| Specimens. | 8 to 9 ft. | | 25 00 | 200 00 |
| Specimens. | 9 to 10 ft. | ... \$35 00 to | 45 00 | |
| Specimens. | 12 to 20 ft. | ... 75 00 to | 150 00 | |

C. pisifera, aurea.

GOLDEN SAWARA CYPRESS. Golden yellow foliage. Like R. pisifera in form and habit.

| | | | | |
|------------|--------------|-----------------|--------|--------|
| 3½ to 4 | ft. |Each | \$5 00 | |
| 4 to 4½ | ft. | | 7 50 | 60 00 |
| 4½ to 5 | ft. | | 8 50 | 70 00 |
| 5 to 6 | ft. | | 10 00 | 80 00 |
| 6 to 7 | ft. | | 12 50 | 100 00 |
| 7 to 8 | ft. | | 17 50 | 150 00 |
| 8 to 9 | ft. | | 25 00 | 225 00 |
| Specimens. | 10 to 20 ft. |\$45 00 to | 150 00 | |

C. plumosa.

PLUME CYPRESS. This, with the golden variety, stands shearing best. Useful for hedges and formal work. A tall pyramidal shape.

| | | | | | |
|----------|-----|-----------|------------|--------|----------|
| 2 to 2½ | ft. |Each | \$2 50 | 20 00 | Per 100 |
| 2½ to 3 | ft. | | 3 50 | 28 00 | \$220 00 |
| 3 to 3½ | ft. | | 4 50 | 36 00 | 260 00 |
| 3½ to 4 | ft. | | 5 00 | 40 00 | 320 00 |
| 4 to 4½ | ft. | | 6 00 | 48 00 | 400 00 |
| 4½ to 5 | ft. | | 7 50 | 60 00 | 480 00 |
| 5 to 6 | ft. | | 8 50 | 70 00 | 540 00 |
| 6 to 7 | ft. | | 10 00 | 80 00 | 640 00 |
| 7 to 8 | ft. | | 12 50 | 100 00 | 800 00 |
| 8 to 9 | ft. | | 15 00 | 120 00 | 950 00 |
| 10 to 12 | ft. |Each | \$45 00 to | 60 00 | |
| 14 to 20 | ft. | | 75 00 to | 150 00 | |

C. plumosa, aurea.

GOLDENPLUME CYPRESS. One of hardiest. The rich golden growth of Spring holds well through the Summer. One of the best for specimens or hedges.

| | | | | | |
|------------|--------------|--------------|--------|--------|--------|
| 2½ to 3 | ft. |Each | \$3 50 | 28 00 | |
| 3 to 3½ | ft. | | 4 50 | 36 00 | |
| 3½ to 4 | ft. | | 5 00 | 40 00 | 320 00 |
| 4 to 4½ | ft. | | 6 00 | 48 00 | 400 00 |
| Specimens. | 4½ to 5 ft. | | 7 50 | 60 00 | 480 00 |
| Specimens. | 6 to 7 ft. | | 8 50 | 70 00 | 540 00 |
| Specimens. | 7 to 8 ft. | | 15 00 | 120 00 | |
| Specimens. | 8 to 9 ft. | | 15 00 | 120 00 | |
| Specimens. | 10 to 20 ft. | ..\$45 00 to | 60 00 | | |
| Specimens. | 14 to 20 ft. | .. 75 00 to | 150 00 | | |

CHAMAECYPARIS (Retinospora) plumosa, sulphurea.**SULPHURPLUME CYPRESS.** Soft yellowish-green color; compact form.

| | | Per 10 | Per 100 |
|------------------------------------|-----------------------|---------|----------|
| 15 to 18 in. | Each \$2 50 | \$17 50 | |
| 1½ to 2 ft. | 3 50 | 28 00 | \$220 00 |
| 2 to 2½ ft. | 4 50 | 30 00 | 260 00 |
| 2½ to 3 ft. | 6 00 | 48 00 | 390 00 |
| 3 to 3½ ft. | 7 50 | 50 00 | |
| 3½ to 4 ft. | 8 50 | 65 00 | |
| Specimens. 6 to 7 ft. | 25 00 | | |
| Specimens. 7 to 8 ft. | 35 00 | | |
| Specimens. 8 to 10 ft. | 50 00 | 400 00 | |
| Specimens. Broad pyramidal shaped— | | | |
| 10 to 12 ft. | Each \$60 00 to 75 00 | | |

C. squarrosa.**MOSS CYPRESS.** Choice as specimen. Its silvery-blue foliage is soft and extremely graceful, and stands clipping when used in hedges or for formal specimens.

| | | | |
|------------------------------|-------------------|--------|--------|
| 2½ to 3 ft. Heavy | Each \$4 50 | 36 00 | |
| 3 to 3½ ft. Heavy | 6 00 | 48 00 | |
| 3½ to 4 ft. Heavy | 7 50 | 60 00 | 480 00 |
| 4 to 4½ ft. Heavy | 8 25 | 66 00 | |
| 4½ to 5 ft. Heavy | 9 00 | 72 00 | 640 00 |
| 5 to 6 ft. | 15 00 | 120 00 | 950 00 |
| 6 to 7 ft. | 20 00 | 160 00 | |
| 7 to 8 ft. | 30 00 | | |
| Specimens. 10 to 12 ft. | 45 00 | 400 00 | |
| Specimens. 14 to 18 ft. | \$70 00 to 100 00 | | |

C. squarrosa nana.

A dense, compact little evergreen—of decided value for rock garden planting.

| | | |
|---------------------------|-------------|-------|
| 12 to 15 in. spread | Each \$3 50 | 30 00 |
| 15 to 18 in. spread | 4 50 | 40 00 |

CRYPTOMERIA japonica, drachioides.**JAPANESE TEMPLE CEDAR.** Oriental in effect. As specimen or in groups.

Specimens. 14 to 25 ft. Each \$75 00 to 150 00

C. japonica lobbi.**LOBB CRYPTOMERIA.** Tall and slender. Splendid for formal effects of dark bronzed foliage. The beauty-loving Japanese use this stately evergreen especially for setting off their temples.

| | | |
|------------------------------|-------------|--------|
| 3½ to 4 ft. | Each \$4 00 | 37 50 |
| 4 to 4½ ft. | 5 00 | 45 00 |
| 4½ to 5 ft. | 6 00 | 50 00 |
| 5 to 6 ft. | 7 50 | 60 00 |
| 6 to 7 ft. | 10 00 | 90 00 |
| 7 to 8 ft. | 12 50 | 112 50 |
| 8 to 9 ft. | 20 00 | 180 00 |
| 10 to 11 ft. | 30 00 | 275 00 |
| Specimens. 12 to 13 ft. | 65 00 | |
| Specimens. 14 to 15 ft. | 100 00 | |
| Specimens. 16 to 17 ft. | 135 00 | |
| Specimens. 18 to 20 ft. | 200 00 | |



ILEX. See also pages 36 to 84.

I. aquifolium.

ENGLISH HOLLY. Bright and cheery in Winter landscapes in protected corners.

| | |
|------------------|--------------|
| 3½ to 4 ft. | Each \$12 50 |
| 4 to 5 ft. | 15 00 |
| 5 to 6 ft. | 17 50 |
| 6 to 7 ft. | 25 00 |

I. opaca.

AMERICAN HOLLY. Well known and hardier than the English Holly. Effective in border groups or as specimens. Red berries.

Planting Note—The movement of Hollies is not difficult if proper care is exercised. They are delivered with a good ball, which should be planted firmly and well watered. If the further precaution is taken of cutting off the foliage—not stripping it, but cutting the leaf stem—a Holly will seldom fail.

| | | Per 10 | Per 100 |
|------------------|-----------------------|---------|----------|
| 1½ to 2 ft. | Each \$2 50 | \$20 00 | \$180 00 |
| 2 to 2½ ft. | 3 50 | 30 00 | 265 00 |
| 3 to 3½ ft. | 5 00 | 40 00 | 320 00 |
| 3½ to 4 ft. | 7 50 | 60 00 | 450 00 |
| 4½ to 5 ft. | 10 00 | 90 00 | 800 00 |
| 5 to 6 ft. | 15 00 | 125 00 | 900 00 |
| 6 to 7 ft. | 17 50 | 150 00 | 1250 00 |
| 7 to 8 ft. | Each \$25 00 to 35 00 | | |

Extra Specimens. 9 to 10 ft...\$40 00 to 50 00

Extra Bushy Specimens at 50% increase.

JUNIPERUS chinensis.

CHINESE JUNIPER. Precise columnar form; grayish-green foliage. For formal effects or mixed evergreen planting.

| | | |
|------------------|-------------|--------|
| 3½ to 4 ft. | Each \$6 00 | 48 00 |
| 4 to 5 ft. | 7 50 | 60 00 |
| 5 to 6 ft. | 10 00 | 80 00 |
| 6 to 7 ft. | 15 00 | 120 00 |
| 7 to 8 ft. | 20 00 | 180 00 |
| 8 to 9 ft. | 25 00 | 225 00 |



JUNIPERUS chinensis, albo-variegata.

WHITELEAF CHINESE JUNIPER. Tall pointed pyramid with attractive colored needles. For formal use.

| | | |
|------------------------------------|------|------------------|
| 5 to 6 ft. | Each | \$15 00 |
| Specimens. 6 to 7 ft. | | 17 50 |
| Specimens. 7 to 8 ft. | | 20 00 |
| Specimens. 8 to 10 ft. | | \$35 00 to 50 00 |

J. chinensis columnaris.

NEW. COLUMNAR JUNIPER. Tall, slim growth. Steel-blue color. Hardy and a splendid formal specimen.

| | | | Per 10 |
|-------------------|------|--------|---------|
| 2½ to 3 ft. | Each | \$4 50 | \$35 00 |
| 3½ to 4 ft. | | 7 50 | 60 00 |
| 4½ to 5 ft. | | 10 00 | 90 00 |
| 5 to 6 ft. | | 12 50 | 100 00 |
| 6 to 7 ft. | | 15 00 | 125 00 |
| 7 to 8 ft. | | 17 50 | 150 00 |
| 8 to 9 ft. | | 20 00 | |
| 9 to 10 ft. | | 25 00 | |
| 10 to 12 ft. | | 27 50 | 240 00 |
| 12 to 14 ft. | | 30 00 | 275 00 |

J. chinensis, femina reevesi.

REEVES JUNIPER. Of free-growing form more valued in mixed planting than formal use. Spreading upright branches.

| | | |
|-----------------------------------|------|--------|
| 2½ to 3 ft. | Each | \$6 00 |
| 3 to 3½ ft. | | 7 50 |
| 5 to 6 ft. | | 12 50 |
| Specimens. 6 to 7 ft. | | 20 00 |
| Specimens. 7 to 8 ft. | | 25 00 |
| Specimens. 8 to 9 ft. | | 40 00 |

J. chinensis mas.

UPRIGHT CHINESE JUNIPER.

| | | | |
|------------------|------|--------|--------|
| 2½ to 3 ft. | Each | \$6 00 | 47 50 |
| 3½ to 4 ft. | | 7 50 | 60 00 |
| 4 to 4½ ft. | | 10 00 | 80 00 |
| 4½ to 5 ft. | | 12 50 | 100 00 |

JUNIPERUS chinensis pfitzeriana.

PFITZER JUNIPER. Its sweeping gray-green branchlets give this broad, bushy type value for mixed planting.

| | | Per 10 | Per 100 |
|--------------------|------------------|---------|----------|
| 2 to 2½ ft. spread |Each \$2 50 | \$20 00 | |
| 2½ to 3 ft. spread |3 50 | 30 00 | \$270 00 |
| 3 to 3½ ft. spread |5 00 | 40 00 | 350 00 |
| 3½ to 4 ft. spread |6 50 | 50 00 | 450 00 |
| 4 to 4½ ft. spread |7 50 | 60 00 | 480 00 |
| 4½ to 5 ft. spread |10 00 | 85 00 | |
| 5 to 6 ft. spread |15 00 | 125 00 | |

J. chinensis sargentii.

SARGENT JUNIPER. Spreading form similar to "Waukegan" but foliage rich green.

| | | |
|--------------|------------------|-------|
| 18 to 20 in. |Each \$3 50 | 30 00 |
| 20 to 24 in. |4 00 | 37 50 |
| 24 to 30 in. |5 00 | 40 00 |

J. chinensis virginalis.

GLOBE CHINESE JUNIPER. Very low-growing; use in masses in low border planting.

| | |
|--------------------|-------------------|
| 3 to 3½ ft. spread |Each \$15 00 |
|--------------------|-------------------|

J. communis.

COMMON JUNIPER. Dense fastigate form; grayish-green foliage. Valuable for formal effects.

| | | |
|-------------|------------------|-------|
| 2½ to 3 ft. |Each \$2 50 | 20 00 |
| 3 to 3½ ft. |3 00 | 24 00 |
| 3½ to 4 ft. |3 50 | 28 00 |
| 4 to 5 ft. |4 00 | 32 00 |
| 5 to 6 ft. |4 50 | 36 00 |
| 6 to 7 ft. |6 00 | 47 50 |

J. communis depressa.

SPREADING JUNIPER. Flat spreading growth; compact.

| | | |
|--------------------|------------------|-------|
| 2 to 2½ ft. spread |Each \$3 50 | 30 00 |
| 2½ to 3 ft. spread |4 00 | 35 00 |
| 4 to 5 ft. spread |7 50 | 65 00 |

J. communis, depressa plumosa.

ANDORRA'S PURPLE SPREADING JUNIPER. New introduction. **The best low growing Juniper.** Invaluable in Fall and Winter when foliage is tinged with rich bronze-purple.

| | | | |
|---------------------|------------------|-------|--------|
| 12 to 15 in. spread |Each \$1 50 | 12 50 | 100 00 |
| 15 to 18 in. spread |2 00 | 16 50 | 150 00 |
| 18 to 20 in. spread |2 25 | 20 00 | 160 00 |
| 20 to 24 in. spread |2 50 | 22 50 | 200 00 |
| 2 to 2½ ft. spread |3 50 | 26 50 | 240 00 |
| 2½ to 3 ft. spread |4 50 | 30 00 | 270 00 |
| 3 to 3½ ft. spread |6 00 | 40 00 | 360 00 |

J. communis, horizontalis douglasi.

WAUKEGAN JUNIPER. Dark green foliage. Low growing, spreading; of exceptional merit.

| | | | |
|---------------------|------------------|-------|--------|
| 12 to 15 in. spread |Each \$2 00 | 14 00 | |
| 3 to 3½ ft. spread |3 50 | 28 00 | 250 00 |
| 3½ to 4 ft. spread |5 00 | 35 00 | 300 00 |
| 4 to 4½ ft. spread |6 00 | 50 00 | 450 00 |

JUNIPERUS communis suecica.

SWEDISH JUNIPER. For formal use. Slow-growing; gray-green needles. Tall columnar.

| | | | |
|------------------|-------------|---------|----------|
| 2½ to 3 ft. | Each \$2 50 | Per 10 | Per 100 |
| 3 to 3½ ft. | 3 00 | \$24 00 | \$200 00 |
| 3½ to 4 ft. | 4 00 | 32 00 | 250 00 |
| 4 to 5 ft. | 5 00 | 45 00 | 300 00 |
| 5 to 6 ft. | 6 00 | 55 00 | |

J. excelsa, stricta.

SPINEY GREEK JUNIPER. Close-growing, pyramidal form with gray-green foliage. Excellent in the formal garden.

| | | | |
|------------------|--------------|--------|--|
| 4½ to 5 ft. | Each \$12 50 | 85 00 | |
| 5 to 6 ft. | 15 00 | 125 00 | |
| 6 to 7 ft. | 17 50 | 150 00 | |
| 7 to 8 ft. | 20 00 | | |

J. japonica.

JAPANESE JUNIPER. Medium growth—fronded form—a loose pyramidal type of great charm.

Specimens. 10 to 12 ft. \$35 00 to 50 00

J. japonica, aurea.

GOLDEN JAPANESE JUNIPER. A golden-yellow form of J. Japonica.

| | | | |
|------------------|-------------|-------|--|
| 2 to 2½ ft. | Each \$4 50 | 36 00 | |
| 2½ to 3 ft. | 6 00 | 48 00 | |
| 3 to 3½ ft. | 7 50 | 65 00 | |
| 3½ to 4 ft. | 10 00 | 80 00 | |

J. procumbens.

TRAILING JUNIPER. Similar to "Douglasi" but of flat growth, trailing close to the earth.

| | | | |
|------------------------------------|-------------|-------|--------|
| 12 to 15 in. spread | Each \$2 00 | 14 00 | 100 00 |
| Specimens. 2½ to 3 ft. | 4 50 | | |
| Specimens. 3 to 3½ ft. | 5 00 | 40 00 | |
| Specimens. 3½ to 4 ft. | 6 00 | 50 00 | |
| Specimens. 4 to 5 ft. | 7 50 | 65 00 | |

J. sabina.


SAVIN JUNIPER. Dark green foliage. Suitable for rockery work.

| | | | |
|------------------|-------------|-------|--------|
| 1½ to 2 ft. | Each \$2 00 | 16 00 | |
| 2 to 2½ ft. | 2 50 | 22 50 | 175 00 |
| 2½ to 3 ft. | 3 00 | 25 00 | |

J. sabina, tamariscifolia.

TAMARIX SAVIN. Grayish-green foliage, suited for rockery work. Low, spreading.

| | | | |
|---------------------------|-------------|-------|--------|
| 12 to 15 in. spread | Each \$2 50 | 20 00 | 150 00 |
| 18 to 24 in. spread | 3 50 | 30 00 | 250 00 |
| 2½ to 3 ft. spread | 6 00 | | |
| 3 to 3½ ft. spread | 7 50 | | |



SPECIMEN DWARF BOX.

JUNIPERUS squamata, var. myeri.

MYERS JUNIPER. An upright synamata type—dense growth—terminals of branches tipped with bronzy red. Unique and desirable for rock gardens.

| | | | Per 10 |
|---------|----------|-------------|---------|
| 1½ to 2 | ft. | Each \$4 50 | \$40 00 |
| 2 to 2½ | ft. | 6 00 | 55 00 |
| 2½ to 3 | ft. | 7 50 | 60 00 |
| 3 to 3½ | ft. | 8 50 | 70 00 |
| 3½ to 4 | ft. | 10 00 | 90 00 |

J. virginiana.

REDCEDAR. Tall and slender, resembling the Italian Cypress in form and rich, dark green color. All these Cedars should be used more in deciduous plantings, where they give an enlivening note in color and form. All the tall varieties are excellent for formal work.

| | | | |
|----------|----------|-------------|--------|
| 2½ to 3 | ft. | Each \$3 00 | 20 00 |
| 3½ to 4 | ft. | 3 50 | 25 00 |
| 4 to 5 | ft. | 4 50 | 30 00 |
| 5 to 6 | ft. | 6 00 | 40 00 |
| 6 to 7 | ft. | 7 50 | 50 00 |
| 7 to 8 | ft. | 12 00 | 80 00 |
| 8 to 10 | ft. | 15 00 | 100 00 |
| 10 to 12 | ft. | 20 00 | 185 00 |
| 12 to 14 | ft. | 25 00 | 225 00 |

J. virginiana, cannarti.

CANNART REDCEDAR. Of same form as the Redcedar, but denser in growth with deep-green, tufted foliage.

| | | | |
|---------|----------|-------------|--------|
| 3 to 3½ | ft. | Each \$6 50 | 52 50 |
| 3½ to 4 | ft. | 7 50 | 65 00 |
| 4 to 4½ | ft. | 8 50 | 70 00 |
| 4½ to 5 | ft. | 10 00 | 80 00 |
| 5 to 6 | ft. | 12 50 | 100 00 |

JUNIPERUS virginiana, elegantissima.

GOLDTIP REDCEDAR. Like Redcedar in form, with attractive golden tipped growth. Habit compact and columnar. An unusual and beautiful tree.

| | | Per 10 |
|-------------------|-------------|---------|
| 2½ to 3 ft. | Each \$4 50 | \$37 50 |
| 4½ to 5 ft. | 7 50 | |
| 5 to 6 ft. | 10 00 | |
| 6 to 7 ft. | 15 00 | 135 00 |
| 7 to 8 ft. | 17 50 | |
| 9 to 10 ft. | 25 00 | 225 00 |
| 10 to 11 ft. | 35 00 | 325 00 |
| 12 to 14 ft. | 45 00 | 425 00 |

J. virginiana, glauca.

SILVER REDCEDAR. A bluish gray. For garden or border. Tall and slender. deep-green, tufted foliage.

| | | | Per 100 |
|------------------------------|-------------|--------|----------|
| 2½ to 3 ft. | Each \$3 50 | 30 00 | \$315 00 |
| 3 to 3½ ft. | 4 00 | 35 00 | |
| 3½ to 4 ft. | 5 00 | 40 00 | 360 00 |
| 4 to 4½ ft. | 6 00 | 50 00 | 450 00 |
| 4½ to 5 ft. | 7 50 | 60 00 | 525 00 |
| 5 to 6 ft. | 10 00 | 90 00 | 650 00 |
| 6 to 7 ft. | 12 50 | 110 00 | 900 00 |
| Specimens. 7 to 8 ft. | 20 00 | 180 00 | |
| Specimens. 8 to 9 ft. | 25 00 | 225 00 | |
| Specimens. 9 to 10 ft. | 35 00 | 325 00 | |
| Specimens. 10 to 11 ft. | 40 00 | 385 00 | |
| Specimens. 11 to 12 ft. | 50 00 | 475 00 | |
| Specimens. 12 to 13 ft. | 60 00 | 575 00 | |
| Specimens. 13 to 14 ft. | 65 00 | 625 00 | |
| Specimens. 14 to 16 ft. | 75 00 | 725 00 | |
| Specimens. 17 to 18 ft. | 85 00 | 825 00 | |
| Specimens. 18 to 20 ft. | 100 00 | 950 00 | |

J. virginiana, pendula.

WEeping REDCEDAR. A very pendulous form suitable for heavy planting on rocky hill-sides or in large rock gardens.

| | |
|------------------------------|------------------|
| Specimens. 7 to 8 ft. | \$20 00 |
| Specimens. 8 to 10 ft. | 25 00 to \$35 00 |
| Specimens. 10 to 12 ft. | 40 00 to 50 00 |
| Specimens. 12 to 14 ft. | 60 00 to 65 00 |
| Specimens. 14 to 16 ft. | 75 00 to 85 00 |

J. virginiana schotti.

SCHOTT REDCEDAR. Very like the Redcedar in form and color. Interesting texture.

| | | |
|-------------------|-------------|-------|
| 3½ to 4 ft. | Each \$6 00 | 55 00 |
| 4 to 5 ft. | 8 50 | 68 00 |
| 5 to 6 ft. | 10 00 | 80 00 |
| 6 to 7 ft. | 12 50 | |
| 7 to 8 ft. | 20 00 | |
| 8 to 9 ft. | 35 00 | |
| 9 to 10 ft. | 45 00 | |
| 10 to 11 ft. | 50 00 | |
| 12 to 13 ft. | 65 00 | |

PICEA alba.

WHITE SPRUCE. Gray green foliage; broad handsome growth.

| | | | Per 10 | Per 100 |
|---------|----------|-------------|---------|---------|
| 1½ to 2 | ft. | Each \$1 50 | \$10 00 | \$80 00 |
| 2 to 2½ | ft. | 2 00 | 13 50 | 100 00 |
| 2½ to 3 | ft. | 2 50 | 16 50 | 125 00 |
| 3 to 3½ | ft. | 3 00 | 20 00 | 160 00 |
| 3½ to 4 | ft. | 3 50 | 25 00 | 200 00 |
| 4 to 5 | ft. | 4 50 | 30 00 | 260 00 |
| 5 to 6 | ft. | 5 00 | 35 00 | 300 00 |
| 6 to 7 | ft. | 6 00 | 45 00 | 400 00 |
| 7 to 8 | ft. | 8 50 | 60 00 | |
| 8 to 9 | ft. | 12 50 | 100 00 | |

P. engelmani.

ENGELMANN SPRUCE. Broad pyramidal form with soft gray-green foliage. Splendid as a specimen.

| | | |
|----------|----------|--------------|
| 4 to 5 | ft. | Each \$15 00 |
| 5 to 6 | ft. | 17 50 |
| 6 to 7 | ft. | 20 00 |
| 7 to 8 | ft. | 25 00 |
| 9 to 10 | ft. | 35 00 |
| 10 to 12 | ft. | 45 00 |
| 12 to 14 | ft. | 60 00 |

P. excelsa.

NORWAY SPRUCE. Best Spruce for screens and hedges. Dark green; rapid growth.

| | | | | |
|----------|----------|-------------|--------|--------|
| 2 to 2½ | ft. | Each \$1 50 | 12 00 | 90 00 |
| 2½ to 3 | ft. | 1 75 | 15 00 | 120 00 |
| 3 to 3½ | ft. | 2 50 | 20 00 | 135 00 |
| 3½ to 4 | ft. | 3 00 | 22 50 | 150 00 |
| 4 to 4½ | ft. | 3 50 | 28 00 | 220 00 |
| 4½ to 5 | ft. | 4 00 | 32 00 | 260 00 |
| 5 to 6 | ft. | 4 50 | 36 00 | 325 00 |
| 6 to 7 | ft. | 7 50 | 50 00 | 400 00 |
| 7 to 8 | ft. | 8 50 | 65 00 | 475 00 |
| 8 to 9 | ft. | 10 00 | 80 00 | |
| 10 to 12 | ft. | 17 50 | 150 00 | |

P. orientalis.

ORIENTAL SPRUCE. Pyramidal; dark green; valuable for grouping or specimens.

| | | | | |
|---------|----------|--------------|-------|--|
| 4 to 5 | ft. | Each \$20 00 | | |
| 5 to 6 | ft. | 25 00 | | |
| 6 to 7 | ft. | 30 00 | | |
| 7 to 8 | ft. | 35 00 | | |
| 8 to 10 | ft. | 40 00 | 60 00 | |

P. polita.

TIGERTAIL SPRUCE. Warm green, stiff foliage. Use as specimen or in groups.

| | | |
|---------|----------|--------------|
| 2½ to 3 | ft. | Each \$10 00 |
| 3 to 4 | ft. | 12 50 |
| 4 to 5 | ft. | 15 00 |
| 5 to 6 | ft. | 17 50 |
| 6 to 7 | ft. | 20 00 |

PICEA pungens.

COLORADO SPRUCE. Symmetrical; very hardy; foliage light green.

| | | | Per 10 | Per 100 |
|-------------------|-------------------|---------|---------|----------|
| 1½ to 2 ft. |Each | \$3 00 | \$20 00 | \$160 00 |
| 2 to 2½ ft. | | 3 50 | 24 00 | 200 00 |
| 2½ to 3 ft. | | 5 00 | 35 00 | 300 00 |
| 3 to 3½ ft. | | 6 00 | 48 00 | 400 00 |
| 3½ to 4 ft. | | 7 50 | 60 00 | 450 00 |
| 4 to 4½ ft. | | 8 50 | 68 00 | |
| 4½ to 5 ft. | | 9 50 | 76 00 | 600 00 |
| 5 to 6 ft. | | 12 50 | 100 00 | |
| 6 to 7 ft. | | 15 00 | 120 00 | |
| Specimens. | 8 to 10 ft. | \$50 00 | | |
| Specimens. | 12 to 14 ft. | 75 00 | | |

P. pungens, glauca.

BLUE COLORADO SPRUCE. Familiar silvery-blue tree; provides distinct color note.

| | | | | |
|-------------------|-----------------|-----------------------|--------|--------|
| 1½ to 2 ft. |Each | \$3 50 | 30 00 | |
| 2 to 2½ ft. | | 4 50 | 37 50 | 300 00 |
| 2½ to 3 ft. | | 6 00 | 48 00 | 375 00 |
| 3 to 3½ ft. | | 7 50 | 60 00 | 480 00 |
| 3½ to 4 ft. | | 9 00 | 72 50 | 500 00 |
| 4 to 4½ ft. | | 12 50 | 100 00 | |
| 5 to 6 ft. | | 17 50 | | |
| 6 to 7 ft. | | 20 00 | | |
| Specimens. | 9 to 14 ft. ... | \$60 00 to 85 00 | | |
| Specimens. | 20 to 30 ft. | Price on application. | | |

P. pungens, kosteri.

KOSTER COLORADO SPRUCE. Distinct in rich color of silvery-green.

| | | | | |
|-------------|-----------|--------|--------|--------|
| 1½ to 2 ft. |Each | \$5 00 | 45 00 | 400 00 |
| 2 to 2½ ft. | | 6 50 | 55 00 | |
| 2½ to 3 ft. | | 9 00 | 80 00 | |
| 3 to 3½ ft. | | 12 50 | 115 00 | 900 00 |
| 3½ to 4 ft. | | 17 50 | 150 00 | |
| 4 to 4½ ft. | | 20 00 | 185 00 | |
| 4½ to 5 ft. | | 25 00 | 235 00 | |

PINUS densiflora.

JAPANESE RED PINE. Of rapid growth. Picturesque when matured, with broad irregular head. Foliage bluish green.

| | | | | |
|--------------|-----------|--------|--------|---------|
| 5 to 6 ft. |Each | \$7 00 | 60 00 | |
| 6 to 7 ft. | | 9 50 | 80 00 | |
| 7 to 8 ft. | | 12 50 | 100 00 | 900 00 |
| 8 to 10 ft. | | 17 50 | 160 00 | 1250 00 |
| 10 to 12 ft. | | 20 00 | 180 00 | |
| 12 to 14 ft. | | 30 00 | | |

P. densiflora umbraculifera. (P. Globosa.)

JAPANESE TABLE PINE. (Tanyosho.) So named because it forms a wide, soft green table-top. Lavender-candled buds in Spring.

| | | | | |
|-------------|-----------|--------|-------|--|
| 2 to 2½ ft. |Each | \$5 00 | 45 00 | |
| 2½ to 3 ft. | | 6 50 | 60 00 | |

Specimens rich in form and color.

8 to 10 x 8 to 12 ft.Each \$75 00 to 150 00

PINUS montana.

MOUNTAIN PINE. A rugged picturesque grower, broad spreading—more upright and open than the dwarfer “mugho.”

| | | | Per 10 |
|-------------------|-------------------|------------------|---------|
| 2 | to 2½ ft. | Each \$5 60 | \$40 00 |
| 2½ | to 3 ft. | 6 50 | 50 00 |
| 4 | to 5 ft. | 10 00 | 90 00 |
| Specimens. | 6 to 8 ft. | \$25 00 to 35 00 | |
| Specimens. | 10 to 14 ft. | 40 00 to 75 00 | |

P. montana, mugho.

MUGHO PINE. Dwarf, slow, compact and neat in habit; very hardy. Its compact form makes it desirable for formal planting.

| | | | | Per 100 |
|-------------------|-------------------------|-------------|--------|---------|
| 12 | to 15 in. spread | Each \$1 50 | 12 00 | \$80 00 |
| 15 | to 18 in. spread | 2 00 | 16 00 | 100 00 |
| 1½ | to 2 ft. spread | 3 50 | 27 50 | 200 00 |
| 2 | to 2½ ft. spread | 5 00 | 40 00 | 300 00 |
| 2½ | to 3 ft. spread | 7 50 | 60 00 | 450 00 |
| Specimens. | 3 to 3½ ft. spread | 8 50 | 70 00 | 600 00 |
| Specimens. | 3½ to 4 ft. spread | 10 00 | 85 00 | 700 00 |
| Specimens. | 4 to 5 ft. spread | 15 00 | 140 00 | |

P. nigra.

AUSTRIAN PINE. One of the best for border or mass planting, or as shelter or screen. Its glossy, dark green needles and rugged branches. Will stand the smoke of cities.

| | | | | |
|----|------------------------|-----------------|--------|---------|
| 2 | to 2½ ft. | Each \$2 50 | 20 00 | 160 00 |
| 2½ | to 3 ft. | 3 00 | 24 00 | 190 00 |
| 3 | to 3½ ft. | 3 50 | 28 00 | 225 00 |
| 3½ | to 4 ft. | 4 00 | 32 00 | 300 00 |
| 4 | to 5 ft. | 5 00 | 40 00 | 360 00 |
| 5 | to 6 ft. | 6 00 | 50 00 | 450 00 |
| 6 | to 7 ft. | 7 50 | 60 00 | 540 00 |
| 7 | to 8 ft. | 10 00 | 90 00 | 700 00 |
| 7 | to 8 ft. xx Heavy..... | 15 00 | 135 00 | |
| 8 | to 9 ft. xx Heavy..... | 20 00 | 175 00 | 1000 00 |
| 10 | to 12 ft. | 25 00 | 225 00 | |
| 12 | to 14 ft. | 40 00 | 385 00 | |
| 14 | to 16 ft. | 50 00 | 485 00 | |
| 16 | to 18 ft. | \$4 00 per foot | | |
| 18 | to 20 ft. | 4 50 per foot | | |
| 20 | to 22 ft. | 5 00 per foot | | |
| 25 | to 30 ft. | 6 00 per foot | | |

P. resinosa.

RED PINE. Beautiful dense tree. Bark, reddish brown; foliage, light green.

| | | | | |
|----|----------------|-------------|--------|---------|
| 2 | to 2½ ft. | Each \$2 50 | 20 00 | 160 00 |
| 2½ | to 3 ft. | 3 00 | 24 00 | 190 00 |
| 3 | to 3½ ft. | 3 50 | 28 00 | 225 00 |
| 3½ | to 4 ft. | 4 00 | 32 00 | 300 00 |
| 4 | to 5 ft. | 5 00 | 40 00 | 360 00 |
| 5 | to 6 ft. | 6 00 | 45 00 | 400 00 |
| 6 | to 7 ft. | 7 50 | 55 00 | 450 00 |
| 7 | to 8 ft. | 10 00 | 80 00 | 650 00 |
| 8 | to 9 ft. | 17 50 | 150 00 | 900 00 |
| 10 | to 12 ft. | 20 00 | 185 00 | 1200 00 |
| 12 | to 14 ft. | 25 00 | 225 00 | |
| 14 | to 16 ft. | 35 00 | 325 00 | |

PINUS rigida.

PITCH PINE. Close growth—needles short; color lighter than “nigra” or “resinosa.” Excellent for screening.

| | | | | Per 10 |
|-------------|-------|-----------|---------|---------|
| 6 to 7 ft. | Heavy |Each | \$10 00 | \$80 00 |
| 7 to 8 ft. | Heavy | | 12 50 | 100 00 |
| 8 to 9 ft. | Heavy | | 17 50 | 140 00 |
| 9 to 10 ft. | Heavy | | 20 00 | 175 00 |

P. strobus.

WHITE PINE. Tall and straight with glaucous foliage. Group on lawn or high border with flowering trees. Use for close screen.

| | | | | Per 100 |
|--------------|-----------|--------|-------|----------|
| 2 to 2½ ft. |Each | \$2 00 | 16 00 | \$125 00 |
| 2½ to 3 ft. | | 2 50 | 29 00 | 175 00 |
| 3 to 3½ ft. | | 3 00 | 26 00 | 200 00 |
| 3½ to 4 ft. | | 3 50 | 30 00 | 225 00 |
| 4 to 5 ft. | | 4 00 | 32 00 | 300 00 |
| 5 to 6 ft. | | 5 00 | 40 00 | 360 00 |
| 6 to 7 ft. | | 7 50 | 50 00 | 450 00 |
| 7 to 8 ft. | | 10 00 | 90 00 | 650 00 |
| 9 to 10 ft. | Heavy | | 20 00 | 160 00 |
| 10 to 12 ft. | Heavy | | 35 00 | 300 00 |
| 12 to 14 ft. | Heavy | | 40 00 | 375 00 |

Specimens.

| | | | |
|--------------|-------------------------|-------|--------|
| 14 to 16 ft. | | 50 00 | 475 00 |
| 16 to 18 ft. | | 75 00 | 700 00 |
| 18 to 20 ft. | at \$5 00 per foot | | |
| 21 to 30 ft. | at 6 00 per foot | | |

P. sylvestris.

SCOTCH PINE. Reddish brown bark, silvery green foliage. A quick growing screen tree.

| | | | | |
|--------------|-----------|--------|--------|--------|
| 3½ to 4 ft. |Each | \$3 50 | 25 00 | |
| 4½ to 5 ft. | | 4 00 | 30 00 | |
| 5 to 6 ft. | | 5 00 | 40 00 | |
| 6 to 7 ft. | | 6 50 | 50 00 | 400 00 |
| 7 to 8 ft. | | 9 00 | 70 00 | 640 00 |
| 9 to 10 ft. | | 16 00 | 130 00 | 900 00 |
| 10 to 12 ft. | | 25 00 | 225 00 | |

P. thunbergi.

JAPANESE BLACK PINE. Somewhat similar to our White Pine. Foliage shorter and darker. Handsome.

| | | | |
|--------------|-----------|--------|--------|
| 5 to 6 ft. |Each | \$8 50 | 60 00 |
| 6 to 7 ft. | | 10 00 | 80 00 |
| 7 to 8 ft. | | 12 00 | 100 00 |
| 8 to 10 ft. | | 20 00 | 175 00 |
| 10 to 12 ft. | | 35 00 | 300 00 |

P. virginiana.

SCRUB PINE. A tree of picturesque, irregular habit—light green foliage, brown bark.

| | | | |
|--------------|-----------|--------|--------|
| 5 to 6 ft. |Each | \$5 00 | 40 00 |
| 8 to 10 ft. | | 16 00 | 130 00 |
| 10 to 12 ft. | | 25 00 | 225 00 |
| 12 to 14 ft. | | 35 00 | 275 00 |



PSEUDOTSUGA douglasi.

DOUGLAS FIR. Beautiful soft, dark green foliage. Can be used for hedges.

| | | | Per 10 | Per 100 |
|-------------|-------------------|--------|---------|----------|
| 1½ to 2 ft. |Each | \$2 00 | \$15 00 | \$125 00 |
| 2 to 2½ ft. | | 2 50 | 20 00 | 185 00 |
| 2½ to 3 ft. | | 3 00 | 26 00 | 225 00 |
| 3 to 3½ ft. | | 3 50 | 31 50 | 250 00 |
| 3½ to 4 ft. | | 4 50 | 36 00 | 325 00 |
| 4½ to 5 ft. | | 6 00 | 48 00 | 425 00 |
| 5 to 6 ft. | | 7 50 | 55 00 | 500 00 |
| 6 to 7 ft. | | 10 00 | 80 00 | 700 00 |
| 7 to 8 ft. | | 15 00 | 135 00 | 1200 00 |
| Specimens. | 8 to 9 ft. | 20 00 | 180 00 | |
| Specimens. | 9 to 10 ft. | 30 00 | 285 00 | |
| Specimens. | 10 to 12 ft. | 40 00 | | |
| Specimens. | 12 to 14 ft. | 50 00 | | |
| Specimens. | 14 to 16 ft. | 60 00 | | |

SCIADOPITYS verticillata.

UMBRELLA PINE. Characteristically Japanese; compact, slow growing and narrowly conical. A beautiful formal specimen.

| | | |
|------------|-------------------|---------|
| Specimens. | 8 to 9 ft. | \$50 00 |
| Specimens. | 10 to 12 ft. | 75 00 |
| Specimens. | 12 to 14 ft. | 85 00 |
| Specimens. | 14 to 16 ft. | 100 00 |

TAXUS baccata.

ENGLISH YEWE. A dense, close branched evergreen with dark green foliage. Berries bright red, splendid in protected positions.

| | | |
|------------------|--|--|
| Specimens. | 4 x 4 ft. | } Each \$3.00 per unit See Unit Note below. |
| Specimens. | 5 x 5 ft. | |
| Specimens. | 6 x 6 ft. | |
| Large Specimens. | 7 ft. x 8 ft. up to 10 ft x 12 ft. | \$3 00 per unit |

Unit Note—Height in feet × spread = units.

TAXUS baccata adpressa.

SHORT LEAVED YEW. Deep green foliage; picturesque form, slow growth.

| | | |
|------------|--------------------------|--|
| Specimens. | 4 to 5 x 3 ft. | } Each \$3.00 per unit See Unit Note below. |
| Specimens. | 5 to 6 x 4 ft. | |
| Specimens. | 7 ft. x 6 to 7 ft. | |
| Specimens. | 9 ft. x 7 to 8 ft. | |
| Specimens. | 10 ft. x 8 to 9 ft. | |

Unit Note—Height in feet \times spread = units.

T. baccata, aurea.

GOLDEN ENGLISH YEW. Like the green form in habit, but with exceptionally rich golden tinged foliage.

| | | |
|------------|-----------------------------------|--|
| Specimens. | Wide and bushy, boldly contoured. | |
| Specimens. | 2½ to 3 ft. | Each \$35 00 |
| Specimens. | 5 ft. x 5 to 6 ft. | } Each \$3.00 per unit See Unit Note below. |
| Specimens. | 7 ft. x 7 to 9 ft. | |
| Specimens. | 8 ft. x 9 ft. | |

Unit Note—Height in feet \times spread = units.

T. baccata cheshuntensis.

CHESHUNT'S YEW.

[Specimens.]

| | |
|-----------------------------------|------------------------|
| 6 to 7 ft. x 6 to 7 ft. spread... | } Each \$3.00 per unit |
| 7 to 8 ft. x 7 to 8 ft. spread... | |

Unit Note—Height in feet \times spread = units.

T. baccata densa.

Heavy specimens. A type of dense habit, short dark green needles.

Specimens. 4 x 5 ft. to 8 x 9 ft. at \$5 00 per unit.

Unit Note—Height in feet \times spread = units.

T. baccata erecta.

UPRIGHT ENGLISH YEW. Dense upright growth, foliage dark green.

| | |
|--------------------------|--|
| 5 ft. x 3½ to 4 ft. | } Each \$3.00 per unit See Unit Note below. |
| 6 ft. x 3½ to 4 ft. | |
| 7 ft. x 3½ to 4 ft. | |

Unit Note—Height in feet \times spread = units.

T. baccata, erecta aurea.

GOLDEN BROOM YEW. Similar in habit to preceding. Foliage bright gold.

Specimens. 4 ft. x 3½ ft. Each \$35 00

Specimens. 5 to 6 ft. x 3½ fh. 65 00

T. baccata gracilis pendula.

RAMS HORN YEW. Growth symmetrical, with horizontal branches drooping at the ends. Most ornamental of the Yews.

[Specimens.]

| | |
|-----------------------------------|--------------|
| 8 to 9 ft. x 6 to 7 ft. spread | Each \$50 00 |
| 9 to 10 ft. x 7 to 8 ft. spread | 75 00 |
| 10 to 12 ft. x 8 to 9 ft. spread | 100 00 |
| 12 to 14 ft. x 9 to 10 ft. spread | 150 00 |

TAXUS baccata, repanda.

SPREADING ENGLISH YEW. Exceedingly rich in foliage, this dwarf type is of most pleasing character and masses well with other Evergreens. As a low hedge it has no superior. For fronting the Evergreen border it is just right.

| | | | Per 10 | Per 100 |
|---------------------|-----------|--------|---------|----------|
| 10 to 12 in. spread |Each | \$1 50 | \$12 00 | \$100 00 |
| 12 to 15 in. spread | | 2 00 | 16 00 | 130 00 |
| 15 to 18 in. spread | | 2 50 | 20 00 | 175 00 |
| 18 to 20 in. spread | | 3 00 | 24 00 | 200 00 |
| 20 to 24 in. spread | | 3 50 | 30 00 | 270 00 |
| 24 to 30 in. spread | | 6 00 | 40 00 | 360 00 |
| 30 to 36 in. spread | | 7 50 | 60 00 | 480 00 |
| 36 to 42 in. spread | | 10 00 | 80 00 | |

T. baccata, washingtoni.

WASHINGTON YEW. Strong growing, dense and bushy; foliage tinged with rich bronze tones in Winter. One of the richest of the Yews in form and color.

[Specimens.]

| | |
|-----------------------------------|--|
| 3½ to 4 ft. x 3½ ft. spread | } Each \$3.00 per unit See Unit Note below. |
| 4 to 4½ ft. x 4 to 5 ft. spread.. | |
| 4 to 5 ft. x 5 to 6 ft. spread.. | |
| 5 to 6 ft. x 5 to 6 ft. spread.. | |
| 6 to 7 ft. x 6 to 7 ft. spread.. | |

Unit Note—Height in feet × spread = units.

T. canadensis.

CANADIAN YEW. A flat growing type excellent for rockery work or for shady places.

| | | | Per 10 |
|---------------------|-----------|--------|---------|
| 15 to 18 in. spread |Each | \$2 00 | \$16 00 |
| 18 to 24 in. spread | | 2 50 | 20 00 |
| 24 to 30 in. spread | | 3 00 | 24 00 |

T. cuspidata.

JAPANESE YEW. Dense growing, spreading, deep green foliage; very hardy. Use in plantings near house and garden for its note of richness. **A hedge plant with character.**

| | | | | Per 100 |
|---------------------|-----------|--------|-------|---------|
| 12 to 15 in. spread |Each | \$1 00 | 8 00 | \$75 00 |
| 15 to 18 in. spread | | 2 00 | 18 00 | 160 00 |
| 18 to 24 in. spread | | 3 00 | 25 00 | 200 00 |
| 2 to 2½ ft. spread | | 4 00 | 30 00 | 250 00 |
| 2½ to 3 ft. spread | | 6 00 | 50 00 | 400 00 |
| 3 to 3½ ft. spread | | 8 50 | 70 00 | 600 00 |

EXTRA HEAVY specimens.

Specimens are unusually large pieces forming plants of rich character.

| | | | |
|----------------------------|-------|---------|--------|
| 2½ to 3 ft. Heavy | | \$12 50 | 100 00 |
| 3 to 3½ ft. Heavy | | 17 50 | 150 00 |
| 2½ ft. x 4 to 5 ft. spread | | 20 00 | 180 00 |
| 3 ft. x 4 to 5 ft. spread | | 25 00 | 225 00 |
| 3 ft. x 5 to 6 ft. spread | | 30 00 | 275 00 |
| 4 ft. x 5 ft. spread | | 65 00 | 500 00 |
| 4½ ft. x 5 ft. spread | | 75 00 | |
| 5 ft. x 6 ft. spread | | 90 00 | |
| 5 ft. x 6 to 7 ft. spread | | 100 00 | |

TAXUS cuspidata, brevifolia.

DWARF JAPANESE YEW. One of the richest and most handsome dwarf evergreens and typically Japanese in its beauty. Spreading branches thickly clothed with short dark green needles. Equally valuable for formal or naturalesque effects.

| | | Per 10 | Per 100 |
|---------------------|-----------|--------|---------|
| 15 to 18 in. spread |Each | \$3 50 | \$30 00 |
| 18 to 20 in. spread | | 4 50 | 40 00 |
| 20 to 24 in. spread | | 7 50 | 60 00 |
| | | | 540 00 |

[HEAVY SHEARED SPECIMENS.]

| | | | | | |
|----|------|------------------|-----------|---------|--------|
| 2 | x 2 | ft. spread |Each | \$12 50 | 100 00 |
| 2 | x 2½ | ft. spread | | 20 00 | 160 00 |
| 2½ | x 3 | ft. spread | | 30 00 | 275 00 |
| 2½ | x 3 | to 3½ ft. spread | | 35 00 | 300 00 |
| 3 | x 3½ | to 4 ft. spread | | 50 00 | 400 00 |

T. cuspidata fastigiata. NEW.

ANDORRAS UPRIGHT YEW. Introduced by Andorra. A "sport" from "cuspidata." Broader than the Irish Yew, but distinctly columnar in form. The perfect yew for hedges.

| | | | | |
|--------------|-----------|--------|--------|--------|
| 12 to 15 in. |Each | \$2 00 | 15 00 | 100 00 |
| 15 to 18 in. | | 2 50 | 20 00 | 150 00 |
| 1½ to 2 ft. | | 3 00 | 25 00 | 200 00 |
| 2 to 2½ ft. | | 3 50 | 30 00 | 260 00 |
| 2½ to 3 ft. | | 6 50 | 50 00 | 450 00 |
| 3 to 3½ ft. | | 10 00 | 80 00 | 650 00 |
| 3½ to 4 ft. | | 12 50 | 100 00 | 900 00 |
| 4 to 4½ ft. | | 15 00 | 135 00 | |
| 4½ to 5 ft. | | 20 00 | 180 00 | |
| 5 to 6 ft. | | 35 00 | 250 00 | |
| 6 to 7 ft. | | 45 00 | 425 00 | |

T. cuspidata media.

A form between **cuspidata** and **brevifolia**. Compact growth, rich foliage.

| | | | | |
|------------------------------------|-----------|--------|-------|--------|
| 12 to 15 in. spread |Each | \$2 50 | 20 00 | |
| 15 to 18 in. spread | | 4 50 | 40 00 | 360 00 |
| 15 to 18 in. x 18 to 24 in. spread | ... | 7 50 | 60 00 | |
| 18 to 20 in. x 24 to 28 in. spread | ... | 9 00 | 85 00 | |

DENSE SPECIMENS

| | | | |
|------------------------------------|-------|---------|--------|
| 20 to 24 in. x 30 to 32 in. spread | ... | \$12 50 | 100 00 |
| 24 to 26 in. x 34 to 36 in. spread | ... | 17 50 | 150 00 |
| 24 to 28 in. x 38 to 42 in. spread | ... | 22 50 | 200 00 |
| 30 in. x 42 to 48 in. spread | | 25 00 | 200 00 |

TAXUS—YEW. In the use of the Yew, whether one of the English varieties, or the hardier Japanese forms of *Taxus cuspidata*, the proper selection of the variety is most important.

Taxus cuspidata is a very spreading, rapid grower. In its smaller sizes it is often used in limited space, too limited for the development of the plant. In such a place *Cuspidata brevifolia*, the dwarf form, would be much better and where height is required with a broad spreading form, *Taxus cuspidata fastigiata* should be used.



TAXUS media hicksi.

HICKS COLUMNAR YEW. Compact columnar habit; dark green foliage. Useful for formal effects.

| | | | Per 10 |
|----|----------------|-------------|---------|
| 2 | to 2½ ft. | Each \$3 50 | \$30 00 |
| 2½ | to 3 ft. | 6 50 | 50 00 |

THUJA occidentalis.

AMERICAN ARBORVITAE. Columnar; close; admits severe clipping. Splendid hedge plant. Of merit for informal use.

| | | | | Per 100 |
|------------|----------------------------|-------------|--------|----------|
| 2½ | to 3 ft. | Each \$2 00 | 13 50 | \$110 00 |
| 3 | to 3½ ft. | 2 50 | 16 50 | 130 00 |
| 4 | to 5 ft. | 4 00 | 30 00 | 240 00 |
| 5 | to 6 ft. | 5 00 | 40 00 | 360 00 |
| 6 | to 7 ft. | 6 00 | 50 00 | 450 00 |
| 7 | to 8 ft. Extra bushy | 7 50 | 60 00 | 500 00 |
| 8 | to 9 ft. Extra bushy | 8 50 | 70 00 | 600 00 |
| 9 | to 10 ft. Extra bushy | 10 00 | 90 00 | 700 00 |
| Specimens. | 10 to 11 ft. | 12 50 | 100 00 | 800 00 |
| Specimens. | 12 to 14 ft. | 20 00 | 160 00 | |
| Specimens. | 14 to 16 ft. | 25 00 | 225 00 | |

T. occidentalis, douglasi.

DOUGLAS ARBORVITAE. Formal slim pyramid form; deep green foliage. Ideal for formal planting.

| | | | | |
|------------|-------------------|-------------|--------|--------|
| 2 | to 2½ ft. | Each \$2 50 | 20 00 | 160 00 |
| 3 | to 3½ ft. | 3 75 | 30 00 | 240 00 |
| 3½ | to 4 ft. | 4 50 | 40 00 | 350 00 |
| 4 | to 4½ ft. | 6 00 | 50 00 | 450 00 |
| 5 | to 6 ft. | 8 50 | 70 00 | 600 00 |
| 6 | to 7 ft. | 10 00 | 90 00 | 750 00 |
| Specimens. | 8 to 9 ft. | 15 00 | 125 00 | |
| Specimens. | 9 to 10 ft. | 17 50 | 150 00 | |
| Specimens. | 10 to 12 ft. | 20 00 | 185 00 | |
| Specimens. | 12 to 14 ft. | 25 00 | 225 00 | |

THUJA occidentalis, globosa.

GLOBE ARBORVITAE. Dwarf, close, compact, gray-green. For accent in formal use.

| | | Per 10 | Per 100 |
|-------------------|-------------|---------|---------|
| 12 to 15 in. | Each \$1 50 | \$10 00 | \$75 00 |
| 15 to 18 in. | 2 00 | 12 50 | 100 00 |
| 20 to 24 in. | 3 00 | 20 00 | 160 00 |
| 30 to 36 in. | 4 00 | 27 50 | 225 00 |
| 36 to 42 in. | 4 50 | 30 00 | 250 00 |

T. occidentalis hoveyi.

HOVEY ARBORVITAE. Dense, slow growing. Foliage light green.

| | | | |
|-------------------|-------------|-------|--------|
| 15 to 18 in. | Each \$1 50 | 10 00 | 90 00 |
| 18 to 24 in. | 2 50 | 20 00 | 160 00 |
| 26 to 30 in. | 3 00 | 24 00 | 190 00 |
| 30 to 36 in. | 4 00 | 32 00 | |
| 36 to 42 in. | 5 00 | 40 00 | |
| 42 to 48 in. | 6 00 | 48 00 | |

T. occidentalis, lutea.

PEABODY ARBORVITAE. Similar in habit to type; foliage clear, lasting golden yellow.

| | | | |
|------------------|-------------|--------|--|
| 4 to 4½ ft. | Each \$6 00 | 45 00 | |
| 4½ to 5 ft. | 7 50 | 60 00 | |
| 5 to 6 ft. | 8 50 | 70 00 | |
| 6 to 7 ft. | 10 00 | 85 00 | |
| 7 to 8 ft. | 12 50 | 100 00 | |
| 9 to 10 ft. | 15 00 | 125 00 | |

T. occidentalis plicata (gigantea).

GIANT ARBORVITAE. Largest growing of this class. Form tall and slender. Foliage glossy bright green.

| | | | |
|------------------|-------------|-------|--------|
| 5 to 6 ft. | Each \$5 00 | 40 00 | 340 00 |
| 5 to 6 ft. | 5 00 | 40 00 | 340 00 |
| 6 to 7 ft. | 6 50 | 50 00 | 400 00 |
| 7 to 8 ft. | 7 50 | 60 00 | 500 00 |
| 8 to 10 ft. | 8 50 | 70 00 | |

T. occidentalis, pyramidalis.

PYRAMIDAL AMERICAN ARBORVITAE. Its tall slender habit makes it splendid for formal use; a dense dark green. Columnar form.

| | | | |
|-------------------|-------------|--------|--------|
| 2 to 2½ ft. | Each \$2 00 | 16 00 | 130 00 |
| 2½ to 3 ft. | 2 50 | 20 00 | 160 00 |
| 3 to 3½ ft. | 3 00 | 24 00 | 190 00 |
| 3½ to 4 ft. | 3 50 | 28 00 | 220 00 |
| 4 to 5 ft. | 4 00 | 32 00 | 260 00 |
| 5 to 6 ft. | 5 00 | 40 00 | 360 00 |
| 6 to 7 ft. | 7 50 | 60 00 | 450 00 |
| 7 to 8 ft. | 8 50 | 70 00 | 600 00 |
| 8 to 9 ft. | 10 00 | 80 00 | 700 00 |
| 10 to 12 ft. | 13 50 | 115 00 | 900 00 |

T. occidentalis, reidi.

REID ARBORVITAE. Dense; rather conical form. Foliage bright green.

| | | | |
|------------------|-------------|-------|--|
| 1½ ft. | Each \$2 50 | 20 00 | |
| 1½ to 2 ft. | 3 00 | 24 00 | |
| 2 to 2½ ft. | 3 50 | 28 00 | |
| 2½ to 3 ft. | 4 00 | 32 00 | |
| 3 to 3½ ft. | 5 00 | 40 00 | |
| 3½ to 4 ft. | 6 50 | 50 00 | |

THUJA occidentalis, rosenthali.

ROSENTHAL ARBORVITAE. Medium growth; columnar habit; color deep green. For formal use.

| | | | Per 10 |
|---------|-------|-----------|------------------|
| 3½ to 4 | ft. |Each | \$4 50 \$36 00 |
| 4 | to 4½ | ft. |6 00 48 00 |
| 4½ | to 5 | ft. |7 50 60 00 |
| 5 | to 6 | ft. |10 00 80 00 |
| 6 | to 7 | ft. |12 50 |
| 7 | to 8 | ft. |15 00 |

T. occidentalis, standishi.

STANDISH SITKA CYPRESS. Pyramidal; pendulous branches of light green foliage.

| | | | |
|------------|----------|-----------|-------------------|
| 7 to 8 | ft. |Each | \$15 00 125 00 |
| 9 to 10 | ft. | | 17 50 165 00 |
| Specimens. | 10 to 12 | ft. |20 00 185 00 |
| Specimens. | 12 to 14 | ft. |25 00 |

T. occidentalis, vervaeneana.

VERVAENE ARBORVITAE. Graceful, bronze, mottled tree. Pyramidal form for garden or house planting.

| | | | | | |
|------------|----------|-----|-----------|--------------|----------|
| Specimens. | 5 to 6 | ft. |Each | \$7 50 60 00 | Per 100 |
| Specimens. | 6 to 7 | ft. | | 10 00 80 00 | \$600 00 |
| Specimens. | 7 to 8 | ft. | | 12 50 100 00 | 750 00 |
| Specimens. | 8 to 9 | ft. | | 15 00 135 00 | |
| Specimens. | 9 to 10 | ft. | | 17 50 160 00 | |
| Specimens. | 10 to 12 | ft. | | 20 00 185 00 | |

T. occidentalis wareana.

SIBERIAN ARBORVITAE. Gray green foliage; slow compact growth.

| | | | | | |
|----|-------|-----|-------------|-------------------|--------|
| 2 | to 2½ | ft. |Each | \$2 50 20 00 | 160 00 |
| 2½ | to 3 | ft. | Heavy |3 00 25 00 | 200 00 |
| 3 | to 3½ | ft. | Heavy |3 50 30 00 | 250 00 |
| 3½ | to 4 | ft. | Heavy |5 00 35 00 | 300 00 |
| 4 | to 4½ | ft. | Heavy |6 00 40 00 | 350 00 |
| 4½ | to 5 | ft. | Heavy |7 50 50 00 | 400 00 |
| 5 | to 6 | ft. | Extra heavy |8 50 75 00 | 500 00 |
| 6 | to 7 | ft. | Extra heavy |12 50 100 00 | |
| 7 | to 8 | ft. | Extra heavy |15 00 125 00 | |

T. orientalis.

ORIENTAL ARBORVITAE. Tall and slender like Italian Cypress; rich dark green. For formal work.

| | | | | | |
|----|-------|-----|-----------|-------------------|--------|
| 2 | to 2½ | ft. |Each | \$1 50 12 50 | 100 00 |
| 2½ | to 3 | ft. | | 2 00 16 00 | 130 00 |
| 3 | to 3½ | ft. | | 2 50 20 00 | 160 00 |
| 3½ | to 4 | ft. | | 3 50 30 00 | 200 00 |
| 4½ | to 5 | ft. | | 4 00 32 00 | 225 00 |
| 5 | to 6 | ft. | | 4 50 36 00 | 250 00 |
| 6 | to 7 | ft. | | 5 00 40 00 | 300 00 |
| 7 | to 8 | ft. | | 6 50 50 00 | 400 00 |
| 8 | to 10 | ft. | | 10 00 80 00 | 700 00 |
| 10 | to 12 | ft. | Heavy |17 50 160 00 | 950 00 |
| 12 | to 14 | ft. | Heavy |20 00 180 00 | |
| 14 | to 16 | ft. | Heavy |25 00 225 00 | |



AN ENTRANCE AT "ERDENHEIM." ANDORRA LANDSCAPE DEPT.

A *PLANTING* of dignity and simplicity. The value of drifts or masses of a few well-chosen species, instead of a scattering of many kinds, is here shown.

THUJA orientalis, aurea nana.

BERKMANS GOLDEN ARBORVITAE. Conical; foliage warm golden. For garden or foundation planting. Very slow growing and formal in habit.

| | | Per 10 | Per 100 |
|-------------------|-------------|---------|---------|
| 12 to 15 in. | Each \$1 50 | \$10 00 | \$80 00 |
| 15 to 18 in. | 2 00 | 15 00 | 120 00 |
| 18 to 24 in. | 2 50 | 20 00 | 160 00 |
| 24 to 30 in. | 3 50 | 28 00 | |
| 30 to 36 in. | 5 00 | 35 00 | 200 00 |
| 42 to 48 in. | 8 50 | 75 00 | |

T. orientalis, compacta.

PARSONS ARBORVITAE. Dwarf, columnar shape; fresh green. For the very formal place or hedges.

| | | |
|------------------|-------------|-------|
| 3 to 3½ ft. | Each \$3 00 | |
| 3½ to 4 ft. | 4 00 | 32 00 |
| 4 to 4½ ft. | 5 00 | |
| 4½ to 5 ft. | 6 50 | |
| 5 to 6 ft. | 7 50 | |

T. orientalis conspicua.

GOLDEN SPIRE ARBORVITAE. A handsome golden foliaged form—tall spiral growth.

| | | | |
|------------------|-------------|--------|--------|
| 4 to 4½ ft. | Each \$5 00 | 40 00 | |
| 4½ to 5 ft. | 6 50 | 50 00 | |
| 5 to 6 ft. | 8 50 | 70 00 | 500 00 |
| 6 to 7 ft. | 9 00 | 80 00 | 720 00 |
| 7 to 8 ft. | 17 50 | 120 00 | |
| 8 to 9 ft. | 20 00 | | |

HEMLOCKS are without question the most standard evergreen in general use. Best effects are secured when these are planted in groups or masses, particularly when native flowering small trees, or shrubs are used in connection with them, as they form a splendid background for Flowering Dogwood, Thorns, Native Rhododendrons and Azaleas give a pleasing effect when so used. As a hedge they are unexcelled. Hemlocks should not be planted as isolated specimens except in very protected positions.

TSUGA canadensis.

CANADA HEMLOCK. For enlivening Winter aspect of deciduous planting, especially in woods or shade; in graceful masses, as a hedge plant that stands clipping, or as a specimen this tree is invaluable.

| | | | Per 10 | Per 100 |
|-----------------|----------------------------------|-------------|---------|----------|
| 1½ to 2 | ft. | Each \$1 50 | \$12 50 | \$100 00 |
| 2 to 2½ | ft. | 2 00 | 16 00 | 130 00 |
| 2½ to 3 | ft. | 3 00 | 24 00 | 215 00 |
| 3 to 3½ | ft. | 4 00 | 32 00 | 275 00 |
| 3½ to 4 | ft. | 4 50 | 36 00 | 300 00 |
| 4 to 5 | ft. | 6 00 | 50 00 | 450 00 |
| 5 to 6 | ft. | 7 50 | 60 00 | 500 00 |
| 6 to 7 | ft. | 9 00 | 80 00 | 700 00 |
| Specimens. | 7 to 8 ft. | 12 50 | 100 00 | 900 00 |
| Specimens. | 8 to 9 ft. | 15 00 | 140 00 | 1250 00 |
| Specimens. | 9 to 10 ft. | 25 00 | 225 00 | 1850 00 |
| Specimens. | 10 to 12 ft. | 35 00 | 325 00 | |
| Specimens. | 12 to 13 ft. | 45 00 | 360 00 | |
| Specimens. | 13 to 14 ft. | 65 00 | 520 00 | |
| Heavy specimens | 14 to 16 ft. at \$6 00 per foot. | | | |
| Heavy specimens | 17 to 18 ft. at 6 50 per foot. | | | |
| Heavy specimens | 19 to 20 ft. at 7 00 per foot. | | | |
| Heavy specimens | 21 to 25 ft. at 8 00 per foot. | | | |

T. canadensi gracilis.

SLENDER CANADIAN HEMLOCK. Slow growth—compact habit.

8 to 10 ft.Each \$35 00

T. caroliniana.

CAROLINA HEMLOCK. Handsome habit; dark green; dense tufted foliage; hardy.

| | | | | |
|----------|----------|-------------|--------|--|
| 2 to 2½ | ft. | Each \$5 00 | 40 00 | |
| 2½ to 3 | ft. | 7 50 | 60 00 | |
| 3 to 3½ | ft. | 10 00 | 85 00 | |
| 4 to 4½ | ft. | 12 50 | | |
| 4½ to 5 | ft. | 15 00 | | |
| 5 to 6 | ft. | 17 50 | | |
| 6 to 7 | ft. | 20 00 | 175 00 | |
| 7 to 8 | ft. | 25 00 | 225 00 | |
| 9 to 10 | ft. | 35 00 | | |
| 11 to 12 | ft. | 45 00 | | |

T. diversifolia.

JAPANESE HEMLOCK. Same graceful habit as American form, but with diminutive needles and distinctive cone.

| | | | | |
|---------|----------|--------------|--------|--|
| 4 to 4½ | ft. | Each \$15 00 | 135 00 | |
| 4½ to 5 | ft. | 17 50 | 165 00 | |
| 5 to 6 | ft. | 20 00 | 185 00 | |
| 6 to 7 | ft. | 25 00 | 225 00 | |
| 7 to 8 | ft. | 30 00 | 285 00 | |

T. sieboldi.

SIEBOLD HEMLOCK.

| | | | | |
|--------|----------|--------------|--|--|
| 5 to 6 | ft. | Each \$20 00 | | |
| 6 to 7 | ft. | 25 00 | | |
| 7 to 8 | ft. | 30 00 | | |
| 8 to 9 | ft. | 35 00 | | |

EVERGREEN SHRUBS

This List Conforms with 1923 Edition Standardized Plant Names.

ANDROMEDA *syn.* *PIERIS*. (See page 38.)

AZALEA. (See pages 73 and 74 for Deciduous Azaleas.)

AZALEA amoena. (Hatsugiri.)

JAPANESE EVERGREEN AZALEA. Spreading bushy shrub, densely covered in Spring with vivid claret-colored blossoms. Makes a handsome hedge; effective in masses.

| | | Per 10 | Per 100 |
|-------------------|-------------|---------|----------|
| 12 to 15 in. | Each \$1 50 | \$13 50 | \$120 00 |
| 15 to 18 in. | 2 00 | 17 50 | 150 00 |
| 18 to 24 in. | 3 50 | 24 00 | 215 00 |

Specimens. 4 to 6 ft. by a spread of more than the height.\$40 00 to 75 00

A. amoena coccinea.

A sport from amoena; flowers bright red.

| | | | |
|-------------------|-------------|-------|--|
| 10 to 12 in. | Each \$1 25 | 10 00 | |
| 12 to 15 in. | 1 50 | 13 50 | |

A. hinamoyo.

Evergreen foliage; flowers soft shade of clear pink.

| | | | |
|-------------------|-------------|-------|--------|
| 10 to 12 in..... | Each \$1 50 | 12 00 | 100 00 |
| 12 to 15 in. | 2 00 | 17 50 | 150 00 |
| 15 to 18 in. | 3 00 | 25 00 | 225 00 |
| 18 to 20 in. | 4 50 | 37 50 | 300 00 |
| 20 to 24 in. | 5 50 | 48 50 | |

A. hinodegiri.

HINODEGIRI AZALEA. Profuse flowers of carmine pink in Spring; bronze-green Winter foliage.

| | | | |
|-------------------|-------------|--------|--------|
| 10 to 12 in. | Each \$2 00 | 15 00 | 125 00 |
| 12 to 15 in. | 2 50 | 20 00 | 150 00 |
| 15 to 18 in. | 3 50 | 30 00 | 200 00 |
| 18 to 20 in. | 5 00 | 45 00 | |
| 20 to 24 in. | 6 50 | 55 00 | |
| 24 to 28 in. | 10 00 | 85 00 | |
| 28 to 30 in. | 15 00 | 125 00 | |

A. indica, alba.

HARDY INDIA AZALEA. Low growing; dense; light green foliage; white flowers.

| | | | |
|-------------------|-------------|-------|--------|
| 12 to 15 in. | Each \$2 00 | 15 00 | 120 00 |
| 15 to 18 in. | 2 50 | 20 00 | 160 00 |
| 18 to 20 in. | 3 00 | 25 00 | 200 00 |
| 20 to 24 in. | 3 50 | 28 00 | 230 00 |
| 24 to 30 in. | 5 00 | 40 00 | 320 00 |
| 30 to 36 in. | 7 50 | 60 00 | 500 00 |

A. indica, rosea.

PINK INDIA AZALEA. Pink tinted.

| | | | |
|-------------------|-------------|-------|--------|
| 15 to 18 in. | Each \$2 50 | 20 00 | 160 00 |
| 18 to 20 in. | 3 00 | 25 00 | 200 00 |
| 20 to 24 in. | 3 50 | 28 00 | 230 00 |
| 24 to 30 in. | 5 00 | 40 00 | 320 00 |
| 30 to 36 in. | 7 50 | 60 00 | 500 00 |
| 36 to 42 in. | 10 00 | 75 00 | |

AZALEA japonica, alba.

WHITE JAPANESE AZALEA. Masses of white flowers in April and May.

| | | Per 10 | Per 100 |
|-------------------|-------------|---------|----------|
| 15 to 18 in. | Each \$2 50 | \$20 00 | \$160 00 |
| 18 to 20 in. | 3 00 | 25 00 | 200 00 |
| 20 to 24 in. | 3 50 | 28 00 | 230 00 |
| 24 to 30 in. | 5 00 | 40 00 | 320 00 |
| 30 to 36 in. | 7 50 | 60 00 | 500 00 |

A. japonica pink.

ANDORRAS PINK. Broad, bushy growth—foliage same as ledifolia rosea. **Flowers 2½ inches in diameter—of deep pink.**

| | | | |
|-------------------|-------------|-------|--------|
| 15 to 18 in. | Each \$2 50 | 20 00 | 175 00 |
| 18 to 20 in. | 3 00 | 25 00 | 225 00 |
| 24 to 30 in. | 5 00 | 40 00 | 350 00 |
| 30 to 36 in. | 7 50 | 60 00 | 500 00 |
| 36 to 42 in. | 10 00 | 75 00 | |

A. japonica rosea.

ROSE JAPANESE AZALEA. Masses of blush-white to pale rose flowers.

| | | |
|-------------------|-------------|-------|
| 24 to 30 in. | Each \$5 00 | 40 00 |
| 30 to 36 in. | 7 50 | 60 00 |

A. kaempferi. See page 72.

A. kurume.

KURUME AZALEA. Rich deep green foliage.

var. Daybreak—Light pink.

| | | |
|--------------------------|-------------|-------|
| 18 to 20 in. Heavy | Each \$5 00 | 40 00 |
|--------------------------|-------------|-------|

var. Salmoni—Clear pink.

| | | |
|--------------------------|-------------|-------|
| 18 to 20 in. Heavy | Each \$5 00 | 40 00 |
|--------------------------|-------------|-------|

var. Sunstar—Dark rose-pink with carmine stripe.

| | | |
|--------------------------|-------------|-------|
| 18 to 20 in. Heavy | Each \$5 00 | 40 00 |
|--------------------------|-------------|-------|

A. kirishima (Damask rose).

Rosy white, scarlet stamens. A rare and beautiful form. Very hardy.

| | | |
|-------------------|-------------|-------|
| 18 to 20 in. | Each \$3 50 | 28 00 |
| 20 to 24 in. | 5 00 | 40 00 |
| 24 to 30 in. | 7 50 | 60 00 |
| 30 to 36 in. | 10 00 | 85 00 |
| 36 to 42 in. | 15 00 | |

A. ledifolia alba.

Semi-evergreen foliage; flowers pure white and two to two and a half inches in diameter.

| | | |
|-------------------|-------------|-------|
| 18 to 20 in. | Each \$3 00 | 25 00 |
| 20 to 24 in. | 3 50 | 28 00 |

A. ledifolia, Yodogawa.

LAVENDER AZALEA. Double lavender flowers of great beauty.

| | | |
|-------------------|-------------|-------|
| 18 to 24 in. | Each \$3 50 | 30 00 |
| 24 to 30 in. | 5 00 | 40 00 |
| 30 to 36 in. | 7 50 | 60 00 |

AZALEA ledifolia, rosea.

BLUSH SNOW AZALEA of broad bushy growth—foliage gray-green, flowers 2½ inches in diameter—of a shell pink color.

| | | Per 10 | Per 100 |
|-------------------|-------------|---------|----------|
| 15 to 18 in. | Each \$2 50 | \$20 00 | \$160 00 |
| 18 to 20 in. | 3 00 | 25 00 | 200 00 |
| 20 to 24 in. | 3 50 | 28 00 | 230 00 |
| 24 to 30 in. | 5 00 | 40 00 | 320 00 |
| 30 to 36 in. | 7 50 | 60 00 | 500 00 |
| 36 to 42 in. | 10 00 | 75 00 | |
| 42 to 48 in. | 15 00 | | |

A. phoenicea Maxwelli.

Low broad growth; large carmine-red flowers; late.

| | | | |
|-------------------|-------------|-------|--|
| 12 to 15 in. | Each \$3 00 | 25 00 | |
| 15 to 18 in. | 4 00 | 35 00 | |
| 18 to 24 in. | 5 00 | 45 00 | |

BERBERIS Juliana.

WINTERGREEN BARBERRY. Large dark green foliage, evergreen and hardy.

| | | | |
|------------------|-------------|-------|--------|
| 2 to 2½ ft. | Each \$2 00 | 15 00 | |
| 2½ to 3 ft. | 2 50 | 20 00 | |
| 3 to 3½ ft. | 3 00 | 25 00 | 225 00 |

B. verruculosa.

WARTY BARBERRY. Hardy and evergreen at Philadelphia. Small glossy green oblong lanceolate leaves. A compact grower.

| | | | |
|-------------------------|-------------|-------|--|
| 12 to 15 in. Heavy | Each \$2 50 | 20 00 | |
| 15 to 18 in. Heavy | 3 00 | 25 00 | |

BUXUS japonica aurea.

GOLDEN JAPANESE BOX. Dense habit—large foliage. New growth, bright golden yellow.

| | | | |
|---------------------------|-------------|--------|--|
| 1½ ft. | Each \$2 50 | 20 00 | |
| 2 ft. | 3 50 | 30 00 | |
| 2½ ft. | 8 50 | 75 00 | |
| 3 to 4 ft (A. C. 2) | 12 50 | 100 00 | |
| 4 to 5 ft. (A. C. 2) | 17 50 | 160 00 | |

Handsome specimens 5 to 8 ft. **Prices on application.**

B. japonica latifolia.

PENDULOUS JAPANESE BOX. Of spreading habit, the ends of the branches drooping. Deep rich green foliage. Desirable.

| | | | |
|-----------------------------------|--------------|--|--|
| Specimens. 3½ x 4 ft. | Each \$25 00 | | |
| Specimens. 4 x 4½ ft. | 35 00 | | |
| Specimens. 4½ x 5 ft. | 50 00 | | |

B. japonica, microphylla.

SMALL LEAF JAPANESE BOX. Dwarf compact growth, with small thick rounded leaves.

| | | | |
|----------------------------------|--------------|-------|--|
| 15 to 18 in. x 24 to 30 in. | Each \$15 00 | 20 00 | |
|----------------------------------|--------------|-------|--|



The Evergreen Thorn

EVERGREEN *Thorn*. There is nothing in the least modestly retiring in the character of this Evergreen Shrub. It has a surprisingly vigorous individuality. With its surprises it charms us.

No one can predict the exact form its growth will take. It will thrust its sturdy shoots up the face of a wall or trail them delicately over a bank. It will fill an empty corner with a tumbling mass of green or stand erect to bar the way to trespassers. In the Fall it springs its greatest surprise. There suddenly comes a day when the bush bursts into flame, the ardent, orange flame of its massed red fruit.

Prices on page 35

BUXUS japonica, rotundifolia.

JAPANESE BOX. Dense rounded habit.
Deep green glossy foliage.

| | | Per 10 | Per 100 |
|--------------|-----------------|--------|-----------|
| 15 to 18 in. |Each | \$2 50 | \$20 00 |
| 18 to 20 in. | | 3 50 | 30 00 |
| 20 to 24 in. | | 5 00 | 45 00 |
| 26 to 30 in. | | 13 50 | 110 00 |
| 30 to 36 in. | | 15 00 | 135 00 |
| Specimens. | 3½ ft. | 20 00 | 180 00 |
| Specimens. | 4 ft. | 30 00 | 275 00 |
| Specimens. | 4½ ft. | 35 00 | 325 00 |
| Specimens. | 5 ft. | 50 00 | 475 00 |
| Specimens. | 6 ft. | 65 00 | 600 00 |
| Specimens. | 7 to 9 ft. | \$2 00 | Per Unit. |

NOTE—Height in feet × spread in feet equals units.

B. sempervirens. (Bush Form.)

BOXBUSH. Slow-growing, with incomparable depth and richness of billowy texture and color. Breathes spirit of Colonial gardens. Excellent for hedges or for specimens. Bush shape, nearly as broad as high.

| | | | | |
|---------------|-------------------|--------|--------|--------|
| *12 to 15 in. |Each | \$1 50 | 12 00 | 90 00 |
| *15 to 18 in. | | 2 00 | 17 50 | 140 00 |
| *20 to 24 in. | | 3 00 | 25 00 | 225 00 |
| *26 to 30 in. | | 4 00 | 30 00 | 260 00 |
| Specimens. | 3 x 3 ft. | 15 00 | 135 00 | |
| Specimens. | 3½ x 3½ ft. | 20 00 | 180 00 | |
| Specimens. | 4 x 4 ft. | 25 00 | 225 00 | |
| Specimens. | 4½ x 4 ft. | 35 00 | 325 00 | |
| Specimens. | 5 x 4/4½ ft. | 40 00 | 360 00 | |

B. sempervirens, pyramids.

PYRAMIDAL BOX. Sheared specimens. An especially fine lot of heavy well-shaped pyramids for formal garden or tubs.

| | | | |
|-------------|----------|-----------|----------------|
| Specimens. | | | |
| 4½ x 2 | ft. base |Each | \$20 00 180 00 |
| 5 x 2½ | ft. base | | 25 00 225 00 |
| 5½ x 2½ | ft. base | | 30 00 285 00 |
| 6 x 2½ to 3 | ft. base | | 35 00 300 00 |
| 6½ x 3 | ft. base | | 40 00 375 00 |

B. sempervirens, suffruticosa.

TRUE DWARF BOX. The best plant known for low hedges in the formal garden.

| | | Per 10 | Per 100 | Per 1000 |
|---------------|--------------|--------------|---------|----------|
| * 4 to 5 in. | x 3 to 4 in. | | \$3 00 | \$20 00 |
| * 5 to 6 in. | x 4 to 5 in. | | 4 00 | 27 50 |
| * 6 to 8 in. | x 5 to 6 in. | | 7 50 | 60 00 |
| * 8 to 10 in. | x 7 to 8 in. | B. & B. | 10 00 | 70 00 |
| *12 to 14 in. | B. & B. |Each | \$4 50 | 30 00 |
| *16 to 18 in. | B. & B. |Each | \$7 00 | 50 00 |

See illustration page 15.

COTONEASTER horizontalis.

ROCK COTONEASTER. Of low spreading habit. Dark glossy green foliage; scarlet fall fruit. Ideal for massing and for bank and rockery work.

| | | Per 10 |
|----------------------------|------------------|--------|
| 8 to 10 in. in 4-in. pots |Each \$1 00 | \$8 50 |
| 10 to 12 in. in 5-in. pots |1 25 | 10 00 |
| 12 to 15 in. in 7-in. pots |1 50 | 12 00 |
| 15 to 18 in.; field-grown |1 50 | 12 00 |
| 18 to 20 in.; field-grown |2 00 | 16 00 |

CRATAEGUS. See also pages 51 and 52. For the deciduous forms. Desirable for specimens, hedges and mass plantings.

C. pyracantha, coccinea.

EVERGREEN THORN. Dense, with thorn-armed branchlets. Attractive, shiny, deep green foliage; brilliant scarlet berries lasting till New Year.

Field-grown—propagated from fruiting plants.

| | | | |
|---------------------------|------------------|-------|----------|
| 1½ to 2 ft. B. & B. |Each \$2 00 | 16 00 | |
| 2 to 2½ ft. B. & B. |2 50 | 20 00 | |
| 2½ to 3 ft. B. & B. |3 00 | 25 00 | |
| 3 to 4 ft. Heavy. B. & B. |4 00 | 35 00 | |
| 4 to 5 ft. Heavy. B. & B. |5 00 | 45 00 | Per 100 |
| 5 to 6 ft. Heavy. B. & B. |6 50 | 55 00 | \$400 00 |

Specimens. Large clumps, 4 to 6 ft. x 6 to 10 ft. spread. Balled and platformed. Prices on application.

The color plate, page 35, shows the prolific fruiting habit of this desirable almost ever-green shrub.

DAPHNE cneorum.

ROSE DAPHNE. Very low; spreading. Dark green leaves and sweet pink blossoms in Spring. For border or rockery.

| | | |
|-------------------------------|------------------|-------|
| *2-year; 8 to 10 in. in pots |Each \$1 25 | 10 00 |
| *2-year; 10 to 12 in. in pots |1 50 | 12 50 |

ENKIANTHUS campanulata.

REDVEIN ENKIANTHUS. Deciduous but holding foliage very late. Leaves bright shiny green with brilliant autumnal tints. Flowers in terminal umbels yellow and red.

| | | |
|-------------------|------------------|-------|
| 2 to 2½ ft. |Each \$2 50 | 20 00 |
| 2½ to 3 ft. Heavy |3 50 | 30 00 |
| 3 to 3½ ft. Heavy |5 00 | 40 00 |
| 3½ to 4 ft. Heavy |6 50 | |
| 4 to 5 ft. Heavy |7 50 | |

EUONYMUS patens (sieboldi).

YEDDO EUONYMUS. Broad bushy shrub with large dark green foliage.

| | | |
|-------------|------------------|-------|
| 3 to 3½ ft. |Each \$3 50 | 30 00 |
|-------------|------------------|-------|

JAPANESE HOLLY

ILEX crenata.

JAPANESE HOLLY. Open rapid grower. Dark green, glossy leaves; inky black berries. Valuable for formal work when clipped, for specimens, and in evergreen borders with bright-fruited plants.

| | | |
|--------------------------------------|------|--------|
| 15 to 18 in. spread | Each | \$2 00 |
| 18 to 20 in. spread | | 2 50 |
| 20 to 24 in. spread | | 3 50 |
| 24 in. spread | | 4 00 |
| Specimens. 30 in. spread..... | | 8 50 |

I. crenata, fortunei.

FORTUNES HOLLY. Rich, shining green foliage. For intimate border or garden.

| | | | |
|-------------------------|------|--------|-------------------|
| 1½ to 2 ft. Bushy | Each | \$3 50 | Per 10 \$32 50 |
|-------------------------|------|--------|-------------------|

I. crenata, microphylla.

SMALL-LEAVED JAPANESE HOLLY. Slow-growing and dense, and stands severe clipping. Best for hedges.

| | | | | |
|------------------------------------|------|--------|--------|---------------------|
| 12 to 15 in. | Each | \$1 50 | 12 00 | Per 100 \$100 00 |
| 15 to 18 in. | | 2 50 | 22 50 | 185 00 |
| 18 to 20 in. | | 3 00 | 27 50 | 250 00 |
| 20 to 24 in. | | 4 00 | 37 50 | 350 00 |
| 2½ ft. | | 8 50 | 75 00 | 600 00 |
| 3 ft. | | 10 00 | 90 00 | |
| 3½ ft. | | 15 00 | 125 00 | |
| Specimens. 4 ft. | | 17 50 | 160 00 | |
| Specimens. 4½ to 5 ft. | | 20 00 | 190 00 | |

I. crenata nummularia.

DWARF BOX ILEX. Very slow growth—dense habit—small leaves of deepest green. Ideal for rock gardens.

| | | | | |
|-----------------------|------|--------|-------|--------|
| 12 to 15 in. | Each | \$2 00 | 16 50 | 135 00 |
| 15 to 18 in. | | 3 00 | 24 00 | 215 00 |
| 18 to 20 in. | | 4 00 | 36 00 | 300 00 |
| 20 to 24 in. | | 6 50 | 50 00 | 400 00 |
| 2 to 2½ ft. | | 8 50 | 70 00 | |
| 2½ x 2½ to 3 ft. | | 15 00 | | |

I. glabra.

INKBERRY. A dense growing shrub with dark green glossy foliage holding late in the Winter.

| | | | | |
|-------------------------|------|--------|-------|--------|
| 15 to 18 in. | Each | \$1 25 | 9 00 | 70 00 |
| 1½ to 2 ft. | | 1 50 | 12 00 | 100 00 |
| 2 to 2½ ft. Bushy | | 2 00 | 15 00 | 125 00 |
| 2½ to 3 ft. Bushy | | 2 50 | 20 00 | 150 00 |
| 3 to 3½ ft. Bushy | | 3 00 | 25 00 | |
| 3½ to 4 ft. Bushy | | 3 50 | 30 00 | |

ILEX. See also pages 11 and 84.

KALMIA latifolia.

MOUNTAIN LAUREL. ANDORRA-GROWN, These are very bushy, as broad as high, and in every respect specially selected stock. Dark green foliage and showy masses of pink flowers in June. Stands shade well. Stands shade well.

| | | | Per 10 | Per 100 |
|----|--------------------------------|-------------|---------|----------|
| 15 | to 18 in.; nursery-grown .. | Each \$1 50 | \$12 00 | \$100 00 |
| 18 | to 20 in.; nursery-grown | 2 00 | 15 00 | 125 00 |
| 20 | to 24 in.; nursery-grown | 2 50 | 20 00 | 160 00 |
| 2 | to 2½ ft.; nursery-grown | 3 00 | 25 00 | 175 00 |
| 2½ | to 3 ft.; nursery-grown | 3 50 | 30 00 | 250 00 |
| 3 | to 3½ ft.; nursery-grown | 4 00 | 35 00 | 300 00 |
| 3½ | to 4 ft.; nursery-grown | 5 00 | 45 00 | 400 00 |
| 4 | to 4½ ft.; nursery-grown | 7 50 | 60 00 | |

LEUCOTHOE catesbaei.

DROOPING LEUCOTHÆ. Graceful arching branches of dark shiny green leaves. Profuse showy white sprays in Spring. Mass for naturallesque effect in shady position.

| | | | |
|-------------------|-------------|-------|--------|
| 12 to 15 in. | Each \$1 25 | 10 00 | 85 00 |
| 15 to 18 in. | 1 50 | 13 50 | 110 00 |
| 18 to 24 in. | 2 00 | 16 00 | 135 00 |

LONICERA pileata.

PRIVET HONEYSUCKLE. Low; semi-evergreen shrub; dark green foliage; fragrant white flowers; purple fruit.

| | | | |
|---------------------------|-------------|------|-------|
| 10 to 12 in. spread | Each \$1 00 | 8 00 | 60 00 |
|---------------------------|-------------|------|-------|

MAHONIA aquifolium.

OREGON HOLLYGRAPE. Desirable for undergrowth in evergreen shrub planting—rich green foliage bronzing in the Fall.

| | | | |
|--------------------------------|-------------|-------|--------|
| 15 to 18 in. | Each \$1 25 | 10 00 | 80 00 |
| 1½ to 2 ft. Heavy | 1 50 | 13 50 | 100 00 |
| 2 to 2½ ft. Heavy clumps | 2 00 | 15 00 | 125 00 |
| 2½ to 3 ft. Heavy clumps | 2 50 | 18 50 | 150 00 |

M. bealei (japonica).

LEATHERLEAF MAHONIA. Holly-like deep green leaves; large clusters of small yellow flowers; showy bunches of blue-black berries. Use to border evergreens; shade-loving.

| | | | |
|-------------------|-------------|-------|--------|
| 12 to 15 in. | Each \$2 00 | 16 00 | 130 00 |
| 1½ to 2 ft. | 2 50 | 20 00 | 160 00 |
| 2 to 2½ ft. | 3 50 | 30 00 | 250 00 |
| 2½ to 3 ft. | 4 50 | 37 50 | 300 00 |

PACHYSANDRA terminalis.

JAPANESE SPURGE. Splendid ground cover in any position. Spring brings a multitude of white nosegays on its dark green carpet.

| | | | |
|-------------------|-------------------|------|-------|
| Field-grown | Per 1000, \$50 00 | 1 50 | 7 50 |
| 2 -in. pots | Per 1000, 65 00 | 2 00 | 10 00 |
| 2½-in. pots | Per 1000, 100 00 | 2 50 | 15 00 |
| 3 -in. pots | Per 1000, 125 00 | 3 50 | 20 00 |

PIERIS floribunda.

MOUNTAIN FETTERBUSH.

| | | Per 10 | Per 100 |
|---------------------|-----------|--------|---------|
| 10 to 12 in. spread |Each | \$1 75 | \$15 00 |
| 12 to 15 in. spread | | 2 00 | 18 50 |
| 15 to 18 in. spread | | 2 75 | 21 50 |
| 18 to 24 in. spread | | 3 50 | 28 00 |
| 2 to 2½ ft. spread | | 5 00 | 40 00 |

P. japonica.

JAPANESE FETTERBUSH. Rich green foliage; graceful white flower clusters.

| | | | | |
|--------------|-----------|--------|-------|--------|
| 15 to 18 in. |Each | \$2 50 | 20 00 | 175 00 |
| 18 to 24 in. | | 3 50 | 28 00 | 225 00 |
| 24 to 30 in. | | 4 50 | 36 00 | 325 00 |
| 2½ to 3 ft. | | 6 00 | 48 00 | |
| 3 to 3½ ft. | | 7 50 | 60 00 | |

HYBRID RHODODENDRONS

ANDORRA-GROWN OWN ROOT PLANTS

Andorra's Hybrids are Andorra-grown from layers. This places every plant on its own roots, and every branch no matter how low it may come on the stem, is the true variety. We believe this is the only stock of layer-grown plants offered.

LIST PRICES are for stock of our selection.

ALBUM ELEGANS. Blush White—

| | | | Per 10 | Per 100 |
|-------------|-----------|--------|---------|----------|
| 1½ to 2 ft. |Each | \$4 00 | \$32 00 | \$285 00 |
| 2 to 2½ ft. | | 5 50 | 44 00 | 395 00 |
| 2½ to 3 ft. | | 6 00 | 48 00 | 430 00 |
| 3 to 3½ ft. | | 7 50 | 60 00 | 540 00 |
| 3½ to 4 ft. | | 9 00 | 72 00 | 650 00 |
| 4 to 4½ ft. | | 11 00 | 88 00 | 790 00 |
| 4½ to 5 ft. | | 13 50 | 108 00 | 970 00 |
| 5 to 6 ft. | | 15 00 | 130 00 | |

ALBUM GRANDIFLORUM. Blush White—

| | | | | |
|-------------|-----------|--------|--------|--------|
| 1½ to 2 ft. |Each | \$4 00 | 32 00 | 285 00 |
| 2 to 2½ ft. | | 5 50 | 44 00 | 395 00 |
| 2½ to 3 ft. | | 6 00 | 48 00 | 430 00 |
| 3 to 3½ ft. | | 7 50 | 60 00 | 540 00 |
| 3½ to 4 ft. | | 9 00 | 72 00 | 650 00 |
| 4 to 4½ ft. | | 11 00 | 88 00 | |
| 4½ to 5 ft. | | 13 50 | 108 00 | |
| 5 to 6 ft. | | 15 00 | 130 00 | |

AMPHION. Rose Pink—

| | | | |
|-------------|-----------|--------|-------|
| 3 to 3½ ft. |Each | \$9 50 | 76 00 |
| 3½ to 4 ft. | | 11 00 | 88 00 |
| 4 to 4½ ft. | | 13 50 | |

ATROSANGUINEA. Dark Scarlet—

| | | | |
|-------------|-----------|--------|-------|
| 1½ to 2 ft. |Each | \$5 00 | 40 00 |
| 2 to 2½ ft. | | 6 50 | 52 00 |
| 2½ to 3 ft. | | 8 25 | 66 00 |

See pages 39, 40, 41.



*Rhododendrons and other broad-leaved evergreens.
For Border Planting in the Full Sunshine or in Partial Shade*

HYBRID RHODODENDRONS. (Layered Stock.)
LIST PRICES for stock of our selection.

BOULE DE NEIGE. Dwarf White—

| | | Per 10 |
|-------------------|-------------|---------|
| 12 to 15 in. | Each \$4 50 | \$36 00 |
| 18 to 20 in. | 6 00 | 48 00 |
| 20 to 24 in. | 7 50 | 60 00 |
| 2½ to 3 ft. | 9 75 | |

CANDIDISSIMA. White—

| | | | Per 100 |
|------------------|-------------|-------|----------|
| 1½ to 2 ft. | Each \$4 50 | 36 00 | \$325 00 |
| 2 to 2½ ft. | 6 00 | 48 00 | 430 00 |
| 2½ to 3 ft. | 7 50 | 60 00 | |
| 3 to 3½ ft. | 9 00 | 72 00 | |
| 3½ to 4 ft. | 10 50 | 84 00 | |

CARACTACUS. Purple Crimson—

| | | |
|------------------|-------------|-------|
| 1½ to 2 ft. | Each \$4 50 | 36 00 |
|------------------|-------------|-------|

CHAS. BAGLEY. Bright Red—

| | | |
|-------------------|-------------|-------|
| 18 to 20 in. | Each \$4 50 | 36 00 |
| 20 to 24 in. | 5 00 | 40 00 |
| 2 to 2½ ft. | 6 50 | 52 00 |
| 2½ to 3 ft. | 8 25 | 66 00 |
| 3 to 3½ ft. | 10 00 | 80 00 |

CHAS. DICKENS. Scarlet—

| | | |
|------------------|-------------|-------|
| 2 to 2½ ft. | Each \$6 50 | 52 00 |
| 2½ to 3 ft. | 8 25 | 66 00 |

DELICATISSIMUM. White—

| | | | |
|------------------|-------------|--------|--------|
| 1½ to 2 ft. | Each \$4 50 | 36 00 | 325 00 |
| 2 to 2½ ft. | 6 00 | 48 00 | 430 00 |
| 2½ to 3 ft. | 7 50 | 60 00 | 540 00 |
| 3 to 3½ ft. | 9 00 | 72 00 | 650 00 |
| 3½ to 4 ft. | 11 50 | 92 00 | |
| 4 to 4½ ft. | 13 50 | 115 00 | |

See pages 38, 40, 41.

HYBRID RHODODENDRONS. (Layered Stock.)
LIST PRICES are for stock of our selection.

| | | | | |
|-----------------------------------|-------|-----------|-----------|-------------------|
| DR. TORREY. Lilac red— | | | | Per 10 |
| 1½ to 2 | ft. |Each | \$6 50 | \$48 00 |
| 2 | to 2½ | ft. | | 7 50 68 00 |
| 2½ to 3 | ft. | | 8 50 | 70 00 |
| EVERESTIANUM. Lavender— | | | | |
| 18 to 20 | in. |Each | \$6 00 | 48 00 |
| 20 to 24 | in. | | 7 50 | 60 00 |
| 28 to 30 | in. | | 12 50 | |
| GOMER WATERER. Blush white— | | | | |
| 1½ to 2 | ft. |Each | \$4 50 | 36 00 |
| 2 | to 2½ | ft. | | 6 00 48 00 |
| HERBERT PARSONS. Lilac— | | | | |
| 2 | to 2½ | ft. |Each | \$6 50 52 00 |
| 2½ to 3 | ft. | | 8 25 | 66 00 |
| H. W. SARGENT. Crimson— | | | | |
| 2 | to 2½ | ft. |Each | \$6 50 52 00 |
| IGNATIUS SARGENT. Deep Pink— | | | | |
| 1½ to 2 | ft. |Each | \$4 50 | 36 00 |
| 2 | to 2½ | ft. | | 6 00 48 00 |
| 2½ to 3 | ft. | | 7 50 | 60 00 |
| 3 | to 3½ | ft. | | 9 00 72 00 |
| 3½ to 4 | ft. | | 10 50 | |
| KETTLEDROM. Deep Red— | | | | |
| 1½ to 2 | ft. |Each | \$5 50 | 44 00 |
| 2 | to 2½ | ft. | | 7 25 58 00 |
| LUCIFERUM. White— | | | | |
| 1½ to 2 | ft. |Each | \$4 00 | 32 00 |
| 2½ to 3 | ft. | | 6 00 | 48 00 |
| 3 | to 3½ | ft. | | 7 50 60 00 |
| 3½ to 4 | ft. | | 9 00 | 72 00 |
| 4 | to 4½ | ft. | | 11 50 92 00 |
| MRS. C. S. SARGENT. Pink dwarf— | | | | |
| 2½ to 3 | ft. |Each | \$9 50 | 76 00 |
| 3 | to 3½ | ft. | | 12 50 100 00 |
| 3½ to 4 | ft. | | 13 75 | 110 00 |
| OLD PORT. Plum— | | | | Per 100 |
| 1½ to 2 | ft. |Each | \$4 50 | 36 00 \$325 00 |
| PARSON'S GLORIOSUM. Blush— | | | | |
| 1½ to 2 | ft. |Each | \$4 50 | 36 00 325 00 |
| 2 | to 2½ | ft. | | 6 00 48 00 430 00 |
| 2½ to 3 | ft. | | 7 50 | 60 00 540 00 |
| 3 | to 3½ | ft. | | 9 00 72 00 650 00 |
| 3½ to 4 | ft. | | 10 50 | 84 00 750 00 |
| 4 | to 4½ | ft. | | 12 50 100 00 |
| 4½ to 5 | ft. | | 15 00 | 120 00 |
| PARSON'S GRANDIFLORUM. Deep Pink— | | | | |
| 1½ to 2 | ft. |Each | \$4 50 | 36 00 325 00 |
| 2 | to 2½ | ft. | | 6 00 48 00 430 00 |
| 2½ to 3 | ft. | | 7 50 | 60 00 |
| 3 | to 3½ | ft. | | 9 00 72 00 |
| 3½ to 4 | ft. | | 10 50 | |

See pages 38, 39, 41,

HYBRID RHODODENDRONS. (Layered Stock.)
LIST PRICES are for stock of our selection.

PRESIDENT LINCOLN. Lavender—

| | | Per 10 |
|------------------|-------------|---------|
| 2½ to 3 ft. | Each \$7 50 | \$60 00 |
| 3 to 3½ ft. | 9 00 | 72 50 |

PURPUREUM ELEGANS. Purple—

| | | Per 100 |
|------------------|-------------|---------|
| 1½ to 2 ft. | Each \$5 00 | 40 00 |
| 2 to 2½ ft. | 6 50 | 52 00 |
| 2½ to 3 ft. | 8 00 | 64 00 |
| 3½ to 4 ft. | 13 75 | |

ROSEUM ELEGANS. True pink Type—

| | | | |
|------------------|-------------|-------|--------|
| 1½ to 2 ft. | Each \$4 50 | 36 00 | 325 00 |
| 2 to 2½ ft. | 6 00 | 48 00 | 430 00 |
| 2½ to 3 ft. | 7 50 | 60 00 | 540 00 |
| 3 to 3½ ft. | 9 00 | 72 00 | 650 00 |
| 3½ to 4 ft. | 10 50 | 84 00 | 750 00 |
| 4 to 4½ ft. | 12 50 | | |

ROSEUM SUPERBUM. Clear soft coral rose—

| | | | |
|------------------|-------------|--------|--------|
| 1½ to 2 ft. | Each \$5 00 | 40 00 | 360 00 |
| 2 to 2½ ft. | 6 50 | 52 00 | 470 00 |
| 2½ to 3 ft. | 8 00 | 64 00 | 555 00 |
| 3 to 3½ ft. | 9 50 | 72 00 | 685 00 |
| 3½ to 4 ft. | 12 50 | 100 00 | 900 00 |
| 4 to 4½ ft. | 15 00 | 120 00 | |

SEFTON. Dark maroon.

| | | |
|------------------|-------------|-------|
| 2 to 2½ ft. | Each \$6 50 | 52 00 |
| 2½ to 3 ft. | 8 00 | 64 00 |
| 3 to 3½ ft. | 9 50 | 72 00 |

STELLA. Lavender—

| | | |
|------------------|-------------|-------|
| 2½ to 3 ft. | Each \$7 50 | 60 00 |
| 3 to 3½ ft. | 9 00 | 72 00 |
| 3½ to 4 ft. | 10 50 | 84 00 |
| 4 to 4½ ft. | 12 50 | |
| 4½ to 5 ft. | 15 00 | |

NATIVE RHODODENDRONS ANDORRA GROWN

RHODODENDRON carolinianum. Pale rosy pink—

CAROLINIAN RHODODENDRON.

| | | Per 10 | Per 100 |
|------------------|-------------|---------|----------|
| 1½ to 2 ft. | Each \$4 00 | \$36 00 | \$300 00 |
| 2 to 2½ ft. | 5 00 | 45 00 | 405 00 |
| 2½ to 3 ft. | 6 50 | 58 50 | 525 00 |
| 3 to 3½ ft. | 8 00 | 72 00 | |
| 3 to 3½ ft. | 8 00 | 72 00 | |
| 3½ to 4 ft. | 10 00 | 90 00 | 720 00 |

R. catawbiense.

CATAWBA RHODODENDRON. Late Spring
blossoms of rose lavender.

| | | | |
|------------------|-------------|--------|--------|
| 1½ to 2 ft. | Each \$4 00 | 36 00 | 320 00 |
| 2 to 2½ ft. | 5 00 | 45 00 | 400 00 |
| 2½ to 3 ft. | 6 50 | 58 50 | 500 00 |
| 3 to 3½ ft. | 8 50 | 75 00 | |
| 3½ to 4 ft. | 10 00 | 90 00 | 800 00 |
| 4 to 4½ ft. | 15 00 | 135 00 | |
| 4½ to 5 ft. | 17 50 | 165 00 | |

R. catawbiense alba. White—

| | | |
|------------------|-------------|-------|
| 1½ to 2 ft. | Each \$6 00 | 48 00 |
| 2 to 2½ ft. | 8 50 | 76 50 |

| RHODODENDRON catawbiense grandiflorum. Deep lavender— | | | |
|---|--|---------|----------|
| | | Per 10 | Per 100 |
| 15 to 18 in. | Each \$3 50 | \$32 50 | \$275 00 |
| 18 to 24 in. | 4 50 | 36 00 | 300 00 |
| 2 to 2½ ft. | 6 00 | 50 00 | 450 00 |
| 3½ to 4 ft. | 20 00 | 180 00 | |
| 4 to 5 ft. x 4 ft. | } \$2 00 per unit Height in ft. × spread in ft. equals units. | | |
| 5 to 6 ft. x 4 to 5 ft. | | | |
| 6 to 7 ft. x 5 to 6 ft. | | | |
| 7 to 8 ft. x 6 to 7 ft. | | | |

R. maximum. White to blush-white—

ROSEBAY RHODODENDRONS.

WIDE BUSHY SPECIMENS. (S.M.)

| | | | |
|---------------------------------|-------------|-------|--------|
| 1½ to 2 ft.; nursery-grown | Each \$2 50 | 20 00 | 180 00 |
| 2 to 2½ ft.; nursery-grown | 3 50 | 30 00 | 270 00 |
| 2½ to 3 ft.; nursery-grown | 4 00 | 35 00 | 300 00 |
| 3 to 3½ ft.; nursery-grown | 5 00 | 45 00 | 400 00 |
| 3½ to 4 ft.; nursery-grown | 6 00 | 50 00 | 450 00 |
| 4 to 5 ft.; nursery-grown | 7 50 | 60 00 | 540 00 |
| 5 to 6 ft.; nursery-grown | 8 50 | 76 50 | 700 00 |

R. maximum roseum. Pale Pink. RARE.

| | | |
|------------------------------|-------------|--------|
| 1½ to 2 ft. from layers | Each \$4 50 | 36 00 |
| 2 to 2½ ft. from layers | 6 00 | 45 00 |
| 2½ to 3 ft. from layers | 7 50 | 65 00 |
| 3 to 3½ ft. from layers | 10 00 | 85 00 |
| 3½ to 4 ft. from layers | 12 50 | 100 00 |

DWARF RHODODENDRONS

R. myrtifolium. Pink dwarf—

| | | |
|-------------------|-------------|--------|
| 18 to 20 in. | Each \$7 50 | 65 00 |
| 20 to 24 in. | 9 00 | 80 00 |
| 26 to 30 in. | 12 50 | 100 00 |

R. punctatum. (minus). Pink dwarf—

| | | |
|-------------------|-------------|-------|
| 15 to 18 in. | Each \$3 00 | 27 00 |
| 1½ to 2 ft. | 4 00 | 36 00 |
| 2 to 2½ ft. | 6 50 | 58 50 |
| 2½ to 3 ft. | 8 50 | 76 50 |

R. wilsoni.

WILSON RHODODENDRON. Dwarf—small handsome foliage—pink flowers.

| | | |
|-------------------|-------------|-------|
| 15 to 18 in. | Each \$5 00 | 45 00 |
| 1½ to 2 ft. | 7 50 | 65 00 |

YUCCA filamentosa.

ADAM'S NEEDLE.

| | | |
|-------------|-------------|------|
| Clumps | Each \$1 00 | 7 50 |
|-------------|-------------|------|

RICH PLANTING EFFECTS can be secured by the use of Evergreen Shrubs and they are to-day general favorites for all types of planting. For foundation plantings about buildings, for massing as a background in the garden and for planting in shaded positions in the borders and under trees they fill a position which cannot be successfully occupied by any other class of plant material. Care should be used in the Winter protection of this material if in exposed positions. Nothing is better than a leaf mulch covering the ground for six inches deep to be removed in the Spring leaving only the refuse of the mulch to be forked into the soil about the plant for a Summer mulch.



AN EFFECTIVE ENTRANCE.

ANDORRA LANDSCAPE DEPT.

DECIDUOUS TREES

This List Conforms with 1923 Edition Standardized Plant Names.
All Prices are for Stock of Our Selection. Customer's
Selection will be Charged at Value of Stock Selected

Shade Trees make the home grounds attractive. Around new buildings nothing will give a more finished effect than a few specimen trees for shade. They help to "frame in" the buildings and take away the "newness" of property. Trees up to forty feet in height can be supplied for this purpose.

ACER dasycarpum.

SILVER MAPLE. Tall, stately tree growing best in moist soil; autumnal color; clear yellow.

| | | | |
|-------------------------------------|-------------|---------|----------|
| 8 to 10 ft.; 1½ to 2 in. cal. .. | Each \$3 00 | Per 10 | Per 100 |
| 10 to 12 ft.; 2 to 2½ in. cal. | 3 50 | \$30 00 | \$250 00 |
| 12 to 14 ft.; 2½ to 3 in. cal. | 6 50 | 50 00 | 350 00 |

A. dasycarpum wierii.

WIERS WEEPING MAPLE. Tall—rapid growth—slender drooping branches.

| | | | |
|-------------------------------|-------------|-------|--|
| 7 to 8 ft. | Each \$2 50 | 20 00 | |
| 8 to 10 ft.; 1½ in. cal. | 3 50 | 28 00 | |
| 10 to 12 ft.; 2 in. cal. | 4 50 | 40 00 | |

A. ginnala.

AMUR MAPLE. Medium height, low-branched. Brilliant autumnal coloring.

| | | | |
|-----------------|-------------|-------|-------|
| 3 to 4 ft. | Each \$1 00 | 7 50 | |
| 6 to 7 ft. | 1 50 | 10 00 | 75 00 |

Specimens. Wide spreading; branched low.
12 to 18 ft. in height.\$50 00 to 150 00

ACER polymorphum.

JAPANESE MAPLE. Dwarf, dense growing; bright green foliage, scarlet to purple in Fall. Makes a handsome, picturesque tree.

SPECIMENS

| | | |
|----------------|-------------------|--------------|
| 4 to 5 ft. x | 4 to 5 ft. | Each \$20 00 |
| 5 to 6 ft. x | 4 to 5 ft. | 25 00 |
| 6 to 7 ft. x | 5 to 6 ft. | 35 00 |
| 7 to 8 ft. x | 6 to 7 ft. | 50 00 |
| 8 to 10 ft. x | 7 to 9 ft. | 75 00 |
| 10 to 12 ft. x | 9 to 10 ft. | 100 00 |
| 12 to 14 ft. x | 9 to 10 ft. | 125 00 |
| 14 to 16 ft. x | 12 to 14 ft. | 150 00 |

See color plate page 1

A. polymorphum atropurpureum.

PURPLE JAPANESE MAPLE. The most desirable of the purple foliated trees. Dwarf.

| | |
|------------------|-------------|
| 2 to 2½ ft. | Each \$5 00 |
| 2½ to 3 ft. | 7 50 |
| 3 to 3½ ft. | 9 00 |

Larger specimens—Price on application.

A. polymorphum atropurpureum dissectum.

WEeping BLOODLEAF JAPANESE MAPLE. Very small. Deep blood-red divided foliage; spreading graceful branches.

Specimens. 4 to 5 ft. x 4 to 6 ft. spread.
Each \$2 50 per unit

Specimens. 8 to 9 ft. spread.
Each \$4 00 per unit

NOTE: Height in ft. × spread in ft. equals units.

A. polymorphum dissectum.

WEeping CUT-LEAVED JAPANESE MAPLE. Very dwarf; broad; graceful; light green foliage. Mass with evergreens.

1½ to 2 ft. x 1½ to 2 ft. Each \$7 50

Specimens. 6 to 9 ft. spread
Each \$2 50 per unit

NOTE: Height in ft. × spread in ft. equals units.

A. palmatum.

BROAD-LEAVED JAPANESE MAPLE. Broad green foliage.

4 to 6 ft. Each \$25 00 to 35 00

A. palmatum aureum.

GOLDEN JAPANESE MAPLE. The broad, rounded foliage is of a bright yellow. Effective as a specimen.

| | |
|------------------|--------------|
| 3½ to 4 ft. | Each \$12 50 |
| 4 to 5 ft. | 15 00 |
| 5 to 6 ft. | 20 00 |

ACER platanoides.

NORWAY MAPLE. Rapid growing; symmetrical; valuable for lawn, street and avenue planting; holds its rich green leaves till late in Fall, taking on rich yellow tones.

| | | Per 10 | Per 100 |
|---------------------------------|-------------|---------|----------|
| 8 to 10 ft.; 1¼ to 1½ in. | Each \$2 50 | \$20 00 | \$175 00 |
| 10 to 12 ft.; 1½ to 2 in. | 3 00 | 27 50 | 250 00 |
| 10 to 12 ft.; 2 to 2¼ in. | 4 50 | 40 00 | 350 00 |
| 12 to 14 ft.; 2½ to 2¾ in. | 6 50 | 55 00 | 485 00 |
| 14 to 16 ft.; 2¾ to 3 in. | 7 50 | 67 50 | 600 00 |
| 14 to 16 ft.; 3 to 3¼ in. | 10 00 | 90 00 | |
| 14 to 16 ft.; 3½ to 3¾ in. | 12 50 | 100 00 | |
| 16 to 18 ft.; 3¾ to 4 in. | 15 00 | 135 00 | |
| 18 to 20 ft.; 4 to 4½ in. | 20 00 | | |
| 18 to 20 ft.; 4¾ to 5 in. | 35 00 | | |

B & B Extra.

LARGE SPECIMENS. Tall and spreading from 6 to 12 inches in diameter. Prices on application.

A. platanoides purpurea.

SCHWEDLER PURPLE MAPLE. Purplish crimson foliage in Spring. In habit like Norway Maple. Use as specimen.

| | | | |
|--------------------------------|-------------|--------|--|
| 8 to 10 ft.; 1½ in. | Each \$6 00 | 50 00 | |
| 10 to 12 ft.; 2 to 2½ in. | 8 50 | 68 00 | |
| 14 to 16 ft.; 3 to 3¼ in. | 15 00 | 125 00 | |
| 14 to 16 ft.; 3½ to 4 in. | 20 00 | | |

LARGE SPECIMENS. Prices on application.

A. rubrum.

RED MAPLE. Strikingly vivid crimson. Fall foliage; tall, spreading; prefers moist positions; red flowers in early Spring.

| | | | |
|--------------------------------|-------------|-------|--------|
| 7 to 8 ft.; 1 to 1¼ in. | Each \$2 50 | 20 00 | 185 00 |
| 8 to 10 ft.; 1¼ to 1½ in. | 4 00 | 30 00 | 250 00 |
| 8 to 10 ft.; 1½ to 1¾ in. | 4 50 | 40 00 | 300 00 |

Specimens. 16 to 22 ft.; 5 to 7 in. Prices on application.

A. saccharum.

SUGAR MAPLE. Broad-headed; erect; attractive Autumn foliage. For street or lawn. Avoid boggy ground.

This typical American tree is one of the best of our many good shade trees. It is beautiful in its broad oval form, free from diseases, and in Fall color is surpassed by none.

| | | | |
|---------------------------------|--------------------|--------|--------|
| 10 to 12 ft.; 1½ to 1¾ in. | Each \$3 50 | 30 00 | 250 00 |
| 12 to 14 ft.; 2¼ to 2½ in. | 6 50 | 50 00 | 450 00 |
| 14 to 16 ft.; 2½ to 2¾ in. | 8 50 | 70 00 | 650 00 |
| 14 to 16 ft.; 2¾ to 3 in. | 9 00 | 75 00 | 700 00 |
| 16 to 18 ft.; 3 to 3½ in. | 15 00 | 125 00 | |
| 16 to 18 ft.; 4 to 4¼ in. | 25 00 | 200 00 | |
| 18 to 20 ft.; 4½ to 5 in. | ..\$35 00 to 50 00 | | |

Larger specimen trees. From 6 to 12 inches in diameter. Prices on application.

AESCULUS hippocastanum.

EUROPEAN HORSE CHESTNUT. Large; symmetrical; profuse white flowers. For lawn or group.

| | |
|--------------------------------|-------------|
| 10 to 12 ft.; 2 to 2½ in. | Each \$8 50 |
| 10 to 12 ft.; 2¾ to 3 in. | 12 50 |
| 12 to 14 ft.; 3 to 3¼ in. | 15 00 |

Specimens. 12 to 16 ft.; 3½ to 4 in. . 20 00

Specimens. 14 to 16 ft.; 4½ to 6 in.
Each \$50 00 to \$100 00

Larger specimens. Prices on application.

A. hippocastanum alba pleno.

DOUBLE WHITE-FLOWERED HORSE CHESTNUT. Regular outline; Maytime bloom. For lawn groups.

Specimens. 16 to 18 ft.; 6 to 9 in.
Each \$50 00 to 100 00

AILANTHUS glandulosa.

AILANTHUS—TREE OF HEAVEN. Does well in rocky, poor or clay soils; especially good on steep slopes. Yellow flowers in July.

| | | Per 10 |
|--------------------------------|-------------|---------|
| 10 to 12 ft. | Each \$2 50 | \$20 00 |
| 12 to 14 ft. | 3 00 | 24 00 |
| 14 to 16 ft.; 2½ to 3 in. | 3 50 | 30 00 |
| 16 to 18 ft.; 3½ to 4 in. | 6 00 | 50 00 |

ARALIA Japonica.

CHINESE ANGELICA TREE. Small tree, handsome ornamental foliage; large heads of white bloom in mid-Summer.

| | | |
|------------------|-------------|-------|
| 6 to 8 ft. | Each \$2 50 | 20 00 |
| 8 to 10 ft. | 3 50 | 30 00 |

BETULA alba.

EUROPEAN WHITE BIRCH.

| | | | |
|-------------------|-------------|-------|----------|
| 6 to 8 ft. | Each \$2 00 | 16 00 | Per 100 |
| 8 to 10 ft. | 2 50 | 20 00 | \$160 00 |
| 10 to 12 ft. | 3 50 | 28 00 | |
| 12 to 14 ft. | 5 00 | 40 00 | |
| 14 to 16 ft. | 6 50 | 50 00 | |

B. alba laciniata.

CUT-LEAF WEEPING WHITE BIRCH.

| | | |
|---------------------------------|-------------|-------|
| 8 to 10 ft. | Each \$3 75 | 30 00 |
| 10 to 12 ft.; 1½ in. | 4 50 | 36 00 |
| 12 to 14 ft.; 1½ to 1¾ in. | 6 00 | 48 00 |
| 14 to 16 ft.; 2 to 2½ in. | 7 50 | 60 00 |
| 16 to 18 ft.; 3 to 3½ in. | 10 00 | |

B. nigra.

RIVER BIRCH.

| | | |
|---------------------------------|-------------|-------|
| 8 to 10 ft. | Each \$3 50 | 28 00 |
| 10 to 12 ft.; 1½ in. | 3 00 | 24 00 |
| 12 to 14 ft.; 2 to 2½ in. | 5 00 | 40 00 |
| 14 to 16 ft.; 2½ to 2¾ in. | 6 50 | |
| 16 to 18 ft.; 3 to 3½ in. | 8 50 | |

CARPINUS caroliniana.

AMERICAN HORNBEAM. Shrubby tree; good foliage. Valuable for screen or hedge.

| | | Per 10 | Per 100 |
|----------------------------|--------------------|---------|----------|
| 6 to 7 ft. | Each \$3 50 | \$28 00 | \$175 00 |
| 7 to 8 ft. B. & B. | 4 50 | 40 00 | |
| 8 to 10 ft. B. & B. | 7 50 | 60 00 | |
| 10 to 18 ft. Heavy B. & B. | Each \$15 to 40 00 | | |

CATALPA bignonioides nana.

UMBRELLA CATALPA. Dense heads on slender stems give common name. For formal use.

| | | | |
|--------------------------------------|-------------|-------|--|
| Standards. 5 to 6 ft. | Each \$3 50 | | |
| Standards. 7 to 8 ft. Heavy heads .. | 5 00 | 40 00 | |
| Standards. 8 to 9 ft. Heavy heads .. | 7 50 | 60 00 | |

C. speciosa.

WESTERN CATALPA. Large, hardy, rapid. White flowers. For heavy screen or woods planting.

| | | | |
|--------------------------------|-------------|--|--|
| 12 to 14 ft.; 2½ to 3 in. | Each \$3 50 | | |
| 14 to 16 ft.; 3 to 3½ in. | 6 00 | | |

CELTIS occidentalis.

HACKBERRY. A slow-growing tree, foliage resembling the Elm; a good dense-headed tree for screen purposes.

| | | | |
|---------------------------|-------------|-------|--------|
| 6 to 8 ft. | Each \$2 00 | 18 00 | |
| 8 to 10 ft. | 2 50 | 20 00 | 160 00 |
| 10 to 12 ft.; 1½ in. | 3 00 | 27 00 | |
| 12 to 14 ft.; 2 in. | 3 50 | 30 00 | |

FLOWERING CHERRIES

CERASUS avium alba plena. (Prunus.)

DOUBLE WHITE FLOWERING CHERRY. Beautiful small tree; enlivens border planting with its bloom.

| | | | |
|--------------------------------|-------------|--------|--|
| 7 to 8 ft. | Each \$7 50 | 60 00 | |
| 8 to 10 ft.; 2 in. | 10 00 | 80 00 | |
| 10 to 12 ft.; 2½ in. | 15 00 | 125 00 | |
| 12 to 14 ft.; 3 to 3½ in. | 20 00 | | |

C. avium rosea pendula.

PINK WEEPING JAPANESE CHERRY. A form of rare beauty and Japanese character for the garden. Delicate pink. Flowers in early Spring.

Standard Specimens. (Top grafted.)

| | | | |
|-----------------------------------|-------------|--------|--|
| 5 to 6 ft. | Each \$4 00 | 35 00 | |
| 6 to 7 ft. Heavy heads | 6 00 | 50 00 | |
| 6 to 7 ft. Extra heavy heads | 7 50 | 60 00 | |
| 7 to 8 ft. Extra heavy heads | 15 00 | 125 00 | |
| 8 to 10 ft. 6-year heads | 35 00 | | |
| 12 to 14 ft. 8-year heads | 75 00 | | |

Specimens. (Bottom grafted.) Fountain type branched to the ground.

| | | | |
|------------------------|--------------|--------|--|
| 4 to 5 ft. Heavy | Each \$10 00 | 80 00 | |
| 5 to 6 ft. Heavy | 12 50 | 100 00 | |
| 6 to 7 ft. Heavy | 15 00 | 120 00 | |
| 7 to 8 ft. Heavy | 20 00 | 185 00 | |
| 8 to 10 ft. Heavy | 35 00 | | |

CERASUS avium rosea fl. pl.—Pink. **Per 10**

| | | |
|-----------------------|-------------|---------|
| 4 to 5 ft. | Each \$4 00 | \$36 00 |
| 5 to 6 ft. | 5 00 | 40 00 |
| 6 to 7 ft. | 6 00 | 50 00 |
| 7 to 8 ft. | 7 50 | 60 00 |
| 8 to 9 ft. 2 in. | 10 00 | 80 00 |

C. var. Gyoiko—Semi-double yellow tinted.

| | | |
|-----------------|-------------|-------|
| 6 to 7 ft. | Each \$6 00 | 50 00 |
| 7 to 8 ft. | 7 50 | 60 00 |

C. var. J. H. Veitch.

Large double flowers of soft flesh pink.

| | | |
|-----------------|-------------|--|
| 7 to 8 ft. | Each \$7 50 | |
|-----------------|-------------|--|

C. var. Kanzan—Large double pink flowers.

| | | |
|-----------------|-------------|-------|
| 5 to 6 ft. | Each \$5 00 | 40 00 |
| 6 to 7 ft. | 6 00 | 50 00 |

C. var. Naden—Semi-double; shell pink.

| | | |
|------------------------|-------------|-------|
| 6 to 7 ft. | Each \$6 00 | 50 00 |
| 7 to 8 ft. | 7 50 | 60 00 |
| 8 to 10 ft. 2 in. | 10 00 | 80 00 |

C. var. Sherofugen.

Large double blush-white flowers.

| | | |
|------------------|--------------|--|
| 8 to 10 ft. | Each \$10 00 | |
|------------------|--------------|--|

CERCIDIPHYLLUM japonicum.**KATSURA TREE.** Rich reddish Spring foliage; Fall coloring salmon pink.


| | | |
|---|-------------|-------|
| 5 to 6 ft. B. & B. | Each \$4 50 | 40 00 |
| 6 to 7 ft. B. & B. | 6 00 | 50 00 |
| 7 to 8 ft. B. & B. | 7 50 | 60 00 |
| Specimens. 9 to 10 ft. B. & B. | 25 00 | |
| Specimens. 11 to 12 ft. B. & B. | 35 00 | |
| Specimens. 13 to 14 ft. B. & B. | 40 00 | |
| Specimens. 14 to 16 ft. B. & B. | 50 00 | |
| Specimens. 16 to 18 ft. B. & B. | 60 00 | |

CERCIS canadensis.**AMERICAN RED BUD.** Profuse rich purple flowers in early Spring. Effective with evergreens.

| | | | Per 100 |
|------------------|-------------|-------|----------------|
| 3 to 4 ft. | Each \$1 00 | 7 50 | \$40 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 50 00 |
| 5 to 6 ft. | 2 00 | 16 00 | 60 00 |
| 6 to 7 ft. | 2 50 | 20 00 | 70 00 |
| 7 to 8 ft. | 3 00 | 24 00 | 80 00 |
| 8 to 10 ft. | 3 50 | 28 00 | 90 00 |

CLADRASTIS lutea.**YELLOW WOOD.** Large growing, clean foliated tree. White flowers in large panicles.

| | | |
|--------------------------------|-------------|-------|
| 7 to 8 ft. | Each \$6 00 | 50 00 |
| 8 to 10 ft. | 7 50 | |
| 10 to 12 ft.; 2 to 2½ in. | 10 00 | |
| 14 to 16 ft.; 3½ to 4 in. | 17 50 | |



CORNUS. See also pages 49, 50, 51, 76, 77.

C. florida.

WHITE FLOWERING DOGWOOD. Small upright tree. White blossoms; scarlet fruit. For border with evergreens.

| | | Per 10 | Per 100 |
|--------------|-------------------------------|--------|---------|
| 3 to 4 ft. | Bush formEach \$1 00 | \$7 50 | \$40 00 |
| 4 to 5 ft. | Bush form 1 50 | 12 00 | 50 00 |
| 5 to 6 ft. | Bush form 2 00 | 16 00 | 60 00 |
| 6 to 7 ft. | Bush form. B. & B. 2 50 | 20 00 | 100 00 |
| 7 to 8 ft. | Bush form. B. & B. 5 00 | 40 00 | 200 00 |
| 8 to 10 ft. | Bush form. Heavy B. & B. 7 50 | 60 00 | 350 00 |
| 10 to 12 ft. | Bush form 12 50 | 75 00 | 600 00 |

Specimen. Large picturesque trees, branches to the ground, 14 to 18 ft. in height and of equal spreadEach \$50 00 to 100 00

C. florida.

STANDARDS. These trees are attractive in the formal garden.

| | |
|---|--------|
| 7 to 8 ft.; headed 6/7 ft.Each \$10 00 | 80 00 |
| 8 to 9 ft.; headed 6 ft. B. & B. .. 15 00 | |
| 10 to 12 ft.; headed 5 to 6 ft. B. & B. 20 00 | 160 00 |
| 12 to 14 ft.; headed 5 to 6 ft. B. & B. 25 00 | 200 00 |

Heavy specimens. 14 to 18 ft. B. & B.,
Each \$75 00 to 200 00

C. florida pendula.

WEeping DOGWOOD.

| | |
|------------------------------------|--|
| 3 to 4 ft. B. & B.Each \$5 00 | |
| 4 to 5 ft. B. & B. 6 00 | |
| 6 to 7 ft. B. & B. 7 50 | |
| 7 to 8 ft. B. & B. 10 00 | |

C. florida rubra.

PINK FLOWERING DOGWOOD. Blooming at the same season as the white form.

| | | |
|---------------------------------------|--------|--------|
| 3 to 4 ft.Each \$4 00 | 32 00 | 260 00 |
| 4 to 5 ft. 5 00 | 40 00 | 300 00 |
| 5 to 6 ft. B. & B. 8 50 | 68 00 | 400 00 |
| 6 to 7 ft. B. & B. Heavy 10 00 | 75 00 | 600 00 |
| 7 to 8 ft. B. & B. Heavy 15 00 | 135 00 | 800 00 |
| 8 to 9 ft. B. & B. Heavy 25 00 | 225 00 | |
| 9 to 10 ft. B. & B. Heavy 35 00 | 325 00 | |



CORNUS FLORIDA MULTIBRACTEATA

DOUBLE WHITE FLOWERING DOGWOOD (RARE)

Few introductions have the merit of this double flowered dogwood. The eight-petaled blooms closely resemble the Camellia—are borne in clusters like *C. florida*, but give a richer effect in flower.

| | | | | |
|-------------------|--------------|--------------|------|---------|
| Specimens. | 6 to 7 ft. | B. & B. | Each | \$10 00 |
| Specimens. | 7 to 8 ft. | B. & B. | | 15 00 |
| Specimens. | 8 to 9 ft. | B. & B. | | 20 00 |
| Specimens. | 9 to 10 ft. | B. & B. | | 25 00 |
| Specimens. | 10 to 12 ft. | B. & B. | | 30 00 |

CORNUS kousa.

KOUSA DOGWOOD. A rare dogwood blooming in June. Large white flowers similar to our own Flowering Dogwood.

| | | Per 10 | Per 100 |
|--------------------------------------|-------------|---------|----------|
| 2 to 3 ft. | Each \$2 00 | \$15 00 | \$100 00 |
| 3 to 4 ft. B. & B. | 2 50 | 20 00 | 160 00 |
| 4 to 5 ft. B. & B. | 3 50 | 30 00 | 200 00 |
| Specimens. 8 to 9 ft. B. & B. | 20 00 | 100 00 | |
| Specimens. 10 to 12 ft. B. & B. | 25 00 | | |
| Specimens. 12 to 14 ft. B. & B. | 30 00 | | |
| Specimens. 14 to 16 ft. B. & B. | 35 00 | | |

CRATAEGUS evergreen. See also pages 33 and 35.**C. coccinea.**

SCARLET HAW. Useful as a small specimen, or in group or mass planting. White blooms in May; brilliant orange-scarlet fruit in Fall, holding very late.

| | | | |
|--|-------------|--------|--------|
| 3 to 4 ft. | Each \$1 50 | 10 00 | 75 00 |
| 4 to 5 ft. | 2 00 | 16 00 | 125 00 |
| 5 to 6 ft. Heavy | 2 50 | 20 00 | 150 00 |
| 6 to 7 ft. Heavy | 3 00 | 27 00 | 200 00 |
| Specimens. 7 to 8 ft. Heavy B. & B. | 10 00 | 80 00 | |
| Specimens. 8 to 10 ft. Heavy B. & B. | 15 00 | 135 00 | |
| Specimens. 10 to 12 ft. Heavy B. & B. | 17 50 | 150 00 | |

C. cordata.

WASHINGTON THORN. June flowering; bright Fall coloring and red fruit. For high shrub border.

| | | | |
|--------------------------------------|-------------|--------|--------|
| 4 to 5 ft. | Each \$2 00 | 15 00 | 100 00 |
| 5 to 6 ft. B. & B. | 2 50 | 20 00 | 135 00 |
| 6 to 7 ft. B. & B. | 4 00 | 32 00 | 200 00 |
| Specimens. 7 to 8 ft. B. & B. | 8 50 | 68 00 | 540 00 |
| Specimens. 8 to 10 ft. B. & B. | 12 50 | 100 00 | 750 00 |
| Specimens. 10 to 12 ft. B. & B. | 17 50 | 140 00 | 900 00 |
| Specimens. 12 to 14 ft. | 20 00 | 175 00 | |

C. crus-galli.

COCKSPUR THORN. Small, bushy tree; attractive flowers, long thorns, showy fruit; excellent for hedges.

| | | | |
|---------------------------|-------------|--------|--------|
| 2 to 3 ft. | Each \$1 00 | 8 00 | 50 00 |
| 3 to 4 ft. Bushy | 1 50 | 10 00 | 80 00 |
| 4 to 5 ft. Bushy | 2 50 | 20 00 | 125 00 |
| 5 to 6 ft. Bushy | 3 50 | 28 00 | 150 00 |
| 6 to 7 ft. B. & B. | 4 00 | 30 00 | 200 00 |
| 7 to 8 ft. B. & B. | 7 50 | 50 00 | 400 00 |
| 8 to 10 ft. B. & B. | 10 00 | 80 00 | 600 00 |
| 10 to 12 ft. B. & B. | 15 00 | 125 00 | |
| 12 to 14 ft. B. & B. | 17 50 | 150 00 | |

C. flava—Wide spreading habit; yellow fruits.

| | | | |
|------------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 00 | 8 00 | 50 00 |
| 3 to 4 ft. | 1 50 | 10 00 | 80 00 |
| 4 to 5 ft. | 2 50 | 20 00 | 125 00 |
| 5 to 6 ft. | 3 50 | 28 00 | |
| 6 to 7 ft. | 4 00 | 30 00 | |
| 7 to 8 ft. | 6 00 | 48 00 | |
| 8 to 10 ft. | 10 00 | 80 00 | |

CRATAEGUS mollis.

DOWNY HAWTHORN. Bright green leaves, showy flowers and scarlet fruit.

| | | Per 10 | |
|---------------------------|-------------|---------|----------|
| 3 to 4 ft. | Each \$1 50 | \$10 00 | |
| 4 to 5 ft. | 2 00 | 16 00 | Per 100 |
| 5 to 6 ft. | 3 50 | 28 00 | \$150 00 |
| 6 to 7 ft. | 4 00 | 30 00 | 200 00 |
| 7 to 8 ft. B. & B. | 7 50 | 50 00 | 400 00 |
| 8 to 10 ft. B. & B. | 10 00 | 80 00 | |
| 10 to 12 ft. B. & B. | 12 50 | 100 00 | |

C. nitida.

GLOSSY HAWTHORN. Spreading habit, glossy green foliage; thin spines; red fruit.

| | | | |
|-----------------|-------------|-------|--------|
| 3 to 4 ft. | Each \$1 50 | 10 00 | 80 00 |
| 4 to 5 ft. | 2 00 | 16 00 | 100 00 |
| 5 to 6 ft. | 2 50 | 20 00 | 135 00 |

C. oxycantha.

ENGLISH HAWTHORN. Single white flowers.

| | | | |
|------------------|-------------|-------|--|
| 4 to 5 ft. | Each \$1 50 | 10 00 | |
| 5 to 6 ft. | 2 00 | 15 00 | |
| 6 to 7 ft. | 2 50 | 20 00 | |
| 7 to 8 ft. | 3 50 | 30 00 | |
| 8 to 10 ft. | 7 50 | 60 00 | |

C. oxycantha alba fl. pl.

DOUBLE WHITE ENGLISH HAWTHORN.

| | | | |
|-----------------|-------------|--|--|
| 4 to 5 ft. | Each \$2 50 | | |
|-----------------|-------------|--|--|

C. oxycantha rosea plena.

DOUBLE PINK ENGLISH HAWTHORN.

| | | | |
|-----------------|-------------|-------|--|
| 3 to 4 ft. | Each \$2 00 | 16 00 | |
| 4 to 5 ft. | 3 00 | 24 00 | |
| 5 to 6 ft. | 4 00 | 32 00 | |

C. oxycantha splendens.

PAUL'S SCARLET ENGLISH HAWTHORN.

| | | | |
|-----------------|-------------|-------|--|
| 4 to 5 ft. | Each \$3 50 | 30 00 | |
| 5 to 6 ft. | 5 00 | 40 00 | |

C. punctata.

DOTTED HAWTHORN. Spreading habit, good foliage and flowers; bright reddish yellow fruit.

| | | | |
|-------------------------------------|-------------|-------|--------|
| 3 to 4 ft. | Each \$1 50 | 12 00 | 85 00 |
| 4 to 5 ft. | 2 50 | 20 00 | 100 00 |
| 5 to 6 ft. | 3 50 | 28 00 | 150 00 |
| 6 to 7 ft. | 4 00 | 30 00 | 200 00 |
| Specimens. 7 to 8 ft. B. & B. | 7 50 | 50 00 | 400 00 |
| Specimens. 8 to 10 ft. B. & B. | 8 50 | 68 00 | 460 00 |

DIOSPYROS virginiana.

COMMON PERSIMMON. Medium tree; graceful spreading form; reddish-orange fruit.

| | | | |
|------------------------------------|--------------|--|--|
| 10 to 12 ft. (fruiting sizes) | Each \$17 50 | | |
| 12 to 14 ft. (fruiting sizes) | 20 00 | | |
| 14 to 16 ft. (fruiting sizes) | 25 00 | | |
| 18 to 20 ft. (fruiting sizes) | 30 00 | | |



FAGUS americana.

AMERICAN BEECH. Handsome symmetrical tree; smooth gray bark. Excellent for screen and lawn or specimen. For high hedges when clipped.

| | | | | |
|-------------------|--------------|--------------------------------|------|-------------------|
| 8 to 10 ft. | Bushy. | B. & B. ... | Each | \$25 00 |
| 10 to 12 ft. | Bushy. | B. & B. | | 50 00 |
| Specimens. | 16 to 20 ft. | Spread $\frac{3}{4}$ of Height | | \$75 00 to 150 00 |

F. sylvatica.

EUROPEAN BEECH. Compact tree, tenacious of foliage till early Winter; unsurpassed for hedges. **Specially fine stock.**

| | | | Per 10 |
|------------|--------------|-------|---------|
| 7 to 8 ft. | B. & B. | Each | \$15 00 |
| 8 to 9 ft. | B. & B. | 20 00 | 175 00 |

S. M. Block 40A Block 50% additional.

| | | | | | |
|-------------------|--------------|------------------------|-------|---------|--------|
| Specimens. | 10 to 12 ft. | B. & B. | Each | \$35 00 | 325 00 |
| Specimens. | 12 to 14 ft. | B. & B. | 45 00 | 425 00 | |
| Specimens. | 14 to 16 ft. | B. & B. | 60 00 | 500 00 | |
| Specimens. | 18 to 30 ft. | Prices on application. | | | |

F. sylvatica grandidentata.

SAWTOOTH LEAVED BEECH.

Makes a beautiful lawn specimen.

| | | | |
|-------------------|--------------|------|----------|
| Specimens. | 16 to 18 ft. | Each | \$100 00 |
|-------------------|--------------|------|----------|

F. sylvatica purpurea.

PURPLE BEECH. Deep wine-red foliage. Plant with green-foliaged neighbors to bring out rich purplish color.

| | | |
|-------------------|--------------|------------------------|
| Specimens. | 16 to 30 ft. | Prices on application. |
|-------------------|--------------|------------------------|

F. sylvatica riversi.

RIVERS BEECH. The deepest purple foliage. Use as specimen.

| | | |
|--------------|------|---------|
| 10 to 12 ft. | Each | \$60 00 |
| 12 to 14 ft. | | 75 00 |
| 18 to 20 ft. | | 100 00 |

FRAXINUS americana.

WHITE ASH. One of the handsomest of our large broad-headed trees suitable for street and avenue or park planting.

| | | Per 10 | Per 100 |
|--------------------------------|-------------|---------|----------|
| 8 to 10 ft.; 1½ in. | Each \$2 50 | \$20 00 | \$175 00 |
| 10 to 12 ft.; 1½ to 2 in. | 3 50 | 30 00 | 250 00 |
| 12 to 14 ft.; 2 to 2½ in. | 4 50 | 40 00 | 350 00 |
| 14 to 16 ft.; 2½ to 3 in. | 6 50 | 50 00 | |
| 16 to 18 ft.; 3½ to 4 in. | 10 00 | 80 00 | |

GINKGO biloba. (Salisburia.)

MAIDENHAIR TREE. For use as tall avenue tree. Will thrive in smoky situations. Foliage resembles maidenhair fern, and turns brilliant yellow in Fall. Untrimmed, it forms a charming, open, irregular head.

| | | | |
|---------------------------------|-------------|--------|---------|
| 5 to 6 ft. | Each \$3 50 | 30 00 | 225 00 |
| 6 to 7 ft. | 4 00 | 35 00 | 300 00 |
| 7 to 8 ft. | 5 00 | 40 00 | |
| 8 to 10 ft.; 1 to 1½ in. | 6 00 | 48 00 | 385 00 |
| 10 to 12 ft.; 1½ to 2 in. | 8 50 | 68 00 | 500 00 |
| 12 to 14 ft.; 2 to 2¼ in. | 10 00 | 80 00 | 600 00 |
| 12 to 14 ft.; 2¼ to 2½ in. | 15 00 | 120 00 | 750 00 |
| 14 to 16 ft.; 2½ to 3 in. | 17 50 | 160 00 | 1250 00 |
| 14 to 16 ft.; 3 to 3½ in. | 20 00 | 185 00 | |
| 16 to 18 ft.; 3½ to 4 in. | 25 00 | 225 00 | |

Specimens. 20 to 24 ft. Price on application.

GLEDITSCHIA aquatica.

WATER LOCUST. Airy-leaved, white-flowering tree, thriving in moist places.

| | |
|-------------------|-------------|
| 12 to 14 ft. | Each \$7 50 |
| 14 to 16 ft. | 12 50 |

G. tricanthus.

HONEY LOCUST. An ideal tree for lawn planting. The lights and shadows through its foliage and its dainty fragrant flowers give an excellent effect.

| | | | |
|------------------|-------------|-------|--------|
| 6 to 8 ft. | Each \$2 00 | 16 00 | 125 00 |
| 8 to 10 ft. | 3 00 | 25 00 | |

Large specimens. 25 to 30 ft. Balled and platformed. Price on application.

GORDONIA altamaha

FRANKLIN TREE. The *Rarest* of all American trees—large dark green foliage—large white magnolia-like fragrant flowers.

| | | |
|------------------|-------------|-------|
| *2 to 3 ft. | Each \$7 00 | 60 00 |
| *3 to 4 ft. | 9 00 | 80 00 |

GYMNOCLADUS dioica.

KENTUCKY COFFEETREE. Interesting open-headed tree; luxuriant, divided foliage.

| | | | |
|--------------------------------|-------------|-------|--------|
| 5 to 6 ft. | Each \$2 50 | 20 00 | 160 00 |
| 6 to 8 ft. | 3 00 | 24 00 | 190 00 |
| 8 to 10 ft.; 1½ in. | 4 00 | 36 00 | |
| 10 to 12 ft.; 1½ to 2 in. | 5 00 | 40 00 | 350 00 |
| 14 to 16 ft.; 2 to 2½ in. | 7 50 | 60 00 | |

HALESIA tetraptera.

GREAT SILVERBELL. A small tree with rounded top; dark green foliage. Small white flowers in early May. A desirable garden tree.

| | | Per 10 | |
|-------------------|-------------|---------|----------|
| 3 to 4 ft. | Each \$1 50 | \$12 00 | |
| 4 to 5 ft. | 2 00 | 16 00 | |
| 5 to 6 ft. | 2 50 | 20 00 | |
| 6 to 7 ft. | 3 50 | 28 00 | |
| 7 to 8 ft. | 4 50 | 36 00 | Per 100 |
| 8 to 10 ft. | 6 00 | 48 00 | \$400 00 |
| 10 to 12 ft. | 7 50 | 60 00 | 500 00 |
| 12 to 14 ft. | 10 00 | 80 00 | |
| 14 to 16 ft. | 15 00 | 135 00 | |

HICORA alba. (HICKORY.)

| | |
|---------------------------------|-------------|
| 8 to 10 ft.; 1 to 1¼ in. | Each \$3 50 |
| 10 to 12 ft.; 1¼ to 1½ in. | 4 50 |

JUGLANS nigra. (BLACK WALNUT.)

| | | |
|-----------------|-------------|-------|
| 5 to 6 ft. | Each \$1 50 | 10 00 |
| 7 to 8 ft. | 2 50 | 20 00 |

J. sieboldiana. (JAPANESE WALNUT.)

| | | | |
|-------------------|-------------|-------|--------|
| 8 to 10 ft. | Each \$3 50 | | |
| 10 to 12 ft. | 4 00 | 32 00 | 200 00 |
| 12 to 14 ft. | 5 00 | 40 00 | 300 00 |

KOELREUTERIA paniculata.

VARNISH TREE. Characteristically Chinese, bearing golden-yellow flowers in July. Rich golden brown Fall foliage.

| | | | |
|------------------|-------------|-------|--------|
| 5 to 6 ft. | Each \$3 00 | 27 50 | 200 00 |
| 6 to 7 ft. | 3 50 | 30 00 | 250 00 |
| 7 to 8 ft. | 5 00 | 40 00 | 300 00 |
| 8 to 10 ft. | 6 50 | 50 00 | |

LABURNUM vulgare.

GOLDEN CHAIN. A small tree bearing long racemes of golden blossoms in June.

| | | |
|-------------------|-------------|--------|
| 4 to 5 ft. | Each \$3 50 | |
| 5 to 6 ft. | 5 00 | |
| 6 to 7 ft. | 7 50 | 67 50 |
| 7 to 8 ft. | 9 00 | 81 00 |
| 8 to 10 ft. | 12 50 | 112 50 |
| 10 to 12 ft. | 15 00 | 135 00 |

LARIX leptolepis, kaempferi.

JAPANESE LARCH. Soft bluish-green foliage. Rapid growing.

| | | | |
|-------------------|-------------|--------|--------|
| 6 to 7 ft. | Each \$3 50 | 28 00 | 220 00 |
| 7 to 8 ft. | 4 50 | 36 00 | 280 00 |
| 8 to 10 ft. | 7 50 | 60 00 | 480 00 |
| 10 to 12 ft. | 10 00 | 80 00 | |
| 12 to 14 ft. | 15 00 | 135 00 | |
| 16 to 18 ft. | 20 00 | 175 00 | |

LIQUIDAMBAR styraciflua.

SWEETGUM. Maple-like leaves purplish-crimson in Fall; medium height. For lawn or avenue.

| | | Per 10 | |
|---------------------------------|-------------|---------|----------|
| 8 to 9 ft.; 2 in. | Each \$4 00 | \$30 00 | |
| 9 to 10 ft.; 2 to 2¼ in. | 5 00 | 40 00 | Per 100 |
| 10 to 12 ft.; 2¼ to 2½ in. | 7 50 | 60 00 | \$480 00 |
| 12 to 14 ft.; 2½ to 2¾ in. | 9 00 | 72 00 | |
| 12 to 14 ft.; 3 to 3½ in. | 15 00 | 135 00 | |

LARGE SPECIMENS. A very fine lot, thoroughly transplanted, to be lifted with ball, in sizes 16 to 30 ft., 4 to 10 in. in caliper. Prices on application.

LIRIODENDRON tulipifera.

TULIPTREE. Large, rapid spreading tree; fragrant yellow flowers.

| | | | |
|--------------------------------|-------------|-------|--------|
| 6 to 8 ft. | Each \$1 50 | 13 50 | 120 00 |
| 8 to 10 ft.; 1¼ in. | 2 50 | 20 00 | 150 00 |
| 10 to 12 ft.; 1½ in. | 3 50 | 28 00 | 175 00 |
| 12 to 14 ft.; 2 to 2¼ in. | 4 00 | 32 00 | 200 00 |
| 14 to 16 ft.; 2½ to 3 in. | 5 00 | 40 00 | 250 00 |
| 14 to 16 ft.; 3 to 3½ in. | 7 50 | 60 00 | |

MAGNOLIA acuminata.

CUCUMBER MAGNOLIA.

Large growth—desirable for avenue or lawn shade; flowers white.

| | | |
|-------------------|-------------|--------|
| 6 to 7 ft. | Each \$2 00 | 16 00 |
| 7 to 8 ft. | 2 50 | 20 00 |
| 8 to 9 ft. | 3 50 | 28 00 |
| 10 to 12 ft. | 6 50 | 56 00 |
| 12 to 14 ft. | 10 00 | 80 00 |
| 14 to 16 ft. | 15 00 | 125 00 |

M. acuminata cordata.

YELLOW FLOWERED CUCUMBER TREE.

Growth similar to acuminata, flowers pale yellow. Scarce and desirable.

| | |
|-------------------|--------------|
| 12 to 14 ft. | Each \$15 00 |
| 14 to 16 ft. | 20 00 |

M. glauca.

The sweet magnolia. See page 67.

M. macrophylla. RARE.

BIGLEAF MAGNOLIA. Growing to a height of forty feet. Leaves 15 to 24 inches long and wide in proportion. Blooms white—10 inches in diameter. Hardy at Philadelphia.

| | | |
|--------------------------|-------------|--------|
| 4 to 5 ft. | Each \$2 50 | 20 00 |
| 5 to 6 ft. B. & B. | 4 00 | 32 00 |
| 6 to 7 ft. B. & B. | 5 00 | 40 00 |
| 7 to 8 ft. B. & B. | 6 00 | 48 00 |
| 8 to 9 ft. B. & B. | 7 50 | 60 00 |
| 9 to 10 ft. B. & B. | 10 00 | 80 00 |
| 10 to 12 ft. | 12 50 | 100 00 |
| 12 to 14 ft. | 15 00 | 125 00 |

MAGNOLIA tripetala.

UMBRELLA MAGNOLIA. Open headed, spreading; large leaves and large white blossoms.

| | | Per 10 | Per 100 |
|---------------------------|-------------|---------|----------|
| 5 to 6 ft. | Each \$1 50 | \$12 50 | \$100 00 |
| 6 to 7 ft. | 2 00 | 17 50 | 125 00 |
| 7 to 8 ft. | 2 50 | 20 00 | 160 00 |
| 8 to 10 ft.; 1½ in. | 3 00 | 26 00 | 210 00 |
| 10 to 12 ft.; 2 in. | 3 50 | 28 00 | 230 00 |
| 12 to 14 ft.; 2½ in. | 4 50 | 36 00 | 280 00 |

B. & B. at 25% additional.

CHINESE VARIETIES

The Chinese Magnolias give the first gaudy display of spring bloom; their rapid growth, adaptability to all soils and free flowering make them general favorites.

M. alba superba.

White—pink blotch at base of petals.

| | | |
|------------------------------|-------------|--------|
| 4 to 5 ft.; own roots | Each \$7 50 | 60 00 |
| 5 to 6 ft.; own roots | 10 00 | 80 00 |
| 6 to 7 ft.; own roots | 12 50 | 100 00 |
| 7 to 8 ft.; own roots | 15 00 | 135 00 |
| 8 to 10 ft.; own roots | 20 00 | 185 00 |
| 10 to 12 ft.; own roots | 35 00 | 325 00 |

M. alexandriana.

ALEXANDER MAGNOLIA. Deep cup-shaped pink tinted flowers in April.

| | | |
|---|--------------|--------|
| 6 to 7 ft.; own roots | Each \$12 50 | 100 00 |
| Specimens. 7 to 8 ft.; own roots ... | 15 00 | 135 00 |
| Specimens. 8 to 9 ft.; own roots ... | 20 00 | 185 00 |
| Specimens. 9 to 10 ft.; own roots ... | 25 00 | |
| Specimens. 10 to 12 ft.; own roots ... | 35 00 | |

M. hypoleuca.

SILVER MAGNOLIA.

| | | |
|------------------|-------------|-------|
| 6 to 8 ft. | Each \$4 50 | 36 00 |
| 8 to 10 ft. | 6 00 | 48 00 |

M. kobus.

KOBUS MAGNOLIA. The flower is pure white, rather open cup shaped, standing well above the foliage. Habit dense and symmetrical.

Kobus forms a handsome specimen.

| | | | |
|---|------------------|--------|--------|
| 3 to 4 ft. | Each \$3 00 | 24 00 | 200 00 |
| 4 to 5 ft. | 4 00 | 35 00 | 300 00 |
| 5 to 6 ft. | 5 00 | 45 00 | 350 00 |
| 6 to 7 ft. Bushy | 7 50 | 60 00 | 450 00 |
| 7 to 8 ft. Bushy | 10 00 | 80 00 | 600 00 |
| 8 to 10 ft. Bushy | 20 00 | 185 00 | |
| 12 to 16 ft. Bushy | \$30 00 to 50 00 | | |
| Standards. 8 to 10 ft.; 2 to 2½ in. | 10 00 | 80 00 | |
| Standards. 10 to 12 ft. 2½ to 3 in. | 12 50 | 100 00 | 800 00 |
| Standards. 12 to 14 ft. 3 to 3½ in. | 15 00 | 125 00 | |

Note—All standards branched at 6 ft.

CHINESE MAGNOLIAS—continued

With the first warm breath of Spring the Magnolias come into flower and no display surpasses their rich soft colorings. Magnolias should have a place in planting—as there are few flowering trees that give so great a return year after year.

MAGNOLIA lennei.

LENNE MAGNOLIA. Strong-growing, purple colored, cup-shaped, April blossoms against dark green foliage.

| | | Per 10 | Per 100 |
|-------------------------|-------------|---------|----------|
| 2 to 3 ft. | Each \$3 50 | \$30 00 | \$270 00 |
| 3 to 4 ft. | 5 00 | 45 00 | 400 00 |
| 4 to 5 ft. B. & B. | 7 50 | 60 00 | |
| 5 to 6 ft. B. & B. | 10 00 | 80 00 | |

[Specimens.]

| | | | |
|----------------------------------|-------|--------|--|
| 6 to 7 ft. B. & B. | 12 50 | 100 00 | |
| 7 to 8 ft. B. & B. | 15 00 | 135 00 | |
| 8 to 10 ft. B. & B. | 20 00 | 185 00 | |
| 10 to 12 ft. B. & B. Heavy | 35 00 | 325 00 | |

M. purpurea (liliflora).

LILY MAGNOLIA. Dense bushy form; large purple blooms.

| | | | |
|-------------------------------|-------------|--|--|
| 5 to 6 ft. Heavy clumps | Each \$5 00 | | |
| 6 to 7 ft. Heavy clumps | 7 50 | | |
| 7 to 8 ft. Heavy clumps | 10 00 | | |

M. soulangeana.

SAUCER MAGNOLIA. Hardy, vigorous, large, glossy foliage; pink cup-shaped flowers in April. One of the best garden or specimen plants.

| | | | |
|--------------------------------------|------------------|--------|--------|
| 2 to 3 ft. | Each \$3 50 | 30 00 | 270 00 |
| 3 to 4 ft. | 5 00 | 45 00 | 400 00 |
| 4 to 5 ft. B. & B. | 7 50 | 60 00 | |
| 5 to 6 ft. B. & B. | 10 00 | 80 00 | |
| Specimens. 6 to 7 ft. B. & B. | 12 50 | 100 00 | |
| Specimens. 7 to 8 ft. B. & B. | 15 00 | 135 00 | |
| Specimens. 9 to 10 ft. B. & B. | 20 00 | 185 00 | |
| Specimens. 10 to 12 ft. B. & B. | 30 00 | 285 00 | |
| Specimens. 12 to 14 ft. B. & B. | \$35 00 to 50 00 | | |

M. stellata.

STAR MAGNOLIA. Low, slow-growing, bushy variety. Very early; pure white showy flowers. For the garden or border.

| | | | |
|-------------------------|-------------|-------|--|
| 2 to 2½ ft. Bushy | Each \$5 00 | 40 00 | |
| 2½ to 3 ft. Bushy | 7 50 | | |
| 3 to 3½ ft. Bushy | 10 00 | | |
| 4 to 5 ft. Bushy | 15 00 | | |

Flowering Apples

The Flowering Crab Apples, with their fragrant flowers in a great array of color from pure white to deep red, followed by attractively colored fruits, yellow, orange and red, are coming more and more into general favor for ornamental planting. They are ideal for the border, hillside or for garden specimens.

B. & B. \$1 00 each additional in all grades.

MALUS baccata.

SIBERIAN FLOWERING CRAB. Free, robust, round-headed tree with white flowers.

| | | | |
|-------------|-------|------|--------|
| 5 to 6 ft. | | Each | \$2 50 |
| 6 to 7 ft. | | | 3 00 |
| 8 to 10 ft. | | | 8 50 |

M. coronaria.

WILD SWEET CRAB. Fragrant blush bloom and large fruit.

| | | | | | |
|------------|-------|-------|------|--------|--------|
| 5 to 6 ft. | Heavy | | Each | \$2 50 | Per 10 |
| 6 to 7 ft. | Heavy | | | 3 00 | 24 00 |
| 7 to 8 ft. | Heavy | | | 6 50 | 52 00 |
| 8 to 9 ft. | Heavy | | | 8 50 | 68 00 |

M. dawsoniana.

DAWSON FLOWERING CRAB. Large white flowers and yellowish-green fruit.

| | | | | |
|------------|-------|------|--------|-------|
| 6 to 7 ft. | | Each | \$3 00 | 24 00 |
| 7 to 8 ft. | | | 6 50 | 52 00 |

M. flexilis—Delicate pink.

| | | | | |
|------------|-------|------|--------|-------|
| 5 to 6 ft. | | Each | \$2 50 | 20 00 |
|------------|-------|------|--------|-------|

M. floribunda.

JAPANESE FLOWERING CRAB. Profuse rose-colored flowers followed by red fruit.

| | | | | |
|------------|-------|------|--------|-------|
| 5 to 6 ft. | | Each | \$2 50 | 20 00 |
| 6 to 7 ft. | | | 3 00 | 24 00 |
| 7 to 8 ft. | | | 6 50 | 52 00 |
| 8 to 9 ft. | | | 8 50 | |

M. floribunda atrosanguinea.


CARMINE CRAB. Very showy; rich rose-red blossoms.

| | | | | |
|------------|-------|------|--------|-------|
| 5 to 6 ft. | | Each | \$2 50 | 20 00 |
| 6 to 7 ft. | | | 3 00 | 24 00 |
| 7 to 8 ft. | | | 6 50 | 52 00 |
| 8 to 9 ft. | | | 8 50 | 68 00 |

M. ioensis.

BECHTELS CRAB. Peach blush, double, sweet-scented blossoms.

| | | | | | |
|-------------|-------|------|--------|-------|----------|
| 4 to 5 ft. | | Each | \$3 50 | 28 00 | Per 100 |
| 5 to 6 ft. | | | 5 00 | 40 00 | \$185 00 |
| 7 to 8 ft. | | | 6 50 | 52 00 | 225 00 |
| 9 to 10 ft. | | | 10 00 | 75 00 | 300 00 |



LU LU TEMPLE COUNTRY CLUB.

ANDORRA SERVICE DEPT.

MALUS niedzwetzkyana.

REDVEIN CRAB. Showy deep pink flowers; purplish fruit; very ornamental.

| | | Per 10 |
|-------------------|-------------|---------|
| 6 to 7 ft. | Each \$3 00 | \$24 00 |
| 7 to 8 ft. | 6 50 | 52 00 |
| 8 to 9 ft. | 8 50 | 68 00 |
| 10 to 12 ft. | 10 00 | |

M. parkmani.

PARKMANN CRAB. Compact form, tenacious of its dark green foliage; semi-double, rose-pink blossoms.

| | | | Per 100 |
|-----------------|-------------|-------|----------|
| 4 to 5 ft. | Each \$2 00 | 16 00 | \$135 00 |
| 5 to 6 ft. | 2 50 | 20 00 | 160 00 |
| 6 to 7 ft. | 3 00 | 24 00 | 185 00 |
| 7 to 8 ft. | 6 50 | 52 00 | 415 00 |

M. sargentii.

SARGENT'S FLOWERING CRAB. Dwarf, spreading habit; white blooms; colored fruit.

| | | |
|-----------------|-------------|-------|
| 6 to 7 ft. | Each \$3 00 | 24 00 |
| 7 to 8 ft. | 6 50 | 52 00 |
| 8 to 9 ft. | 8 50 | 68 00 |

M. scheideckeri.

SCHEIDECKER CRAB. Deep rose-colored blossoms. Double.

| | | |
|-----------------|-------------|-------|
| 4 to 5 ft. | Each \$2 00 | 16 00 |
| 5 to 6 ft. | 2 50 | 20 00 |
| 6 to 7 ft. | 3 00 | 24 00 |
| 7 to 8 ft. | 6 50 | 52 00 |

M. sieboldi.

TORINGO CRAB. Small; single white or blush blossoms and small yellow fruit.

| | | |
|-----------------|-------------|-------|
| 5 to 6 ft. | Each \$2 50 | 21 50 |
| 6 to 7 ft. | 3 00 | 24 00 |

M. spectabilis.

CHINESE FLOWERING CRAB. Double, deep coral-red blossoms. Very showy.

| | | |
|-----------------|-------------|-------|
| 6 to 7 ft. | Each \$3 00 | 24 00 |
|-----------------|-------------|-------|

MALUS spectabilis alba plena.

CHINESE FLOWERING CRAB. Double white.

| | | Per 10 |
|-----------------|-------------|---------|
| 5 to 6 ft. | Each \$2 50 | \$20 00 |
| 7 to 8 ft. | 6 50 | 52 00 |

M. Van Wyck. Upright growth. Blossoms of bluish white.

| | | |
|-----------------|-------------|-------|
| 6 to 7 ft. | Each \$3 00 | 24 00 |
| 7 to 8 ft. | 6 50 | 52 00 |

MORUS alba.

WHITE MULBERRY. Red fruited—birds love them.

| | | |
|------------------|-------------|-------|
| 7 to 8 ft. | Each \$2 50 | 20 00 |
| 8 to 10 ft. | 3 50 | 28 00 |

M. alba pendula.

WEeping MULBERRY. Grafted on 5 ft. stems; their drooping branches make them desirable for formal planting.

| | | |
|------------------------------|-------------|--|
| 5 to 6 ft. 3 Yr. Heads | Each \$3 50 | |
|------------------------------|-------------|--|

NYSSA sylvatica (TUPELO OR SOUR GUM).

A medium size tree of slow growth. Desirable for its rich colored Fall foliage.

| | | | |
|---------------------------|-------------|-------|----------|
| 4 to 5 ft. B. & B. | Each \$2 50 | 20 00 | |
| 6 to 7 ft. B. & B. | 3 50 | 28 00 | |
| 7 to 8 ft. B. & B. | 4 00 | 32 00 | Per 100 |
| 8 to 10 ft. B. & B. | 5 00 | 40 00 | \$250 00 |
| 10 to 12 ft. B. & B. | 7 50 | 60 00 | |

OXYDENDRUM arboreum. (Sorrell Tree.)

SOURWOOD. One of the most ornamental small trees; valuable in shrubberies, and in combinations used as an **undergrowth**.

| | | | |
|-------------------------|-------------|-------|--------|
| 3 to 4 ft. | Each \$2 00 | 12 00 | 100 00 |
| 4 to 5 ft. | 2 50 | 16 00 | 130 00 |
| 5 to 6 ft. B. & B. | 3 50 | 28 00 | 220 00 |
| 6 to 7 ft. B. & B. | 4 00 | 32 00 | 260 00 |
| 7 to 8 ft. B. & B. | 5 00 | 40 00 | 320 00 |
| 8 to 9 ft. B. & B. | 8 50 | 68 00 | 540 00 |

Specimens. Broad, bushy specimens. Price on application. See color plate page 101.

PERSICA vulgaris alba plena.

DOUBLE WHITE-FLOWERING PEACH. Pretty in formal garden or with evergreen in border.

| | | |
|-----------------|-------------|-------|
| 4 to 5 ft. | Each \$1 50 | 12 00 |
|-----------------|-------------|-------|

P. vulgaris rosea pl.

DOUBLE PINK FLOWERING PEACH.

| | | |
|-----------------|-------------|-------|
| 4 to 5 ft. | Each \$1 50 | 12 00 |
|-----------------|-------------|-------|

P. vulgaris sanguinea plena.

DOUBLE RED-FLOWERING PEACH. With very beautiful large double red flowers.

| | | |
|-----------------|-------------|-------|
| 4 to 5 ft. | Each \$1 50 | 12 00 |
|-----------------|-------------|-------|

PHELLODENDRON amurense.

AMUR CORKTREE. Rapid spreading habit, aromatic foliage, greenish flowers and black fruit.

| | | Per 10 | Per 100 |
|-------------------|-------------|---------|----------|
| 3 to 4 ft. | Each \$2 00 | \$16 00 | \$130 00 |
| 5 to 6 ft. | 2 50 | 20 00 | 160 00 |
| 7 to 8 ft. | 3 50 | 30 00 | |
| 9 to 10 ft. | 4 50 | 36 00 | |
| 10 to 12 ft. | 6 00 | 50 00 | |
| 14 to 16 ft. | 7 50 | 60 00 | |

PLANERA japonica.

JAPANESE WATER ELM. RARE. A handsome tree with short trunk dividing into many upright half spreading stems, with slender branches forming a broad, round topped tree with clean—handsome foliage.

| | |
|--------------------------------------|------------------|
| Specimens. 14 to 16 ft.; 2½ to 3 in. | \$20 00 |
| Specimens. 14 to 16 ft.; 3 to 3½ in. | 25 00 |
| Specimens. 16 to 18 ft.; 3½ to 4 in. | 30 00 |
| Specimens. 18 to 20 ft.; 4 to 5 in. | 35 00 |
| Specimens. 18 to 20 ft.; 5 to 6 in. | |
| cal. | \$50 00 to 75 00 |

PLATANUS occidentalis.

AMERICAN PLANE (BUTTONWOOD).

| | | | |
|---------------------------------|-------------|-------|--------|
| 10 to 12 ft.; 1¼ to 1½ in. | Each \$2 50 | 20 00 | 160 00 |
| 10 to 12 ft.; 1½ to 2 in. | 3 50 | 30 00 | 200 00 |
| 12 to 14 ft.; 2 to 2½ in. | 5 00 | 45 00 | 250 00 |
| 14 to 16 ft.; 2½ to 3 in. | 7 50 | 60 00 | |

PLATANUS orientalis.

EUROPEAN PLANE TREE. This rapid-growing, symmetrical, wide-spreading tree, is most suitable for city street planting. Attractive trunk and foliage, fine, symmetrical head.

| | | | |
|-----------------------------------|-------------|-------|--------|
| 6 to 8 ft.; \$600 00 per 1000.... | Each \$1 50 | 10 00 | 75 00 |
| 8 to 10 ft.; 1 to 1½ in. | 2 00 | 12 50 | 100 00 |
| 8 to 10 ft.; 1½ to 2 in. | 2 50 | 20 00 | 170 00 |
| 10 to 12 ft.; 1½ to 2 in. | 3 00 | 25 00 | 200 00 |
| 10 to 12 ft.; 2 to 2¼ in. | 4 00 | 30 00 | 250 00 |
| 12 to 14 ft.; 2¼ to 2½ in. | 5 00 | 40 00 | 325 00 |
| 14 to 16 ft.; 2½ to 2¾ in. | 6 50 | 50 00 | 400 00 |
| 14 to 16 ft.; 2¾ to 3 in. | 7 50 | 60 00 | 500 00 |
| 16 to 18 ft.; 3 to 3½ in. | 8 50 | 70 00 | 600 00 |
| 16 to 18 ft.; 3½ to 4 in. | 9 00 | 80 00 | 700 00 |

POPULUS bolleana.

BOLLEANA POPLAR. Rapid growth—fastigate form, olive gray bark, foliage green above, silvery underneath.

| | | | |
|-------------------|-------------|-------|--------|
| 8 to 10 ft. | Each \$2 00 | 15 00 | 100 00 |
| 10 to 12 ft. | 3 00 | 25 00 | 200 00 |

P. cordata.

SMALL-LEAF POPLAR of rapid growth, forming a large broad headed tree superior to the "Carolina Poplar."

| | | |
|------------------|-------------|-------|
| 7 to 8 ft. | Each \$2 00 | 16 00 |
| 8 to 10 ft. | 2 50 | 20 00 |

POPULUS nigra italica.

LOMBARDY POPLAR. Tall, rapid growing. Useful to break horizontal monotony, or grouped to screen objectionable views.

| | | Per 10 | Per 100 |
|-------------------|-------------|---------|---------|
| 8 to 10 ft. | Each \$1 50 | \$10 00 | \$75 00 |
| 10 to 12 ft. | 2 00 | 16 00 | 135 00 |

QUERCUS alba.

WHITE OAK. Broad, open head; in the Fall purplish-brown leaves, on spreading branches, held through Winter.

| | | | |
|---------------------------------|-------------|-------|--------|
| 7 to 8 ft. | Each \$6 00 | 54 00 | 500 00 |
| 8 to 10 ft.; 1½ in. | 7 50 | 67 50 | 600 00 |
| 10 to 12 ft.; 2 to 2¼ in. | 10 00 | 90 00 | 800 00 |
| 12 to 14 ft.; 2½ to 2¾ in. | 12 50 | | |
| 14 to 16 ft.; 2¾ to 3 in. | 15 00 | | |

Q. bicolor.

SWAMP WHITE OAK. Vigorous; holds leaves till early Winter. Prefers moisture.

| | | | |
|-------------------------------|------------------|-------|--|
| 6 to 8 ft. | Each \$5 00 | 45 00 | |
| 12 to 14 ft.; 2½ in. | 12 50 | | |
| 14 to 16 ft.; 3 to 4 in. | \$15 00 to 20 00 | | |

Specimens. 18 to 25 ft. Ask for prices.

Q. cerris.

TURKEY OAK. Of large growth forming a broad, open, pyramidal heart. Foliage dark green with a rough appearance, leaves sharply cut. Use as a specimen.

| | | | |
|--------------------------------|--------------|--|--|
| 12 to 14 ft.; 2½ to 3 in. | Each \$15 00 | | |
| 14 to 16 ft.; 3 to 4 in. | 20 00 | | |

Q. coccinea.

SCARLET OAK. Symmetrical and eminently fitting as a specimen tree, taking on the most gorgeous shades of brilliant scarlet in the Fall and holding its dried leaves during the Winter.

| | | | |
|-------------------------------------|-------------|--------|--------|
| 8 to 10 ft.; 1½ to 2 in. | Each \$7 50 | 60 00 | 500 00 |
| 12 to 14 ft.; 2¼ to 2½ in. | 12 50 | 100 00 | |
| 12 to 14 ft.; 2½ to 2¾ in. | 15 00 | 135 00 | |
| 14 to 16 ft.; 2¾ to 3 in. | 20 00 | | |
| 16 to 20 ft.; 4 to 6 in. B. & B. at | 15 00 | | |
| per inch of caliper. | | | |


Specimens. 7 to 9 in. and up. Prices on application.

Q. macrocarpa.

MOSSYCUP OAK. Fine habit and form. Tall with wide spreading head and massive branches; twigs of the branches are covered with a peculiar cork bark which is interesting.

| | | | |
|---------------------------------|-------------|--------|--|
| 10 to 12 ft.; 1½ to 2 in. | Each \$7 50 | 60 00 | |
| 12 to 14 ft.; 2¼ to 2½ in. | 10 00 | 90 00 | |
| 14 to 16 ft.; 2½ to 3 in. | 15 00 | 120 00 | |
| 16 to 18 ft.; 3 to 3½ in. | 17 50 | 160 00 | |
| 16 to 18 ft.; 4 to 4½ in. | 35 00 | | |

Specimens. 6 to 10 in. caliper. Price on application.



PHOTOGRAPHED ONE YEAR AFTER PLANTING.

QUERCUS palustris.

PIN OAK. Graceful, spreading. Pyramidal habit; deeply cut leaves held late into Winter. Lawn or street.

| | | Per 10 | Per 100 |
|---------------------------------|--------------------|---------|----------|
| 7 to 8 ft.; 1 to 1½ in. | Each \$3 00 | \$27 50 | \$225 00 |
| 8 to 10 ft.; 1½ to 2 in. | 4 00 | 35 00 | 300 00 |
| 10 to 12 ft.; 2 to 2½ in. | 8 50 | 68 00 | 500 00 |
| 12 to 14 ft.; 2½ to 2¾ in. | 10 00 | 80 00 | |
| 14 to 16 ft.; 2¾ to 3 in. | 12 50 | 100 00 | |
| 16 to 18 ft.; 3 to 3½ in. | 13 50 | 120 00 | |
| 16 to 18 ft.; 4 to 4½ in. | 25 00 | | |
| 16 to 18 ft.; 4½ to 5 in. | ..\$35 00 to 75 00 | | |

Larger specimen trees. Tall and spreading, from 6 to 12 inches in diameter. Prices on application.

QUERCUS phellos.

WILLOW OAK. Rapid growth, rich green, narrow foliage.

| | | |
|--------------------------------|-------------|-------|
| 5 to 6 ft. | Each \$3 50 | 30 00 |
| 10 to 12 ft.; 1½ to 2 in. | 6 50 | 50 00 |
| 12 to 14 ft.; 2 to 2½ in. | 8 50 | 70 00 |
| 12 to 14 ft.; 2½ to 3 in. | 15 00 | |

Q. robur.


ENGLISH OAK. Rugged growth, forming a broad, round head; small foliage; green above and glaucous beneath.

| | |
|-------------------|--------------|
| 8 to 10 ft. | Each \$12 50 |
| 10 to 12 ft. | 15 00 |

Q. robur fastigata.

PYRAMIDAL ENGLISH OAK. Upright columnar growth; very formal; foliage dark green.

| | |
|--------------------------------|--------------|
| 8 to 10 ft.; 1½ in. | Each \$10 00 |
| 10 to 12 ft.; 1½ to 2 in. | 12 50 |
| 12 to 14 ft.; 2 to 2½ in. | 15 00 |



CRYPTOMERIA AS SPECIMENS.

ANDORRA LANDSCAPE DEPT.

QUERCUS rubra.

RED OAK. Stately, spreading, symmetrical; leaves shining deep green; rich Fall color.

| | | Per 10 | Per 100 |
|---------------------------------|-------------|---------|----------|
| 8 to 10 ft.; 1 to 1¼ in. | Each \$3 50 | \$28 00 | \$225 00 |
| 8 to 10 ft.; 1½ to 2 in. | 5 00 | 45 00 | 375 00 |
| 10 to 12 ft.; 2 to 2¼ in. | 7 50 | 67 50 | 500 00 |
| 10 to 12 ft.; 2¼ to 2½ in. | 8 50 | 70 00 | 600 00 |
| 12 to 14 ft.; 2½ to 2¾ in. | 10 00 | 90 00 | 800 00 |
| 14 to 16 ft.; 2¾ to 3 in. | 12 50 | 112 50 | 1000 00 |
| 14 to 16 ft.; 3 to 3½ in. | 15 00 | 135 00 | 1200 00 |
| 14 to 16 ft.; 3½ to 4 in. | 20 00 | 180 00 | |
| 16 to 18 ft.; 4 to 4½ in. | 30 00 | 275 00 | |
| 16 to 18 ft.; 4½ to 5 in. | 45 00 | 425 00 | |

Specimens. Nursery-grown in large sizes—25 to 40 feet in height. Price on application.

Q. velutina.

BLACK OAK. Tall, open-headed, stately. Retains browned leaves in Winter.

| | |
|--------------------------------|-------------|
| 10 to 12 ft.; 2 to 2¼ in. | Each \$7 50 |
| 12 to 14 ft.; 2½ in. | 10 00 |

Specimens. 5 to 8 in. Price on application.

RHUS glabra.

SMOOTH SUMAC. Low-headed and spreading flowers in terminal panicles; fruit crimson.

| | | |
|-----------------|----------|------|
| 3 to 4 ft. | Each 50c | 4 00 |
|-----------------|----------|------|

ROBINIA pseudoacacia.

BLACK LOCUST. Rapid growth, light gray foliage, fragrant white flowers in May.

| | | | |
|------------------|-------------|-------|--------|
| 5 to 6 ft. | Each \$1 50 | 10 00 | 75 00 |
| 6 to 8 ft. | 2 00 | 16 00 | 125 00 |
| 8 to 10 ft. | 3 50 | 28 00 | |

SALIX babylonica.

BABYLON WEeping WILLOW. Too familiar to need description. Appropriate for waterside planting.

| | | | | |
|--------------------------------|------|--------|--------|---------|
| 8 to 10 ft. | Each | \$3 50 | Per 10 | \$28 00 |
| 10 to 12 ft.; 2 to 2½ in. | | 5 00 | | 40 00 |
| 12 to 14 ft.; 2½ to 3 in. | | 7 50 | | 60 00 |
| 12 to 14 ft.; 3 to 3½ in. | | 12 50 | | |
| 12 to 14 ft.; 4 to 4½ in. | | 17 50 | | |

S. caprea.

PUSSY WILLOW. The Pussy Willow says that Spring is here when it opens its catkins.

| | | | |
|-----------------|------|--------|------|
| 4 to 5 ft. | Each | \$1 00 | 7 50 |
|-----------------|------|--------|------|

S. elegantissima.

THURLOW'S WEeping WILLOW. Of more upright growth than the Babylon Willow, with graceful drooping branches.

| | | | |
|--------------------------------|------|--------|-------|
| 8 to 10 ft.; 2 to 2½ in. | Each | \$3 50 | 30 00 |
| 10 to 12 ft.; 2½ to 3 in. | | 6 00 | 50 00 |
| 12 to 14 ft.; 3 to 3½ in. | | 7 50 | 60 00 |
| 14 to 16 ft.; 3½ to 4 in. | | 10 00 | 85 00 |

S. pentandra.

LAUREL LEAF WILLOW. Dense bushy growth; narrow foliage of dark glossy green.

| | | | |
|-------------------|------|--------|-------|
| 12 to 14 ft. | Each | \$5 00 | 40 00 |
|-------------------|------|--------|-------|

SASSAFRAS variifolium.

COMMON SASSAFRAS. Spreading round top; valuable for screen. Brilliant orange-yellow Fall foliage.

| | | | |
|-----------------|------|--------|-------|
| 5 to 6 ft. | Each | \$1 50 | 12 00 |
| 6 to 8 ft. | | 2 50 | 20 00 |

SOPHORA japonica.

JAPANESE PAGODA TREE. Medium growth, shining green foliage; white bloom in August.

| | | | | | |
|------------------|------|--------|-------|---------|----------|
| 4 to 5 ft. | Each | \$2 50 | 20 00 | Per 100 | \$175 00 |
| 5 to 6 ft. | | 3 50 | 30 00 | | 275 00 |
| 6 to 8 ft. | | 5 00 | 45 00 | | |
| 8 to 10 ft. | | 7 50 | 60 00 | | |

SORBUS aucuparia.


EUROPEAN MOUNTAIN ASH. For border plantation, where bright scarlet berries enliven Winter landscape.

| | | | |
|-----------------|------|--------|-------|
| 5 to 6 ft. | Each | \$1 50 | 12 50 |
| 7 to 8 ft. | | 2 50 | 20 00 |

TAXODIUM distichum.

BALD CYPRESS. Growing to great height, its spire-like form is distinct among trees. Ideal for formal use.

| | | | | |
|------------------|------|--------|-------|--------|
| 5 to 6 ft. | Each | \$4 00 | 32 00 | 275 00 |
| 7 to 8 ft. | | 6 50 | 52 00 | 400 00 |
| 8 to 10 ft. | | 7 50 | | |



THE SWEET MAGNOLIA

MAGNOLIA GLAUCA

A BEAUTIFUL, small, shrubby tree, thriving in any good soil or situation, and useful for positions too damp for many trees. The rich, glossy green foliage is glaucous beneath, giving the whole a silvery sheen. The cream-white, waxlike flowers are highly fragrant, and the seed-pods which follow open to show brilliant coral seeds.

Used in masses with evergreens, in the shrub border, as hedges or for specimens, it gives added pleasure to any planting.

*Recently Transplanted Stock
Dug and Shipped with a Ball of Soil*

| | Each | Per 10 | Per 100 |
|---------------------|--------|---------|----------|
| 2 to 3 feet | \$2 00 | \$17 50 | \$135 00 |
| 3 to 4 feet | 2 50 | 20 00 | 165 00 |
| 4 to 5 feet | 3 50 | 30 00 | 200 00 |
| 5 to 6 feet | 5 00 | 45 00 | 300 00 |
| 6 to 7 feet | 6 00 | 50 00 | 350 00 |
| 7 to 8 feet | 7 50 | 65 00 | 450 00 |
| 8 to 10 feet | 10 00 | 85 00 | 600 00 |
| 10 to 12 feet | 15 00 | 135 00 | 750 00 |
| 12 to 14 feet | 20 00 | 175 00 | 900 00 |
| 14 to 16 feet | 25 00 | 200 00 | |

TILIA americana.

AMERICAN LINDEN.

| | | Per 10 |
|--------------------------------|-------------|---------|
| 7 to 8 ft. | Each \$2 00 | \$17 50 |
| 8 to 10 ft.; 1¼ to 1½ in. | 2 50 | 20 00 |
| 10 to 12 ft.; 1½ to 2 in. | 3 50 | 30 00 |

Specimens. 20 to 25 ft.; 7 to 10 in. cal. Prices on application.

T. euchlora.

CRIMEAN LINDEN. Thick, deep green, glossy foliage on bright green young growth. For avenue.

Specimens. 20 to 22 ft.; 6 to 8 in. cal. Prices on application.

T. vulgaris.

COMMON EUROPEAN LINDEN. Vigorous, handsome, symmetrical; rapid growing. Excellent for avenues.

| | | |
|--------------------------------|-------------|-------|
| 8 to 10 ft.; 1¼ to 1½ in. | Each \$4 50 | 37 50 |
| 10 to 12 ft.; 2 to 2½ in. | 9 00 | 75 00 |
| 12 to 14 ft.; 2½ to 3 in. | 12 50 | |
| 16 to 18 ft.; 4 to 5 in. | 25 00 | |

Specimens. 20 to 25 ft.; 6 to 10 in. caliper. Prices on application.

ULMUS americana.

AMERICAN ELM. Vase-shaped head. Peculiarly appropriate for street or lawn planting, giving vaulted cathedral effect.

| | | | Per 100 |
|---------------------------------|-------------|-------|----------|
| 8 to 10 ft.; 1 to 1¼ in. | Each \$1 50 | 12 50 | \$100 00 |
| 10 to 12 ft.; 1½ to 2 in. | 2 00 | 15 00 | 120 00 |
| 10 to 12 ft.; 2 to 2¼ in. | 2 50 | 20 00 | 150 00 |
| 12 to 14 ft.; 2¼ to 2½ in. | 3 50 | 28 00 | 250 00 |
| 12 to 14 ft.; 2½ to 3 in. | 5 00 | 40 00 | 300 00 |
| 14 to 16 ft.; 3 to 3½ in. | 7 50 | 60 00 | 450 00 |
| 16 to 18 ft.; 3½ to 3¾ in. | 10 00 | 80 00 | 600 00 |
| 16 to 18 ft.; 4 to 4½ in. | 12 50 | 90 00 | |

Large specimens. Prices on application.

U. americana pyramidalis.

MOLINE ELM. A dense conical form meeting much favor for street planting.

| | | | |
|--------------------------------|-------------|-------|--------|
| 7 to 8 ft.; 1 to 1½ in. | Each \$2 50 | 20 00 | 150 00 |
| 8 to 10 ft.; 1½ to 2 in. | 3 00 | 26 00 | 200 00 |
| 10 to 12 ft.; 1½ to 2 in. | 3 50 | 32 00 | 250 00 |
| 12 to 14 ft.; 2 to 2½ in. | 5 00 | 42 50 | 350 00 |

U. campestris.

ENGLISH ELM. Round-topped; densely branched; retaining leaves longer than American Elm. Avenue or lawn.

| | | |
|--------------------------------|-------------|--------|
| 7 to 9 ft. | Each \$2 50 | 20 00 |
| 9 to 10 ft.; 1¼ to 1½ in. | 3 00 | 27 50 |
| 10 to 12 ft.; 1½ to 2 in. | 4 00 | 37 50 |
| 12 to 14 ft.; 2 to 2¼ in. | 6 00 | 54 00 |
| 12 to 14 ft.; 3 to 3½ in. | 15 00 | 120 00 |

Specimens. 20 to 30 ft.; 6 to 12 in. Prices on application.



CEDARS WELL PLACED.

ANDORRA LANDSCAPE DEPT.

ULMUS campestris dampieri.

DAMPIER ELM. Slow growth, forming a tall columnar tree, quite as columnar as the Lombardy Poplar. Useful for formal work.

| | | Per 10 |
|-------------------|-------------|---------|
| 7 to 8 ft. | Each \$6 00 | \$50 00 |
| 8 to 10 ft. | 7 50 | 60 00 |
| 10 to 12 ft. | 10 00 | 80 00 |

U. campestris, wheatleyi.

WHEATLEY ELM. Pyramidal head; small dark green leaves. Stands clipping well. Avenue or formal allée.

Specimens. 16 to 25 ft.; 5 to 10 in. cal.,
Each \$50 00 to 150 00

U. parviflora.

CHINESE ELM. The most rapid growth of all the Elms; forms a dense spreading top; foliage small and dark green.

| | | |
|-------------------|-------------|-------|
| 12 to 14 ft. | Each \$7 50 | 60 00 |
|-------------------|-------------|-------|

U. pumila.

ASIATIC or SIBERIAN ELM. A small tree with slender pendulous branches; foliage dark green.

| | | | Per 100 |
|--------------------------------|-------------|-------|----------|
| 6 to 8 ft.; 1 in. | Each \$2 50 | 20 00 | \$175 00 |
| 8 to 10 ft.; 1¼ to 1½ in. | 3 50 | 30 00 | 250 00 |
| 10 to 12 ft.; 1½ to 2 in. | 4 00 | 35 00 | 300 00 |

U. racemosa.

ROCK ELM. Large growing, forming an oblong, rounded top.

| | | |
|--------------------------------|-------------|-------|
| 12 to 14 ft.; 2 to 2½ in. | Each \$6 00 | 48 00 |
| 12 to 14 ft.; 2½ to 3 in. | 7 50 | 60 00 |
| 14 to 16 ft.; 3 to 3½ in. | 10 00 | 80 00 |
| 14 to 16 ft.; 3½ to 4 in. | 12 50 | 90 00 |
| 16 to 18 ft.; 4 to 4½ in. | 15 00 | |

DECIDUOUS SHRUBS

This List Conforms with 1923 Edition Standardized Plant Names
All Prices are for Stock of Our Selection. Customer's
Selection will be Charged at Value of Stock Selected

ABELIA grandiflora.

GLOSSY ABELIA. Dwarf; glossy foliage, Flowers continuously from July till frost, arbutus-like pink. Use in masses. **The finest all-summer flowering shrub.**

| | | Per 10 | Per 100 |
|--|--------|--------|---------|
| 12 to 18 in.; field grown. B. & B. Each. | \$1 00 | \$6 00 | \$50 00 |
| 18 to 24 in.; field grown. B. & B. | 1 25 | 8 50 | 65 00 |

ACANTHOPANAX pentaphyllum.

BUSH ARALIA. Quick growing, for screen planting; dark green foliage held late in Fall.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$0 50 | 3 00 | 25 00 |
| 3 to 4 ft. | 75 | 4 50 | 35 00 |
| 4 to 5 ft. | 1 00 | 6 50 | 40 00 |
| 5 to 6 ft. | 1 50 | 7 50 | 45 00 |

AESCULUS parviflora.

DWARF HORSECHESTNUT. Bush form. Broad spreading habit; foliage dark green and luxuriant. White flowers carried well above the foliage.

| | | | |
|-------------------------|-------------|-------|--------|
| 2 to 2½ ft. Heavy | Each \$1 50 | 12 50 | 100 00 |
| 3 to 3½ ft. Heavy | 2 50 | 20 00 | 150 00 |
| 3½ to 4 ft. Heavy | 3 00 | 28 00 | |
| 4 to 5 ft. Heavy | 4 00 | 32 00 | |

AMELANCHIER canadensis.

DOWNY SHADBUSH. White flowers in May followed by red fruit. Desirable for the garden or against evergreen background.

| | | | |
|-------------------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 00 | 7 50 | 60 00 |
| 3 to 4 ft. | 1 25 | 10 00 | 70 00 |
| 4 to 5 ft. | 1 50 | 12 50 | 100 00 |
| 5 to 6 ft. | 2 00 | 17 50 | 150 00 |
| 6 to 7 ft. Heavy | 4 00 | 35 00 | |
| 8 to 10 ft. Heavy | 8 50 | 75 00 | |
| 10 to 12 ft. | 10 00 | 90 00 | |

Specimens. 12 to 18 ft. Prices on application.

A. oblongifolia.

THICKET SHADBUSH. A dense growing shrub with slender upright branches. White flowers in May. Fruit black.

| | | | |
|------------------|-------------|-------|-------|
| 1½ to 2 ft. | Each \$1 00 | 5 00 | 40 00 |
| 2 to 3 ft. | 1 25 | 7 50 | 50 00 |
| 3 to 4 ft. | 1 50 | 8 50 | 60 00 |
| 4 to 5 ft. | 2 00 | 10 00 | 75 00 |

AMYGDALUS communis. (Prunus glandulosa.)

WHITE FLOWERING ALMOND. Showy white flowers in Spring. Suitable in flower border.

| | | Per 10 |
|-----------------|-------------|--------|
| 2 to 3 ft. | Each \$1 00 | \$7 50 |
| 3 to 4 ft. | 1 50 | 12 00 |

A. communis rosea.

PINK FLOWERING ALMOND. Showy flowers; very attractive.

| | | |
|-----------------|-------------|------|
| 2 to 3 ft. | Each \$1 00 | 7 50 |
|-----------------|-------------|------|

ARONIA arbutifolia brilliantissima.

RED CHOKEBERRY. Bright red berries enhance the value of this low border shrub.

| | | | Per 100 |
|-----------------|-------------|-------|---------|
| 2 to 3 ft. | Each \$1 00 | 6 00 | \$40 00 |
| 3 to 4 ft. | 1 25 | 7 50 | 45 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 60 00 |

A. melanocarpa.

BLACK CHOKEBERRY. Glossy, black fruit; low growing; white flowers, attracting the birds.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 6 00 | 40 00 |
| 3 to 4 ft. | 1 25 | 7 50 | 45 00 |

AZALEAS**Heavy Field-Grown Clumps**

Small shrubs adapted for massing in shrubby borders and naturalizing in woods. Prolific bloomers extending over a period from April to June; showy among evergreens. Under Evergreen Shrubs will be found many other varieties of great beauty.

AZALEA. (See also pages 31, 32 and 73.)

A. arborescens.

SWEET AZALEA. Broad, bushy; white fragrant flowers in June; leaves turning bronze in Fall.

| | | Per 10 | Per 100 |
|---------------------------|-------------|---------|----------|
| 18 to 24 in. clumps | Each \$3 00 | \$24 00 | \$200 00 |
| 24 to 30 in. Heavy | 4 00 | 32 00 | 250 00 |
| 2½ to 3 ft. | 5 00 | 40 00 | 300 00 |
| 3 to 3½ ft. | 6 00 | | |

A. calendulacea (lutea).

FLAME AZALEA. Brilliant, lemon-yellow and orange flowers in late May. Mass with evergreens.

| | | |
|---------------------------|-------------|-------|
| 18 to 24 in. clumps | Each \$3 00 | 24 00 |
| 24 to 30 in. clumps | 4 00 | 32 00 |
| 30 to 36 in. clumps | 5 00 | 40 00 |

A. kaempferi.

TORCH AZALEA. Foliage bright green—flowers from coral red to orange pink.

| | | | |
|-------------------|-------------|-------|--------|
| 15 to 18 in. | Each \$2 50 | 22 50 | 200 00 |
| 1½ to 2 ft. | 3 00 | 27 50 | 250 00 |
| 2 to 2½ ft. | 4 00 | 35 00 | 300 00 |

| | | | |
|---|-------------|----------------|------------------|
| AZALEA mollis. CHINESE AZALEA. Mixed colors. Chinese azaleas, with handsome yellow or red flowers before the leaves appear. | | | |
| 15 to 18 in. | Each \$2 50 | Per 10 \$20 00 | Per 100 \$150 00 |
| 18 to 24 in. | 3 50 | 30 00 | 200 00 |
| A. mollis. J. C. Van Tol. Yellow. | | | |
| 18 to 20 in. | Each \$3 50 | 30 00 | |
| A. mollis. Kusters red. | | | |
| 1½ to 2 ft. | Each \$3 50 | 30 00 | |
| 2 to 2½ ft. | 5 00 | 45 00 | |
| A. nudiflora. | | | |
| PINEXTER BLOOM. Commonly known as the Wild Honeysuckle. A fine grower with an abundance of rose pink flowers. | | | |
| 12 to 18 in. | Each \$2 50 | 16 00 | |
| 1½ to 2 ft. | 3 00 | 24 00 | |
| 2 to 2½ ft. | 3 50 | 30 00 | |
| 2½ to 3 ft. | 4 50 | 35 00 | |
| A. pontica (gandavense.) | | | |
| GHEENT AZALEA. One of the finest types of these always wanted shrubs—flowering as the leaves appear and giving a wide range of colors. | | | |
| var. Daviesie. White; pale yellow marking. | | | |
| 15 to 18 in. | Each \$3 50 | 30 00 | |
| 1½ to 2 ft. | 4 50 | 40 00 | |
| 2 to 2½ ft. | 6 50 | 55 00 | |
| var. coccinea speciosa (orange). | | | |
| 1½ to 2 ft. | Each \$3 50 | 30 00 | |
| var. Pallas (red). | | | |
| 15 to 18 in. | Each \$3 50 | 30 00 | |
| var. Nancy Waterer (yellow). | | | |
| 18 to 20 in. | Each \$3 50 | 30 00 | |
| A. poukhanensis. | | | |
| KOREAN AZALEA. Bushy growth. Large fragrant flowers of rosy lilac in May. | | | |
| 1½ ft. | Each \$3 50 | 30 00 | |
| 2 ft. | 4 50 | 40 00 | |
| 2½ ft. | 6 50 | 55 00 | |
| A. rosea. | | | |
| DOWNEY PINXTER BLOOM. Tall, bushy growth. Rose pink fragrant flowers in late May. | | | |
| 1½ to 2 ft. | Each \$3 00 | 25 00 | |
| 2 to 2½ ft. | 4 00 | 35 00 | |
| 2½ to 3 ft. | 5 00 | 45 00 | |
| A. vaseyi. | | | |
| PINK SHELL AZALEA. Of tall growth with flowers of delicate shell pink. | | | |
| 18 to 24 in. | Each \$3 50 | 30 00 | |
| 2 to 2½ ft. | 4 50 | 40 00 | |
| 2½ to 3 ft. | 6 00 | 50 00 | |

AZALEA viscosa.

SWAMP AZALEA. Fragrant white flowers in July. Ideal for damp situation.

| | | | Per 10 |
|----|------------------|------------------|--------------|
| 2 | to 2½ ft. clumps |Each \$3 50 | \$30 00 |
| 2½ | to 3 ft. clumps | | 4 50 37 50 |
| 3½ | to 4 ft. clumps | | 6 00 45 00 |
| 4 | to 5 ft. clumps | | 7 50 67 50 |
| 5 | to 6 ft. clumps | | 10 00 80 00 |
| 6 | to 7 ft. clumps | | 12 50 100 00 |

BENZOIN aestivale.

SPICE BUSH. Tall, spreading; red berries. Does well in shade or sun.

| | | | | Per 100 |
|---|----------------|------------------|------------|---------|
| 2 | to 3 ft. |Each \$1 00 | 4 00 | \$30 00 |
| 3 | to 4 ft. | | 1 25 6 00 | 40 00 |
| 4 | to 5 ft. Heavy | | 1 50 7 50 | 50 00 |
| 5 | to 6 ft. Heavy | | 2 00 16 00 | 75 00 |

BERBERIS. See also page 32.**B. sieboldi.**

SIEBOLD BARBERRY. Handsome tall shrub: long racemes of bright yellow bloom followed by brilliant red fruit in profusion. Beautiful Fall effect in leaf and berry.

| | | | | |
|---|----------|------------------|-----------|-------|
| 2 | to 3 ft. |Each \$1 00 | 5 00 | 30 00 |
| 3 | to 4 ft. | | 1 25 6 50 | 35 00 |
| 4 | to 5 ft. | | 1 50 7 50 | 50 00 |

B. thunbergi.

THUNBERG BARBERRY. The Ideal Hedge Plant. A low spreading plant with rich green foliage turning scarlet in the Fall. Bright red berries.

| | | | | |
|----|-----------|--------------|---------|-------|
| 12 | to 15 in. | | 2 50 | 16 00 |
| 1½ | to 2 ft. |Each \$ | 50 3 50 | 20 00 |
| 2 | to 2½ ft. | | 75 6 00 | 30 00 |

B. thunbergi nana.

BOX BARBERRY.

| | | | | |
|----|-----------|------------------|------------|--|
| 12 | to 15 in. |Each \$1 00 | 8 50 | |
| 2½ | to 3 ft. | | 2 50 23 50 | |

B. thunbergi pluri flora.

U. S. Plant Patent No. 110.

PYRAMIDAL BARBERRY. New. This form of Japanese Barberry is upright in growth. Same foliage and fruit as Thunbergi. Useful for hedging where space is limited or where trimmed formal effect is desired.

| | | | | |
|----|-----------|--------------|---------|-------|
| 12 | to 15 in. |Each \$ | 50 4 00 | 35 00 |
| 15 | to 18 in. | | 60 5 00 | 45 00 |

B. vulgaris.

COMMON EUROPEAN BARBERRY. Medium height; yellow flowers followed by bright red fruit. Attractive with evergreens.

| | | | | |
|---|----------|--------------|-----------|-------|
| 2 | to 3 ft. |Each \$ | 75 4 50 | 30 00 |
| 3 | to 4 ft. | | 1 00 5 00 | 35 00 |
| 4 | to 5 ft. | | 1 50 7 50 | 40 00 |



A TERRACE SLOPE.

ANDORRA LANDSCAPE DEPT.

BUDDLEIA magnifica.**OXEYE BUTTERFLY BUSH.**

| | | Per 10 |
|-------------|-------------|--------|
| 3 yrs. | Each \$1 00 | \$7 50 |

CALLICARPA purpurea.**BEAUTY BERRY.** Medium growth, purple fall fruit.

| | | | Per 100 |
|-------------------|------------|------|---------|
| 18 to 24 in. | Each \$ 50 | 3 50 | \$20 00 |

CALYCANTHUS floridus.**SWEET SHRUB.** Tall, upright shrub; thrives in sun or shade; handsome foliage.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 25 00 |
| 3 to 4 ft. | 1 50 | 7 50 | 30 00 |
| 4 to 5 ft. | 2 00 | 10 00 | 40 00 |

CEPHALANTHUS occidentalis.**BUTTON BUSH.** Strong growing shrubs, glossy foliage, yellowish white flowers blooming in mid-summer.

| | | |
|-----------------|-------------|------|
| 4 to 5 ft. | Each \$1 00 | 5 00 |
|-----------------|-------------|------|

CERCIS chinensis.**CHINESE REDBUD.** Strong growing; heavily laden with pinkish purple flowers in early Spring; handsome soft green foliage.

| | | | |
|------------------------------|-------------|-------|--------|
| 3 to 4 ft. Heavy clumps | Each \$1 25 | 9 00 | 75 00 |
| 4 to 5 ft. Heavy clumps | 2 00 | 17 50 | 135 00 |
| 5 to 6 ft. Heavy clumps | 3 00 | 25 00 | 200 00 |

CHIONANTHUS virginica.**WHITE FRINGE.** Large growing shrub with rich heavy foliage and lacy flowers.

| | | | |
|-----------------------|-------------|-------|--------|
| 3 to 4 ft. | Each \$1 50 | 10 00 | 60 00 |
| 4 to 5 ft. Heavy | 2 00 | 15 00 | 90 00 |
| 5 to 6 ft. Heavy | 2 50 | 20 00 | 125 00 |

Specimens. 6 to 7 ft. Heavy 5 00 40 00

Specimens. 7 to 8 ft. Heavy 7 50 60 00

CITRUS trifoliata.

HARDY ORANGE. Dense growing with deep green leaves and stems. Orange fruit about 1½ in. in diameter.

| | | Per 10 | Per 100 |
|-----------------|-------------|---------|----------|
| 2 to 3 ft. | Each \$1 50 | \$12 00 | \$100 00 |

CLETHRA alnifolia.

SUMMERSWEET (PEPPER BUSH). Medium growing; white fragrant flowers in mid-Summer.

| | | | |
|------------------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 35 00 |
| 3 to 4 ft. Heavy | 1 50 | 7 50 | 50 00 |
| 4 to 5 ft. Heavy | 2 00 | 10 00 | 75 00 |
| 5 to 6 ft. Heavy | 2 50 | 15 00 | 100 00 |

COMPTONIA asplenifolia.

SWEETFERN. Most useful for undergrowth and for shady locations.

| | | | |
|-------------------|-------------|-------|-------|
| 12 to 15 in. | Each \$1 00 | 7 50 | 50 00 |
| 15 to 18 in. | 1 25 | 8 00 | 60 00 |
| 18 to 24 in. | 1 50 | 10 00 | 75 00 |

CORNUS, Dogwoods or Osiers. Also pages 49, 50, 51.**C. alba.**

TARTARIAN DOGWOOD. Flowers white; fruit blue; branches red; spreading.

| | | | |
|-----------------|------------|------|-------|
| 2 to 3 ft. | Each \$ 75 | 5 00 | 25 00 |
| 3 to 4 ft. | 1 00 | 7 50 | 30 00 |
| 4 to 5 ft. | 1 50 | 9 00 | 40 00 |

C. alternifolia.

PAGODA DOGWOOD. A picturesque form with horizontal spreading branches. Dark reddish brown bark. Fruit blue-black.

| | | | |
|-----------------|-------------|------|--|
| 3 to 4 ft. | Each \$1 00 | 6 50 | |
|-----------------|-------------|------|--|

C. amonum (sericea).

SILKY DOGWOOD. Flowers white; fruit blue; branches deep red and spreading.

| | | | |
|-----------------|-------------|------|--|
| 3 to 4 ft. | Each \$1 00 | 4 00 | |
| 4 to 5 ft. | 1 25 | 5 00 | |

C. mas.

CORNELIAN CHERRY. Covered with bright yellow flowers in early Spring; tall.

| | | | |
|------------------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 00 | 6 00 | 40 00 |
| 3 to 4 ft. | 1 50 | 7 50 | |
| 4 to 5 ft. | 2 00 | 10 00 | 80 00 |
| 5 to 6 ft. | 2 50 | 15 00 | |
| 6 to 7 ft. Heavy | 3 00 | 20 00 | 100 00 |

C. paniculata.

GRAY DOGWOOD. Upright, tall shrub; flowers and fruit white on red stems.

| | | | |
|------------------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | |
| 3 to 4 ft. Heavy | 1 25 | 6 50 | 40 00 |
| 4 to 5 ft. Heavy | 1 50 | 7 50 | 60 00 |
| 5 to 6 ft. Heavy | 2 00 | 10 00 | 75 00 |

CORNUS sanguinea.

BLOOD TWIGGED DOGWOOD. Slim branches of bright red—black fruit, white flowers in May.

| | | Per 10 | Per 100 |
|-----------------|-------------|--------|---------|
| 5 to 6 ft. | Each \$1 00 | \$5 00 | \$40 00 |

C. stolonifera.

RED-OSIER. Red bark; white flowers and berries. Excellent for water-side planting.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | |
| 3 to 4 ft. | 1 50 | 7 50 | |
| 4 to 5 ft. | 1 75 | 10 00 | 40 00 |
| 5 to 6 ft. | 2 00 | 12 00 | |

C. stolonifera flaviramea (aurea).

GOLDENTWIG OSIER. Flowers white. Attractive when planted with the red-twigged varieties.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 40 00 |
| 3 to 4 ft. | 1 50 | 7 50 | 45 00 |

CORYLUS americana.

AMERICAN HAZEL. Tall growing border shrub; large dark green leaves; bearing hazel nuts.

| | | | |
|-----------------|-------------|-------|-------|
| 3 to 4 ft. | Each \$1 00 | 5 00 | 40 00 |
| 4 to 5 ft. | 1 25 | 6 50 | 50 00 |
| 5 to 6 ft. | 1 50 | 7 50 | 60 00 |
| 6 to 7 ft. | 2 00 | 10 00 | |
| 7 to 8 ft. | 2 50 | 12 50 | |

C. avellana purpurea.

PURPLE FILBERT. A strong growing shrub with heavy purple foliage. The best of the purple foliaged shrubs.

| | | | |
|-----------------|-------------|--|--|
| 3 to 4 ft. | Each \$3 50 | | |
|-----------------|-------------|--|--|

CYDONIA japonica.**FLOWERING QUINCE.**

C. japonica. Red. Commonly called the Fire Bush. Blooms early with bright red blossoms held close to the stems.

| | | | |
|-------------------------|-------------|-------|--------|
| 1½ to 2 ft. Heavy | Each \$1 00 | 5 00 | 40 00 |
| 2 to 3 ft. Heavy | 1 50 | 7 50 | 60 00 |
| 3 to 4 ft. Heavy | 2 50 | 12 50 | 100 00 |

C. japonica alba. White.

| | | | |
|------------------|-------------|-------|--|
| 2 to 2½ ft. | Each \$2 50 | 17 50 | |
| 2½ to 3 ft. | 3 50 | 22 50 | |
| 3 to 3½ ft. | 4 00 | 25 00 | |
| 4 to 5 ft. | 5 00 | 30 00 | |

C. japonica candida. Cream.

| | | | |
|------------------|-------------|-------|--|
| 2 to 2½ ft. | Each \$3 50 | 17 50 | |
| 2½ to 3 ft. . | 4 50 | 22 50 | |

C. japonica grandiflora. Rose, shell pink.

| | | | |
|-------------------------|-------------|-------|--|
| 3 to 4 ft. B. & B. | Each \$3 50 | 30 00 | |
|-------------------------|-------------|-------|--|

DEUTZIA. crenata magnifica.

Clusters of large, very double, pure white flowers—very prolific.

| | | Per 10 |
|-----------------|-------------|--------|
| 2 to 3 ft. | Each \$1 00 | \$3 50 |
| 3 to 4 ft. | 1 25 | 6 00 |

D. gracilis.

SLENDER DEUTZIA. Dwarf. White flowers cover the entire plant.

| | | | Per 100 |
|-------------------------|-------------|-------|---------|
| 15 to 18 in. Bushy | Each \$1 00 | 5 00 | \$30 00 |
| 1½ to 2 ft. Bushy | 1 50 | 7 50 | 40 00 |
| 2 to 2½ ft. Bushy | 2 00 | 10 00 | 60 00 |

D. lemoinei.

LEMOINE DEUTZIA. Early bloomer; white flowers on upright branches.

| | | |
|-----------------|-------------|------|
| 3 to 4 ft. | Each \$1 00 | 5 00 |
|-----------------|-------------|------|

D. scabra.

FUZZY DEUTZIA. Tall grower with double-white, bell-shaped flowers. Attractive foliage.

| | | |
|-----------------|-------------|------|
| 2 to 3 ft. | Each \$1 00 | 5 00 |
| 3 to 4 ft. | 1 25 | 7 50 |

D. scabra candidissima.

SNOWFLAKE DEUTZIA. Vigorous, graceful grower; double white flowers. One of the best.

| | | |
|-----------------|-------------|------|
| 2 to 3 ft. | Each \$1 00 | 5 00 |
| 3 to 4 ft. | 1 25 | 7 50 |

D. scabra, Pride of Rochester.

Tall; flowers tinted with pink.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 25 00 |
| 3 to 4 ft. | 1 25 | 6 50 | 30 00 |

DIERVILLA sessifolia.

SOUTHERN BUSH HONEYSUCKLE. A shrub 4 to 5 ft. tall with spreading branches, yellow flowers in terminal clusters.

| | | | |
|------------------|-------------|------|-------|
| 2 to 2½ ft. | Each \$1 00 | 6 50 | 45 00 |
| 2½ to 3 ft. | 1 50 | 8 50 | 60 00 |

D. trifida.

DWARF BUSH HONEYSUCKLE. A dwarf shrub spreading rapidly by underground shoots; yellow flowers in flat topped clusters. Unexcelled for planting banks.

| | | | |
|------------------|-------------|------|-------|
| 1½ to 2 ft. | Each \$1 00 | 5 00 | 35 00 |
| 2 to 3 ft. | 1 25 | 6 00 | 40 00 |

ELEAGNUS longipes (edulus).

JAPANESE ELEAGNUS. Large shrub with erect scaly, spiny branches. Leaves dark green above, silvery beneath. Fragrant flowers in April and May. Edible berries, pink with silvery scales.

| | | | |
|-------------------|-------------|------|-------|
| 18 to 24 in. | Each \$1 00 | 9 00 | 50 00 |
|-------------------|-------------|------|-------|

EUONYMUS. See also pages 35 and 99.

EUONYMUS alatus.

WINGED EUONYMUS. Of Japanese character; brilliant scarlet foliage and red berries in Fall: tall, handsome shrub.

| | | Per 10 | Per 100 |
|--|-------------|--------|---------|
| 2½ to 3 ft. | Each \$1 50 | \$7 50 | \$50 00 |
| 3 to 4 ft. Heavy | 2 50 | 20 00 | 160 00 |
| Specimens. 4 to 5 ft. Heavy. B. & B.. | 3 00 | 24 00 | 200 00 |
| Specimens. 5 to 6 ft. Heavy. B. & B.. | 5 00 | 40 00 | 300 00 |
| Specimens. 6 to 7 ft. Heavy. B. & B.. | 7 50 | 57 50 | 400 00 |
| Specimens. 7 to 8 ft. Heavy. B. & B.. | 10 00 | 90 00 | |
| Specimens. 8 to 10 ft. B. & B. | 15 00 | | |

E. americana.

BROOK EUONYMUS. Tall, erect growth, foliage bright green. Fruit rose color with scarlet seed coats.

| | | | |
|-----------------|------------|------|-------|
| 2 to 3 ft. | Each \$ 75 | 5 00 | 35 00 |
| 3 to 4 ft. | 1 00 | 6 50 | 50 00 |

E. europaeus.

EUROPEAN BURNINGBUSH. Tall, erect shrub for border or evergreen planting; fruit bright scarlet.

| | | | |
|------------------------|-------------|-------|-------|
| 4 to 5 ft. | Each \$1 00 | 7 50 | 60 00 |
| 5 to 6 ft. | 1 50 | 10 00 | 70 00 |
| 6 to 7 ft. Heavy | 2 00 | 12 50 | 80 00 |

E. hamiltoniana. NEW.

A strong grower with broad, heavy foliage and brilliant Autumn fruit.

| | | | |
|-----------------|------------|-------|-------|
| 3 to 4 ft. | Each \$ 75 | 5 00 | |
| 4 to 5 ft. | 1 00 | 7 50 | 60 00 |
| 5 to 6 ft. | 1 50 | 10 00 | 70 00 |
| 6 to 7 ft. | 2 00 | 12 50 | 80 00 |

EXOCHORDA grandiflora.

PEARL BUSH. Tall growing, free flowering. Flowers pure white in terminal racems. A floral gem.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | 1 50 | 7 50 | 40 00 |

FORSYTHIA—Golden Bell.

Some of the first shrubs to bloom in Spring, its bell-shaped yellow flowers are always welcomed. With rich green foliage these tall graceful shrubs are particularly desirable for borders or masses, or on unsightly banks.

F. fortunei.

FORTUNE'S GOLDEN BELL. Growth rapid, with long semi-upright branches, flowers bright yellow.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 25 00 |
| 3 to 4 ft. | 1 25 | 6 00 | 30 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 40 00 |

FORSYTHIA fortunei aurea variegata.

VARIEGATED GOLDEN BELL. Attractive when massed in front of evergreens. Per 10

| | | | |
|------------------|-------|-------------|--------|
| 4 to 5 ft. Heavy | | Each \$1 50 | \$7 50 |
| 5 to 6 ft. Heavy | | 2 00 | 10 00 |

F. intermedia.

TALL GOLDEN BELL. The tallest grower, useful for background to other shrubs. Bright yellow flowers. Per 100

| | | | | |
|------------|-------|------------|------|---------|
| 2 to 3 ft. | | Each \$ 50 | 3 50 | \$25 00 |
| 3 to 4 ft. | | 75 | 5 00 | 30 00 |
| 4 to 5 ft. | | 1 00 | 6 50 | |
| 5 to 6 ft. | | 1 25 | 8 50 | 45 00 |

F. suspensa.

WEeping GOLDEN BELL. Golden yellow; branches prostrate. Especially good for slopes.

| | | | | |
|------------|-------|-------------|-------|-------|
| 2 to 3 ft. | | Each \$1 00 | 4 00 | 30 00 |
| 3 to 4 ft. | | 1 25 | 7 50 | 40 00 |
| 4 to 5 ft. | | 1 50 | 9 00 | 50 00 |
| 5 to 6 ft. | | 2 00 | 12 50 | 60 00 |

F. suspensa var. sieboldi.

SIEBOLD FORSYTHIA. Low-growing form with long, trailing branches. Useful for training on trellis.

| | | | | |
|------------|-------|-------------|------|-------|
| 2 to 3 ft. | | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | | 1 50 | 6 50 | 40 00 |

F. viridissima.

GREENSTEM GOLDEN BELL. A heavy bushy grower, with deep yellow flowers; dark green leaves remaining on branches later than other varieties.

| | | | | |
|------------------|-------|-------------|------|-------|
| 2 to 3 ft. | | Each \$1 00 | 3 50 | 25 00 |
| 3 to 4 ft. | | 1 25 | 5 00 | 30 00 |
| 4 to 5 ft. | | 1 50 | 6 25 | 45 00 |
| 5 to 6 ft. Heavy | | 1 75 | 7 50 | 60 00 |

HAMAMELIS japonica.

JAPANESE WITCH-HAZEL. This variety should be in every planting, as its bloom of mahogany color is unique.

| | | | |
|------------|-------|-------------|-------|
| 2 to 3 ft. | | Each \$2 50 | 22 50 |
| 3 to 4 ft. | | 3 50 | 30 00 |

H. vernalis.

VERNAL WITCH - HAZEL. Of smaller growth than H. virginiana. Flowers light yellow, often reddish towards the base. Sepals dark red inside. Fragrant. Blooms in late Winter or early Spring.

| | | | |
|--------------|-------|-------------|-------|
| 18 to 24 in. | | Each \$1 00 | 7 50 |
| 2 to 3 ft. | | 2 00 | 15 00 |

HAMAMELIS virginiana.

WITCH-HAZEL. Tall shrub; yellow flowers in late Fall. For borders or in woods.

| | | Per 10 | Per 100 |
|------------------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$5 00 | \$40 00 |
| 3 to 4 ft. | 1 25 | 6 00 | 50 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 60 00 |
| 5 to 6 ft. Heavy | 2 00 | 10 00 | 70 00 |
| 6 to 7 ft. Heavy | 2 50 | 12 50 | 80 00 |
| 7 to 8 ft. Heavy | 3 00 | 15 00 | 90 00 |

HIBISCUS syriacus. Of the late Summer and Fall flowering shrubs nothing can approach the Rose of Sharon as a sturdy garden plant. The following list gives a specially desirable range of colors which will be found useful, not only in the shrubbery border, but as specimens and for garden work. They also make one of the very best of hedges, being strong, sturdy and absolutely hardy.

ROSE OF SHARON.

Ardens. Double, rose violet.

| | | Per 10 | Per 100 |
|-----------------|-------------|--------|---------|
| 3 to 4 ft. | Each \$1 25 | \$6 50 | \$40 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 65 00 |
| 5 to 6 ft. | 2 50 | 16 50 | 125 00 |
| 6 to 7 ft. | 3 50 | 25 00 | 150 00 |
| 7 to 8 ft. | 4 50 | 30 00 | |

Boule de Feu. Double, bright red.

| | | | |
|-----------------|-------------|-------|--------|
| 3 to 4 ft. | Each \$1 25 | 6 50 | 40 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 65 00 |
| 5 to 6 ft. | 2 50 | 16 50 | 125 00 |
| 6 to 7 ft. | 3 50 | 25 00 | 200 00 |
| 7 to 8 ft. | 4 50 | 30 00 | |

Coelestris. Single, blue.

| | | | |
|-----------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 35 00 |
| 3 to 4 ft. | 1 25 | 6 50 | 40 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 65 00 |
| 5 to 6 ft. | 2 50 | 16 50 | 150 00 |
| 6 to 7 ft. | 3 50 | 25 00 | |

Comte de Hainaut. Double, darkest red.

| | | | |
|-----------------|-------------|-------|--------|
| 4 to 5 ft. | Each \$2 00 | 15 00 | 100 00 |
| 5 to 6 ft. | 2 50 | 20 00 | |
| 6 to 7 ft. | 3 50 | 25 00 | |

Duc de Brabant. Double, dark red.

| | | | |
|-----------------|-------------|-------|--------|
| 4 to 5 ft. | Each \$2 00 | 15 00 | 100 00 |
| 5 to 6 ft. | 2 50 | 20 00 | |

Elegantissima. Rosy white, semi-double.

| | | | |
|-----------------|-------------|-------|--|
| 3 to 4 ft. | Each \$1 75 | 12 00 | |
| 4 to 5 ft. | 2 00 | 15 00 | |
| 5 to 6 ft. | 2 50 | 20 00 | |
| 6 to 7 ft. | 3 50 | 25 00 | |

HIBISCUS. ROSE OF SHARON.**Jeanne d'Arc.** Double, white.

| | | Per 10 | Per 100 |
|-----------------|-------------|---------|---------|
| 4 to 5 ft. | Each \$1 50 | \$10 00 | \$65 00 |
| 5 to 6 ft. | 2 50 | 16 50 | 125 00 |
| 6 to 7 ft. | 3 50 | 25 00 | 200 00 |
| 7 to 8 ft. | 4 50 | 30 00 | 250 00 |

Lady Stanley. Double, blush-pink eye.

| | | | |
|-----------------|-------------|-------|--|
| 3 to 4 ft. | Each \$1 25 | | |
| 4 to 5 ft. | 1 50 | 10 00 | |
| 5 to 6 ft. | 2 50 | 16 50 | |
| 6 to 7 ft. | 3 50 | 25 00 | |

Paeoniflora.

| | | | |
|-----------------|-------------|-------|--|
| 3 to 4 ft. | Each \$1 25 | | |
| 4 to 5 ft. | 1 50 | 10 00 | |
| 5 to 6 ft. | 2 50 | 20 00 | |

Rubis. Single, clear pink.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 7 50 | 65 00 |
| 3 to 4 ft. | 1 75 | 12 00 | |

Sir Chas. de Breton. Violet, semi-double.

| | | | |
|-----------------|-------------|-------|--------|
| 3 to 4 ft. | Each \$1 75 | 12 00 | |
| 4 to 5 ft. | 2 00 | 15 00 | 100 00 |
| 5 to 6 ft. | 2 50 | 20 00 | 135 00 |
| 6 to 7 ft. | 3 50 | 25 00 | 200 00 |

Totus albus. Single, white.

| | | | |
|-----------------|-------------|-------|--|
| 5 to 6 ft. | Each \$2 50 | 20 00 | |
| 6 to 7 ft. | 3 50 | 30 00 | |

Violaceus plena. Double, light violet.

| | | | |
|-----------------|-------------|-------|--|
| 2 to 3 ft. | Each \$1 00 | 5 00 | |
| 3 to 4 ft. | 1 25 | 6 50 | |
| 4 to 5 ft. | 1 50 | 10 00 | |
| 5 to 6 ft. | 2 50 | 16 50 | |
| 6 to 7 ft. | 3 50 | | |

W. R. Smith. Single, white.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 50 | 10 00 | 65 00 |
| 3 to 4 ft. | 1 75 | 12 00 | 80 00 |
| 4 to 5 ft. | 2 00 | 15 00 | |
| 5 to 6 ft. | 2 50 | 16 50 | |
| 6 to 7 ft. | 3 50 | 25 00 | |

Seedlings. Suitable for hedging.

| | | | |
|-----------------|--|-------|-------|
| 3 to 4 ft. | | 4 00 | 30 00 |
| 4 to 5 ft. | | 5 00 | 40 00 |
| 5 to 6 ft. | | 7 50 | 60 00 |
| 6 to 7 ft. | | 10 00 | 75 00 |

HIPPOPHAE rhamnoides.**SEA BUCKTHORN.** Irregular growth; gray-green foliage; yellow bloom in May and orange-colored Fall fruits.

| | | | |
|-----------------|-------------|-------|--|
| 4 to 5 ft. | Each \$2 50 | 22 50 | |
|-----------------|-------------|-------|--|

HYDRANGEA arborescens.**SMOOTH HYDRANGEA.**

| | | Per 10 | |
|-----------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$5 00 | |
| 3 to 4 ft. | 1 25 | 6 50 | Per 100 |
| 4 to 5 ft. | 1 50 | 7 50 | \$45 00 |

H. arborescens grandiflora.

SNOWHILL HYDRANGEA. Valuable for shady places; great clusters of white flowers in mid-Summer.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | 1 25 | 6 50 | 35 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 45 00 |

H. paniculata.

PANICLE HYDRANGEA. Strong grower, good foliage; large panicles of white flowers.

| | | | |
|----------------------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 25 00 |
| 3 to 4 ft. | 1 50 | 7 50 | 50 00 |
| 4 to 5 ft. | 2 00 | 10 00 | 75 00 |
| 5 to 6 ft. XX Heavy | 3 50 | 30 00 | |
| 6 to 7 ft. XX Heavy | 5 00 | 40 00 | |
| 7 to 8 ft. XX Heavy | 7 50 | 60 00 | |
| 8 to 10 ft. XX Heavy | 10 00 | | |

H. paniculata grandiflora.

PEEGEE HYDRANGEA. Large heads of white double flowers in late Summer, turning to brilliant reds in Fall.

| | | | |
|------------------------|-------------|-------|-------|
| 2 to 3 ft. Heavy | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. Heavy | 1 50 | 6 50 | 37 50 |
| 4 to 5 ft. Heavy | 1 75 | 8 50 | 42 50 |
| 5 to 6 ft. Heavy | 2 00 | 10 00 | 75 00 |
| 6 to 7 ft. Heavy | 2 50 | 20 00 | |

H. quercifolia.**OAKLEAF HYDRANGEA.**

| | | | |
|------------------|-------------|-------|--|
| 1½ to 2 ft. | Each \$1 00 | 8 50 | |
| 2 to 2½ ft. | 1 50 | 10 00 | |
| 2½ to 3 ft. | 2 00 | 15 00 | |

HYPERICUM aureum.

GOLDEN ST. JOHN'S WORT. Compact growth; leathery bluish green foliage; large golden yellow bloom in July and August.

| | | | |
|-----------------|------------|------|--|
| 2 to 3 ft. | Each \$ 75 | 5 00 | |
| 3 to 4 ft. | 1 00 | 7 50 | |

H. moserianum hybridum.

GOLDFLOWER. Large yellow flowers on low graceful stem in mid-Summer. For edge of the shrub border or garden.

| | | | |
|----------------------------------|-------------|------|-------|
| 12 to 15 in. clumps. Heavy | Each \$1 00 | 7 50 | 45 00 |
|----------------------------------|-------------|------|-------|

ILEX. See also pages 11, 36 and 84.

I. serrata (Seiboldii).

JAPANESE WINTERBERRY. In the fall its wonderful display of bright red, holly-like berries, which quickly crowd every twig, remain until late in the winter.

| | | Per 10 | Per 100 |
|-----------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$7 50 | \$60 00 |
| 3 to 4 ft. | 1 50 | 10 00 | 80 00 |
| 4 to 5 ft. | 2 00 | 15 00 | 100 00 |
| 5 to 6 ft. | 2 50 | 20 00 | 150 00 |

ILEX verticillata.

WINTERBERRY. Tall growing shrub with attractive scarlet fruit.

| | | | |
|------------------|-------------|-------|-------|
| 1½ to 2 ft. | Each \$1 00 | 5 00 | 35 00 |
| 2 to 3 ft. | 1 50 | 7 50 | 40 00 |
| 3 to 4 ft. | 2 00 | 10 00 | 50 00 |

ITEA virginica.

SWEETSPIRE. Dwarf; fragrant white spikes of bloom in July.

| | | | |
|------------------|-------------|------|-------|
| 1½ to 2 ft. | Each \$1 00 | 7 50 | 50 00 |
|------------------|-------------|------|-------|

KERRIA japonica.

GLOBE FLOWER. Rich green foliage—Double yellow blossoms.

| | | | |
|-----------------|-------------|------|--|
| 2 to 3 ft. | Each \$1 00 | 7 50 | |
|-----------------|-------------|------|--|

KOLKWITZIA amabilis. NEW.

BEAUTY BUSH. A small shrub with slim drooping branches. Abelia-like flowers giving a fountain of pink.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 6 00 | 30 00 |
| 3 to 4 ft. | 1 50 | 9 00 | 40 00 |
| 5 to 6 ft. | 2 50 | 20 00 | |

LIGUSTRUM—PRIVET amurense.

AMOR PRIVET. Upright growth, dark green foliage; excellent hedge plant.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | | 2 50 | 12 00 |
| 3 to 4 ft. | Each \$1 00 | 3 50 | 17 50 |
| 4 to 5 ft. | 1 25 | 5 00 | 30 00 |
| 5 to 6 ft. | 1 50 | 6 50 | 40 00 |
| 6 to 7 ft. | 2 00 | 12 50 | 75 00 |

L. ibolium.

IBOLIUM PRIVET.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 3 50 | 17 50 |
|-----------------|-------------|------|-------|

L. ibota.

IBOTA PRIVET. Upright; white flowers; black berries. **The hardiest of all privets.**

| | | | |
|------------------|-------------|-------|--------|
| 3 to 4 ft. | Each \$0 50 | 4 00 | 20 00 |
| 4 to 5 ft. | 75 | 5 00 | 30 00 |
| 5 to 6 ft. | 1 00 | 6 50 | 40 00 |
| 6 to 7 ft. Heavy | 1 25 | 8 50 | 50 00 |
| 7 to 9 ft. Heavy | 3 50 | 30 00 | 100 00 |

LIGUSTRUM ibota regelianum.

REGEL PRIVET. TRUE. Grown from cuttings. Low-spreading shrub; white flowers; black berries. Suitable for borders or hedges.

| | | Per 10 | Per 100 |
|------------------|-------------|--------|---------|
| 1½ to 2 ft. | Each \$1 00 | \$5 00 | \$25 00 |
| 2 to 3 ft. | 1 25 | 6 00 | 35 00 |
| 3 to 4 ft. | 1 50 | 7 50 | 40 00 |
| 4 to 5 ft. | 2 00 | 10 00 | 50 00 |

L. ovalifolium.

CALIFORNIA PRIVET. Most universally used for hedges. Heavy, well-branched plants.

| | Per 1000 | | |
|-----------------|----------|------|-------|
| 2 to 3 ft. | \$65 00 | 2 50 | 10 00 |
| 3 to 4 ft. | 90 00 | 3 50 | 12 50 |

L. ovalifolium nana. (lodense)

LODENSE. Dwarf; dense, compact grower. Can be used for formal pieces or sheared to a compact hedge for small gardens.

| | | | |
|------------------------|-------------|-------|-------|
| 2 to 3 ft. Heavy | Each \$1 50 | 7 50 | 50 00 |
| 3 to 4 ft. Heavy | 2 00 | 10 00 | 60 00 |

L. vulgare.

EUROPEAN PRIVET. Trains into a superior hedge. Tall, spreading shrub best adapted to shrubberies and naturalesque planting; white flowers, black fruit.

| | Per 1000 | | |
|------------------------|----------|-------------|-------|
| 4 to 5 ft. Heavy | \$300 00 | Each \$1 00 | 4 50 |
| 5 to 6 ft. Heavy | 400 00 | 1 25 | 5 50 |
| 6 to 7 ft. Heavy | 500 00 | 1 50 | 6 50 |
| 7 to 8 ft. Heavy | 2 00 | 10 00 | 70 00 |

LONICERA fragrantissima.

WINTER BUSH HONEYSUCKLE. Tall, open grower, fragrant white flowers, dark foliage till late in Fall.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 25 00 |
| 3 to 4 ft. | 1 25 | 6 00 | 30 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 40 00 |
| 5 to 6 ft. | 1 75 | 10 00 | 50 00 |

L. maacki.

AMUR BUSH HONEYSUCKLE.

Of upright growth, bloom white, fading to yellow. Red fruit.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | |
| 3 to 4 ft. | 1 25 | 7 00 | 40 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 50 00 |
| 5 to 6 ft. | 2 00 | 15 00 | 60 00 |
| 6 to 7 ft. | 2 50 | 20 00 | 75 00 |

L. morrowi.

MORROW BUSH HONEYSUCKLE. Medium height, drooping branches; white flowers and red fruit remaining all Fall.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 25 00 |
| 3 to 4 ft. | 1 25 | 6 00 | 30 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 40 00 |
| 5 to 6 ft. | 2 00 | 10 00 | 50 00 |

LONICERA ruprechtiana.**MANCHURIAN BUSH HONEYSUCKLE.** Tall, twiggy bush; white flowers; orange red fruit.

| | | Per 10 | Per 100 |
|-----------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$5 00 | \$25 00 |
| 3 to 4 ft. | 1 25 | 6 00 | 35 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 40 00 |
| 5 to 6 ft. | 2 00 | 10 00 | 50 00 |

L. standishi.**STANDISH BUSH HONEYSUCKLE.** Earliest of all; blush white fragrant flowers; scarlet fruit, semi-evergreen.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 4 00 | 25 00 |
| 3 to 4 ft. | 1 25 | 5 00 | 30 00 |
| 4 to 5 ft. | 1 50 | 6 00 | 40 00 |
| 5 to 6 ft. | 2 00 | 7 50 | 50 00 |

L. tatarica**WHITE TARTARIAN BUSH HONEYSUCKLE.**

Tall; flowers white; crimson fruit.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 4 00 | 25 00 |
| 3 to 4 ft. | 1 25 | 5 00 | 30 00 |
| 4 to 5 ft. | 1 50 | 6 00 | 40 00 |
| 5 to 6 ft. | 2 00 | 7 50 | 50 00 |

L. tatarica gracilis.

Medium height, white flowers, orange-red berries.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 4 00 | 25 00 |
|-----------------|-------------|------|-------|

L. tatarica rubra.**TATARIAN BUSH HONEYSUCKLE.** Red fruit.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 4 00 | 25 00 |
| 3 to 4 ft. | 1 25 | 5 00 | 30 00 |
| 4 to 5 ft. | 1 50 | 6 00 | |
| 5 to 6 ft. | 2 00 | 7 50 | 50 00 |

L. tatarica, splendens.

Tall; flowers pink; fruit dark red.

| | | | |
|-----------------|-------------|-------|-------|
| 6 to 7 ft. | Each \$2 50 | 10 00 | 60 00 |
|-----------------|-------------|-------|-------|

LYCIUM chinensis.**CHINESE MATRIMONY VINE.** Spreading shrub, valuable for bank planting; purple flowers in late Summer; red fruit.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 3 50 | 25 00 |
| 3 to 4 ft. | 1 25 | 5 00 | 30 00 |

MYRICA carolinensis**NORTHERN WAX MYRTLE.** Bayberry. A valuable shrub for poor or sandy soils and as an undergrowth. Beautiful rich green foliage turning to purplish bronze tones in the Fall.

| | | | |
|------------------|-------------|-------|-------|
| 1½ to 2 ft. | Each \$1 00 | 5 00 | 40 00 |
| 2 to 2½ ft. | 1 25 | 6 50 | 50 00 |
| 2½ to 3 ft. | 1 50 | 7 50 | 60 00 |
| 3 to 3½ ft. | 2 00 | 10 00 | |

PAVIA parviflora. (See *Aesculus parviflora*) page 71.

PHILADELPHUS boquet blanc.

"HYBRID" MOCKORANGE. A most floriferous variety. Long, graceful, arching branches. Large trusses of double white flowers.

| | | Per 10 | Per 100 |
|-----------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$5 00 | \$30 00 |
| 3 to 4 ft. | 1 50 | 7 50 | |

P. coronarius.

SWEET MOCKORANGE. Tall, graceful shrubs; profusion of white flowers in June.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | | 3 50 | 30 00 |
| 3 to 4 ft. | Each \$1 00 | 5 00 | 35 00 |
| 4 to 5 ft. | 1 25 | 6 50 | 40 00 |
| 5 to 6 ft. | 1 50 | 7 50 | 45 00 |
| 6 to 7 ft. | 2 00 | 10 00 | 60 00 |

P. coronarius speciosissimus.

ROUNDLEAF MOCKORANGE. Very showy flowers, large, white, fragrant; tall growing.

| | | | |
|-----------------|-------------|-------|-------|
| 5 to 6 ft. | Each \$1 50 | 7 50 | 45 00 |
| 6 to 7 ft. | 2 00 | 10 00 | 60 00 |
| 7 to 8 ft. | 2 50 | 15 00 | 65 00 |

P. falconeri.

STAR MOCKORANGE. Tall; wide-spreading shrub; flowers white.

| | | | |
|-----------------|-------------|-------|-------|
| 3 to 4 ft. | Each \$1 25 | 6 50 | 40 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 45 00 |
| 5 to 6 ft. | 2 00 | 10 00 | 50 00 |

P. grandiflorus.

BIG MOCKORANGE. Tall; very large white flowers.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | 1 25 | 6 50 | 40 00 |
| 6 to 7 ft. | 2 00 | 10 00 | 50 00 |

P. lemoinei.

LEMOINE MOCKORANGE. Upright growth; pure white single flowers.

| | | | |
|-----------------|-------------|------|-------|
| 4 to 5 ft. | Each \$1 00 | 6 00 | 40 00 |
| 5 to 6 ft. | 1 25 | 7 50 | 60 00 |

P. virginalis.

"HYBRID" MOCKORANGE. Crested; double white flowers; highly fragrant.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 25 00 |
| 3 to 4 ft. | 1 50 | 7 50 | 30 00 |
| 4 to 5 ft. | 2 00 | 10 00 | |

P. Zeyheri.

Spreading type with arching branches. Fragrant flowers in June.

| | | | |
|-----------------|-------------|-------|-------|
| 3 to 4 ft. | Each \$1 25 | 6 50 | |
| 4 to 5 ft. | 1 50 | 7 50 | |
| 6 to 7 ft. | 2 00 | 10 00 | 50 00 |

PHOTINA villosa.

CHRISTMAS BERRY. Splendid foliage coloring well in late Fall. Red fruit.

| | | Per 10 | Per 100 |
|-------------------------|-------------|--------|---------|
| 3 to 4 ft. | Each \$1 00 | \$6 50 | |
| 4 to 5 ft. B. & B. | 1 50 | 10 00 | \$75 00 |
| 5 to 6 ft. B. & B. | 2 00 | 15 00 | 100 00 |
| 6 to 7 ft. B. & B. | 2 50 | 20 00 | 150 00 |
| 7 to 8 ft. B. & B. | 3 50 | 30 00 | |

PHYSOCARPUS opulifolius.

NINE BARK. Quick growing, tall shrub, useful for screens; white flowers followed by bright red fruit in July.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | 1 50 | 6 00 | 40 00 |

P. opulifolius aureus.

GOLDEN NINE BARK. Showy yellow foliage, bronze in Summer and Fall; white flowers.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 4 to 5 ft. | 1 25 | 6 50 | 40 00 |
| 5 to 6 ft. | 1 50 | 7 50 | 50 00 |

PRUNUS maritima.

BEACH PLUM. Leaves dark green. Flowers white, fruit purple, sweet and juicy.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 6 00 | 40 00 |
| 3 to 4 ft. | 1 50 | 7 50 | 60 00 |
| 4 to 5 ft. | 2 00 | 10 00 | 75 00 |

PTELEA trifoliata.

HOP TREE. Small tree; dark green leaves; showy seed pods in late Summer.

| | | | |
|-----------------|-----------|------|-------|
| 4 to 5 ft. | Each 1 25 | 6 50 | |
| 5 to 6 ft. | 1 50 | 7 50 | 50 00 |

RHAMNUS cathartica.

COMMON BUCKTHORN. Tall, twiggy shrub excellent for hedges or border. White flowers in June; black fruit.

| | | | |
|-----------------|-------------|------|-------|
| 3 to 4 ft. | Each \$1 00 | 5 00 | 30 00 |
| 4 to 5 ft. | 1 25 | 6 50 | 40 00 |
| 5 to 6 ft. | 1 50 | 7 50 | 60 00 |

R. frangula.

GLOSSY BUCKTHORN. Tall, spreading; clean dark green foliage; fruit red, turning black.

| | | | |
|-----------------|-------------|------|-------|
| 3 to 4 ft. | Each \$1 25 | 5 00 | 30 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 40 00 |
| 5 to 6 ft. | 1 75 | 8 50 | 60 00 |

R. koraiensis. NEW.

Tall heavy growth; foliage leathery; fruit red and abundant. We believe this to be the most showy of the Buckthorns.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | |
| 3 to 4 ft. | 1 25 | 6 50 | 35 00 |
| 4 to 5 ft. | 1 50 | 8 50 | 45 00 |

RHODOTYPUS kerrioides.

JETBEAD. Medium height for border; single white flowers; shiny black berries.

| | | Per 10 | Per 100 |
|-----------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$4 00 | \$20 00 |
| 3 to 4 ft. | 1 25 | 5 00 | 25 00 |

RHUS canadensis (aromatica).

FRAGRANT SUMAC. Medium height; spreading habit. Fall foliage crimson and yellow.

| | | | |
|-----------------|-------------|------|--|
| 2 to 3 ft. | Each \$1 00 | 7 50 | |
| 3 to 4 ft. | 1 25 | 8 50 | |

R. copallina.

SHINING SUMAC. Large shrub; shiny foliage turning crimson; scarlet fruit. Thrives in sandy soils.

| | | | |
|-----------------|-------------|-------|-------|
| 3 to 4 ft. | Each \$1 25 | 6 50 | |
| 5 to 6 ft. | 1 50 | 10 00 | 60 00 |

R. cotinus.

PURPLE FRINGE (SMOKE TREE). Picturesque habit; rich foliage; blooms of fluffy smoky purple.

| | | | |
|-----------------|-------------|-------|-------|
| 3 to 4 ft. | Each \$1 50 | 10 00 | 65 00 |
| 4 to 5 ft. | 2 00 | 15 00 | |
| 5 to 6 ft. | 2 50 | 20 00 | |

ROBINIA hispida.

Semi-trailing shrub useful for training. Rose colored flowers in May and June.

| | | | |
|-----------------|-------------|--|--|
| 4 to 5 ft. | Each \$1 50 | | |
| 5 to 6 ft. | 2 00 | | |

SAMBUCUS canadensis.

AMERICAN ELDERBERRY. Quick growing; white flowers in flat panicles in mid-Summer followed by black fruit.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | 1 25 | 7 50 | 40 00 |

S. nigra aurea.

GOLDEN EUROPEAN ELDER. Upright, with golden foliage. Will thrive in moist places.

| | | | |
|-----------------|-------------|------|--|
| 2 to 3 ft. | Each \$1 00 | 5 00 | |
| 3 to 4 ft. | 1 25 | 7 50 | |

SORBARIA lindleyana.

Low-spreading shrub; fine foliage; white bloom in April and May.

| | | | |
|-----------------|-------------|------|--|
| 2 to 3 ft. | Each \$1 00 | 6 50 | |
| 3 to 4 ft. | 1 25 | 8 50 | |

S. sorbifolia.

URAL FALSE SPIRAEA. Vigorous shrub, large compound leaves; white flowers.

| | | | |
|-----------------|-------------|------|--|
| 2 to 3 ft. | Each \$1 00 | 6 50 | |
| 3 to 4 ft. | 1 25 | 8 50 | |

SPIRAEA.

A specie of shrubs useful in every place—in garden, or singly and massed in border plantings. They include medium and dwarf varieties, blooming from early Spring to mid-Summer.

S. bumaldi.

BUMALDA SPIRAEA. Dense broad growth; rosy pink flowers in July.

| | Per 10 | Per 100 |
|------------------------------|--------|---------|
| 18 to 24 in.Each \$1 00 | \$6 50 | \$40 00 |

S. bumaldi Anthony Waterer.

WATERER SPIRAEA. A medium grower; rose-pink flowers in Summer; for garden or borders.

| | | |
|-----------------------------------|-------|-------|
| 1½ to 2 ft.Each \$1 00 | 6 50 | 40 00 |
| 2 to 2½ ft. HeavyEach \$1 50 | 10 00 | |

S. frobelli.

FROBEL SPIRAEA. A stronger grower than "Anthony Waterer;" blooms of same color in July and August.

| | | |
|----------------------------|-------|-------|
| 2 to 3 ft.Each \$1 00 | 7 50 | 50 00 |
| 3 to 4 ft.1 50 | 10 00 | 75 00 |

S. prunifolia.

BRIDAL WREATH. Tall grower; shining green foliage; white blossoms in May.

| | | |
|----------------------------|-------|-------|
| 3 to 4 ft.Each \$1 00 | 7 50 | 50 00 |
| 4 to 5 ft.1 50 | 10 00 | 65 00 |
| 5 to 6 ft.2 00 | 15 00 | |
| 6 to 7 ft.2 50 | 16 50 | 75 00 |

S. reevesiana fl. pl.

REEVES DOUBLE SPIRAEA. Pure white double blooms in May and June.

| | | |
|----------------------------|-------|--|
| 4 to 5 ft.Each \$1 00 | 5 00 | |
| 5 to 6 ft.1 50 | 10 00 | |

S. thunbergi.

THUNBERG SPIRAEA. Medium shrub; spreading branches; light green foliage; pure white flowers in earliest Spring.

| | | |
|----------------------------------|-------|--|
| 2 to 3 ft. HeavyEach \$1 00 | 5 00 | |
| 3 to 4 ft. Heavy1 50 | 7 50 | |
| 4 to 5 ft. Heavy2 00 | 10 00 | |

S. van houttei.

VAN HOUTTE SPIRAEA. Medium height; of merit for lawn specimen or massing; white flowers in May.

| | | |
|----------------------------|-------|-------|
| 2 to 3 ft.Each \$1 00 | 5 00 | 25 00 |
| 3 to 4 ft. Heavy1 25 | 6 50 | 30 00 |
| 4 to 5 ft. Heavy1 50 | 10 00 | 40 00 |
| 5 to 6 ft. Heavy2 50 | 15 00 | 50 00 |

STEPHANANDRA flexuosa.

CUTLEAF STEPHANANDRA. Of great value for its fine cut, lacy foliage, where daintiness is desired.

| | | Per 10 | Per 100 |
|------------------|-------------|--------|---------|
| 1½ to 2 ft. | Each \$1 00 | \$7 50 | \$40 00 |
| 2 to 3 ft. | 1 50 | 10 00 | 60 00 |

SYMPHORICARPUS chenaulti.

RED FRUITED. Arching branches giving fountain-like effect, slender twigs, fruit red and pink.

| | | | |
|-----------------|-------------|------|--|
| 2 to 3 ft. | Each \$1 00 | 4 50 | |
| 3 to 4 ft. | 1 25 | 6 50 | |

S. racemosus.

SNOWBERRY. Low, shade-loving plant; large white berries in Fall and carried through the Winter.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 4 50 | 20 00 |
| 3 to 4 ft. | 1 50 | 6 00 | |

S. vulgaris.

CORAL BERRY. Dwarf shrub thriving in shade; coral-red berries persistent until late Winter.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 4 50 | 20 00 |
| 3 to 4 ft. | 1 50 | 6 00 | 25 00 |

SYMPLOCUS crataegoides.

TURQUOISE BERRY.

| | | | |
|-----------------|-------------|-------|--|
| 3 to 4 ft. | Each \$1 50 | 10 00 | |
| 4 to 5 ft. | 2 00 | 15 00 | |
| 5 to 6 ft. | 2 50 | 20 00 | |
| 6 to 7 ft. | 3 50 | 30 00 | |

SYRINGA japonica.

JAPANESE TREE LILAC. The familiar lilac blossoms on a small tree. For enlivening screen border.

| | | | |
|--------------------------|-------------|-------|--------|
| 4 to 5 ft. | Each \$1 00 | | |
| 5 to 6 ft. | 1 50 | 10 00 | |
| 6 to 7 ft. | 2 00 | 15 00 | 100 00 |
| 7 to 8 ft. Heavy | 3 00 | 25 00 | 200 00 |
| 8 to 9 ft. Heavy | 4 00 | 30 00 | 250 00 |
| 9 to 10 ft. Heavy | 5 00 | 40 00 | 350 00 |
| 10 to 12 ft. Heavy | 10 00 | 80 00 | |

S. josikea.

HUNGARIAN LILAC. Tall growth; heavy dark green foliage; late purple flowers.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 6 50 | 40 00 |
| 3 to 4 ft. | 1 50 | 10 00 | 60 00 |

S. persica rothomagensis.

PURPLE PERSIAN LILAC. Slim growth, good foliage and rich colored bloom.

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 40 00 |
| 3 to 4 ft. | 1 50 | 8 50 | 60 00 |

SYRINGA villosa.

LATE LILAC. Vigorous bush; late May bloomer; light purple in bud and white when opened; fragrant.

| | | Per 10 | Per 100 |
|------------------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$7 50 | \$40 00 |
| 3 to 4 ft. | 1 50 | 10 00 | 60 00 |
| 4 to 5 ft. | 2 00 | 15 00 | 90 00 |
| 5 to 6 ft. Heavy | 3 50 | 28 00 | |

S. vulgaris.

COMMON PURPLE LILAC. An old-fashioned favorite of well-proven worth.

| | | | |
|------------------------|-------------|-------|--------|
| 3 to 4 ft. Heavy | Each \$1 50 | 10 00 | 60 00 |
| 4 to 5 ft. Heavy | 2 50 | 20 00 | 150 00 |
| 5 to 6 ft. Heavy | 3 50 | 28 00 | 250 00 |
| 6 to 7 ft. Heavy | 4 50 | 40 00 | |

S. vulgaris, var. alba.

COMMON WHITE LILAC. Similar to type.

| | | | |
|-------------------------|-------------|--------|--------|
| 3 to 4 ft. Heavy | Each \$1 50 | 10 00 | 85 00 |
| 4 to 5 ft. Heavy | 2 50 | 20 00 | |
| 5 to 6 ft. Heavy | 3 50 | 30 00 | 250 00 |
| 6 to 7 ft. Heavy | 5 00 | 40 00 | 350 00 |
| 7 to 8 ft. Heavy | 10 00 | 75 00 | |
| 8 to 10 ft. Heavy | 15 00 | 125 00 | |

HYBRID VARIETIES OF LILACS

Arthur W. Paul. Double. Violaceous red.

| | | Per 10 |
|-----------------|-------------|---------|
| 2 to 3 ft. | Each \$2 00 | \$15 00 |
| 3 to 4 ft. | 3 00 | 20 00 |
| 4 to 5 ft. | 4 50 | 35 00 |

Chas. Jolly. Double. Dark red.

| | | |
|-----------------|-------------|-------|
| 2 to 3 ft. | Each \$2 50 | 15 00 |
| 3 to 4 ft. | 3 50 | 20 00 |

Charles 10th. Single, reddish purple.

| | | |
|-----------------|-------------|-------|
| 2 to 3 ft. | Each \$1 50 | 10 00 |
| 3 to 4 ft. | 2 00 | 15 00 |
| 4 to 5 ft. | 3 50 | 30 00 |

Colbert. Double. Clear cardeau.

| | | |
|-----------------|-------------|-------|
| 4 to 5 ft. | Each \$3 50 | 30 00 |
|-----------------|-------------|-------|

Descartes. Single. Rosy mauve.

| | | |
|-----------------|-------------|-------|
| 3 to 4 ft. | Each \$3 00 | 20 00 |
| 4 to 5 ft. | 3 50 | 30 00 |

Edouard Andre. Double. Pink.

| | | |
|-----------------|-------------|-------|
| 2 to 3 ft. | Each \$2 00 | 15 00 |
| 3 to 4 ft. | 3 00 | 20 00 |

Hugo Koster. Single, lilac with reddish tint.

| | | |
|-----------------|-------------|-------|
| 2 to 3 ft. | Each \$2 00 | 15 00 |
| 3 to 4 ft. | 3 00 | 20 00 |
| 4 to 5 ft. | 3 50 | 30 00 |

Jan van Tol. Single, pure white, large truss.

| | | |
|-----------------|-------------|-------|
| 2 to 3 ft. | Each \$2 00 | 15 00 |
|-----------------|-------------|-------|

HYBRID LILACS.

| Jean Mace. Double. Blush mauve. | | Per 10 | Per 100 |
|---------------------------------|-------------|---------|----------|
| 2 to 3 ft. | Each \$2 00 | \$15 00 | \$125 00 |
| 3 to 4 ft. | 3 00 | 20 00 | 175 00 |
| 4 to 5 ft. | 3 50 | 30 00 | 250 00 |

| Lamartine. Single. Deep Tourmaline Pink. | | |
|--|-------------|-------|
| 2 to 3 ft. | Each \$2 00 | |
| 3 to 4 ft. | 3 00 | 15 00 |
| 4 to 5 ft. | 3 50 | |

| Michel Buchner. Double. Pale lilac. | | |
|-------------------------------------|-------------|-------|
| 2 to 3 ft. | Each \$2 00 | 15 00 |
| 3 to 4 ft. | 3 00 | 20 00 |

| Mme. Abel Chatenay. Double. White. | | |
|------------------------------------|-------------|-------|
| 4 to 5 ft. | Each \$3 50 | 30 00 |
| 5 to 6 ft. Heavy | 5 00 | 40 00 |

| Mme. Casimir Perier. Double. Cream. | | | |
|-------------------------------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$2 00 | 15 00 | |
| 3 to 4 ft. | 3 00 | 20 00 | 100 00 |
| 4 to 5 ft. | 3 50 | 25 00 | 150 00 |
| 5 to 6 ft. | 5 00 | 45 00 | |
| 6 to 7 ft. | 7 50 | 60 00 | |

| Mme. Lemoinei. Double. White. | | | |
|-------------------------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$2 00 | 15 00 | 100 00 |
| 3 to 4 ft. | 3 00 | 20 00 | 150 00 |
| 4 to 5 ft. Heavy | 3 50 | 20 00 | 175 00 |
| 5 to 6 ft. Heavy | 5 00 | 45 00 | |

| Pres. Grevy. Double. Blue. | | |
|----------------------------|-------------|-------|
| 3 to 4 ft. | Each \$3 00 | |
| 4 to 5 ft. | 3 50 | 27 50 |
| 5 to 6 ft. | 5 00 | 45 00 |

| Rubra de Marlay. Single. Reddish purple. | | |
|--|-------------|-------|
| 4 to 5 ft. | Each \$3 50 | 30 00 |
| 5 to 6 ft. | 4 50 | 40 00 |

| Waldeck-Rousseau. Double. Deep violet. | | |
|--|-------------|-------|
| 3 to 4 ft. | Each \$3 00 | 20 00 |
| 4 to 5 ft. | 3 50 | 27 50 |

TAMARIX africana. (parviflora.)

AFRICAN TAMARIX. Reddish-brown bark.
Slender spreading branches, flowers pink.
April and May.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 7 50 | 35 00 |
| 3 to 4 ft. | 1 50 | 10 00 | 45 00 |

T. gallica

FRENCH TAMARIX. Light pink. May and
June; blue-green foliage.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 7 50 | 35 00 |
| 3 to 4 ft. | 1 50 | 10 00 | 45 00 |

VACCINIUM CORYMBOSUM

HIGH BUSH BLUEBERRY. White bloom in Spring followed by blue-black edible fruit. The Fall coloring of the foliage is the outstanding characteristic.

| | | Per 10 | Per 100 |
|------------------|-------------|---------|----------|
| 2 to 2½ ft. | Each \$1 75 | \$15 00 | \$135 00 |
| 3 to 4 ft. | 2 50 | 20 00 | 175 00 |

HYBRID VARIETIES. Large fruit.

| | | | |
|-------------------|-------------|-------|--------|
| 15 to 18 in. | Each \$3 00 | 25 00 | 200 00 |
|-------------------|-------------|-------|--------|

VIBURNUM acerifolium.

MAPLELEAF VIBURNUM. Dwarf, spreading by root stems; white flowers; fruit black. Useful in shade places.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 7 50 | 40 00 |
| 3 to 4 ft. | 1 50 | 10 00 | 45 00 |

V. carlesi.

FRAGRANT VIBURNUM. Compact, bushy growth. Bouvardia pink flowers of exquisite fragrance.

"Andorra grown are guaranteed to be the fragrant type."

| | | | |
|----------------------|-------------|-------|--------|
| 1½ to 2 ft. | Each \$1 00 | 7 50 | 60 00 |
| 2 to 2½ ft. | 1 50 | 12 50 | 100 00 |
| 2½ to 3 ft. | 2 00 | 15 00 | 125 00 |
| 3 to 4 ft. | 2 50 | 20 00 | 150 00 |
| 4 to 5 ft. Standards | 5 00 | 45 00 | |

V. cassanoides.

WITHE-ROD. Flowers creamy white. Berries pink changing to blue. Excellent for waterside planting or the shrub border.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 6 50 | 75 00 |
| 3 to 4 ft. | 1 50 | 10 00 | |

V. dentatum.

ARROWWOOD. Upright. Tall growing; white flowers; black fruit; foliage richly colored in Fall.

| | | | |
|-----------------------------------|-------------|-------|--------|
| 3 to 4 ft. | Each \$1 25 | 6 50 | 45 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 60 00 |
| 5 to 6 ft. | 2 00 | 10 00 | 75 00 |
| Specimens. 6 to 7 ft. | 3 50 | 30 00 | 150 00 |
| Specimens. 7 to 8 ft. | 4 50 | 37 50 | 300 00 |

V. dilatatum.

LINDEN VIBURNUM. Tall; one of the best. Handsome foliage and unsurpassed for brilliant scarlet fruit; white flowers.

| | | | |
|-----------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 50 | 19 00 | 60 00 |
| 3 to 4 ft. | 2 00 | 12 50 | 75 00 |
| 4 to 5 ft. | 2 50 | 15 00 | 100 00 |
| 5 to 6 ft. | 3 50 | 20 00 | 150 00 |
| 6 to 7 ft. | 4 50 | 30 00 | 200 00 |

VIBURNUM lantana.**WAYFARING TREE.** Tall, upright; fruit red changing to black.

| | | Per 10 | Per 100 |
|-----------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$5 00 | \$35 00 |
| 3 to 4 ft. | 1 25 | 6 50 | 40 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 50 00 |
| 5 to 6 ft. | 2 00 | 15 00 | 75 00 |

V. lentago.**NANNYBERRY.** Tall; blue-black fruit; leaves glossy dark green.

| | | | |
|---|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 00 | 6 00 | 40 00 |
| 3 to 4 ft. | 1 25 | 6 50 | 50 00 |
| 4 to 5 ft. Extra Heavy | 1 50 | 10 00 | 60 00 |
| Specimens. 5 to 6 ft. Heavy | 2 50 | 20 00 | 100 00 |
| Specimens. 6 to 7 ft. Heavy | 3 50 | 30 00 | 125 00 |
| Specimens. 7 to 8 ft. Heavy | 4 50 | 40 00 | 200 00 |

V. molle.**KENTUCKY VIBURNUM.** Medium height, upright; handsome foliage, fruit bluish-black.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 6 00 | 40 00 |
| 3 to 4 ft. | 1 25 | 6 50 | 50 00 |
| 4 to 5 ft. | 1 50 | 7 50 | 60 00 |
| 5 to 6 ft. | 1 75 | 10 00 | 70 00 |
| 6 to 7 ft. | 2 50 | 20 00 | 80 00 |

V. nitidum.**SHINING WITHE-ROD.** A heavy grower, foliage long and narrow of lustrous green, turning bronze-green in late Fall.

| | | | |
|-----------------|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 50 | 10 00 | |
| 3 to 4 ft. | 2 00 | 15 00 | 100 00 |
| 4 to 5 ft. | 2 50 | 17 50 | |

V. opulus.**EUROPEAN CRANBERRY BUSH.** Medium height Fruit scarlet in mid-Summer.

| | | | |
|--|-------------|-------|--------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 40 00 |
| 3 to 4 ft. | 1 50 | 7 50 | 45 00 |
| 4 to 5 ft. Heavy | 2 50 | 12 50 | 75 00 |
| 5 to 6 ft. Heavy. Specimens. | 3 50 | 20 00 | 100 00 |
| 6 to 7 ft. Heavy. Specimens. | 5 00 | 35 00 | |

V. opulus nana.**DWARF VIBURNUM.** Of dense hassock shape. Very dwarf—can be easily controlled for small border hedges or edgings.

| | | | |
|-------------------|-------------|-------|-------|
| 9 to 12 in. | Each \$1 00 | 7 50 | 40 00 |
| 12 to 15 in. | 1 50 | 10 00 | 65 00 |

V. prunifolium.**BLACK HAW.** Tall, spreading; handsome foliage; fruit bluish-black.

| | | | |
|--------------------------------------|-------------|-------|--------|
| 3 to 4 ft. Heavy | Each \$2 50 | 20 00 | 150 00 |
| 4 to 5 ft. Very heavy. B. & B. | 3 50 | 30 00 | 200 00 |
| 5 to 6 ft. Very heavy. B. & B. | 4 50 | 40 00 | 300 00 |
| 6 to 8 ft. Very heavy. B. & B. | 7 50 | 50 00 | 400 00 |
| 8 to 10 ft. Very heavy. B. & B. | 10 00 | 60 00 | |



VIBURNUM sargentii.

SARGENT CRANBERRY BUSH. Similar to "Americanum" but more upright. Habit dense and compact. Bark corky, fruit scarlet.

| | | Per 10 | Per 100 |
|------------|------------------|--------|---------|
| 2 to 3 ft. |Each \$1 00 | \$7 50 | \$50 00 |
| 3 to 4 ft. |1 50 | 10 00 | 75 00 |
| 4 to 5 ft. |2 00 | 15 00 | 85 00 |
| 5 to 6 ft. |2 50 | 20 00 | 100 00 |

V. sieboldi.

SIEBOLD VIBURNUM. A tall rugged grower. Heavy rich foliage; large heads of white bloom followed by bright red fruit.

| | | | |
|---|------------------|-------|--------|
| 2 to 3 ft. |Each \$1 00 | 7 50 | 40 00 |
| 3 to 4 ft. |1 50 | 10 00 | 50 00 |
| 4 to 5 ft. |2 00 | 12 50 | 75 00 |
| 5 to 6 ft. | Heavy3 50 | 30 00 | 200 00 |
| 6 to 7 ft. | Heavy7 50 | 50 00 | 300 00 |
| Specimens. 8 to 10 ft. Price on application. | | | |

V. tomentosum.

SINGLE JAPAN SNOWBALL. Medium height; handsome foliage; white flowers in late May.

| | | | |
|------------|------------------|-------|--------|
| 2 to 3 ft. |Each \$1 00 | 6 50 | 40 00 |
| 3 to 4 ft. | Heavy1 50 | 10 00 | 50 00 |
| 4 to 5 ft. | Heavy2 50 | 12 50 | |
| 5 to 6 ft. | Heavy3 50 | 25 00 | 100 00 |

V. tomentosum plicatum.

DOUBLE JAPAN SNOWBALL. A compact grower. Foliage heavy, flowers in round heads in May. Fall foliage purplish.

| | | | |
|------------|------------------|-------|-------|
| 2 to 3 ft. |Each \$1 00 | 7 50 | 45 00 |
| 3 to 4 ft. |1 50 | 10 00 | 60 00 |

VITEX agnus-castus.

LILAC CHASTE TREE. One of the very dainty shrubs; interesting foliage; lilac flowers in Aug. and Sept.

| | | Per 10 | Per 100 |
|-----------------|-------------|--------|---------|
| 2 to 3 ft. | Each \$1 00 | \$6 50 | \$40 00 |

WEIGELIA amabilis (Diervilla). Pink—bloom in May and June.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | 1 25 | 6 00 | 40 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 50 00 |
| 5 to 6 ft. | 2 00 | 15 00 | |

W. candida. Pure white—

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | 1 25 | 7 50 | 35 00 |

W. Eva Rathke.

Dark reddish green foliage; dark red blossoms.

| | | | |
|-----------------|-------------|-------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 4 to 5 ft. | 1 50 | 10 00 | 50 00 |

W. florida rosea. Rose pink—

| | | | |
|-----------------|-------------|------|-------|
| 2 to 3 ft. | Each \$1 00 | 5 00 | 30 00 |
| 3 to 4 ft. | 1 25 | 6 00 | |
| 4 to 5 ft. | 1 50 | 7 50 | 50 00 |

W. groenewegiana. Flowers red outside, white within, striped with yellowish red. A strong grower and abundant bloom.

| | | | |
|-----------------|-------------|-------|-------|
| 3 to 4 ft. | Each \$1 00 | 5 00 | |
| 4 to 5 ft. | 1 50 | 7 50 | |
| 6 to 7 ft. | 2 00 | 10 00 | 60 00 |

W. japonica, var. rubra. Red—

| | | | |
|-----------------|-------------|-------|--|
| 4 to 5 ft. | Each \$1 50 | 7 50 | |
| 5 to 6 ft. | 2 00 | 10 00 | |

W. steltzneri. Dark Red—

| | | | |
|-----------------|-------------|-------|--|
| 3 to 4 ft. | Each \$1 00 | 5 00 | |
| 4 to 5 ft. | 1 50 | 7 50 | |
| 5 to 6 ft. | 2 00 | 10 00 | |

W. vanhouttei. Carmine—

| | | | |
|-----------------|-------------|------|--|
| 2 to 3 ft. | Each \$1 00 | 5 00 | |
| 4 to 5 ft. | 1 50 | 7 50 | |

W. verschaffeltei. Pale Pink—

| | | | |
|-----------------|-------------|------|--|
| 3 to 4 ft. | Each \$1 00 | 5 00 | |
| 4 to 5 ft. | 1 50 | 7 50 | |

ZANTHORHIZA apiifolia.

YELLOW ROOT. Dwarf shrub useful for ground cover and undergrowth. Thrives either in sun or shade in any soil.

| | | | |
|---------------------------------|--|------|-------|
| 10 to 12 in. (Not clumps) | | 5 00 | 20 00 |
|---------------------------------|--|------|-------|



Vine Climbing and Trailing Plants

ACTINEDIA polygama.

SILVER VINE.

5-in. pots. HeavyEach \$1 00 Per 10 \$7 50

AKEBIA quinata.

FIVE LEAF VINE. Shiny foliage; clusters of small chocolate colored, fragrant flowers.

4-in. potsEach \$1 00 7 50

AMPELOPSIS Lowii.

Similar in habit to *A. Veitchi* (Boston Ivy), but with very small, deeply cut foliage.

2-yearEach \$0 50 4 00 Per 100 \$35 00

A. quinquefolia.

VIRGINIA CREEPER. Rapid growing for fences, rocky slopes and banks; Fall foliage rich crimson.

Heavy; 2 years; field-grownEach \$0 50 3 50 25 00

A. quinquefolia engelmanni.

ENGELMANN CREEPER. Similar to previous sort, but will cling to walls.

2 years; field-grownEach \$0 50 3 50 25 00

A. tricuspidata veitchi.

BOSTON IVY. Strong, clinging vine of rapid growth; good Fall color. Best for walls.

2 years; field-grownEach \$0 50 3 50 30 00

ARISTOLOCHIA siph.

PIPE VINE. A rapid grower with large foliage, and reddish brown, pipe-shaped flowers. Unsurpassed for trellis planting.

3-in. potsEach \$0 75 6 00

Heavy plants; 6-in. pots 1 00 8 50

BIGNONIA grandiflora.

CHINESE TRUMPETCREEPER. Large, brilliant orange red flowers.

2 to 3 ft.; field-grownEach \$0 75 5 00

B. radicans.

TRUMPETCREEPER. Strong climber with orange flowers in mid-Summer.

2 to 3 ft.; field-grownEach \$0 75 6 00 30 00

4-in. pots 50 4 50

CELASTRUS scandens.

BITTER-SWEET. Rapid growing; orange-yellow fruit. Its rank growth makes it useful on rough banks in billowy masses.

| | | Per 10 | Per 100 |
|-------------------------------------|-------------|--------|---------|
| 2 to 3 ft.; heavy; field-grown.... | Each \$0 75 | \$5 00 | \$25 00 |
| 3 to 4 ft.; heavy; field-grown..... | 1 00 | 6 50 | 30 00 |

CLEMATIS coccinea (texensis).

SCARLET CLEMATIS. Rapid growing, covered in Summer with coral-red flowers.

| | | | |
|------------------|-------------|------|--|
| 6-in. pots | Each \$1 00 | 7 50 | |
|------------------|-------------|------|--|

C. Large Flowering.

Henryi, white; Jackmani, purple; Duchess of Edinburgh, double, white; Mme. Edouard Andre, red; Ramona, blue.....

| | | | |
|-------------|------|--|--|
| Each \$1 00 | 8 50 | | |
|-------------|------|--|--|

C. paniculata.

SWEET AUTUMN CLEMATIS. Rapid-grower, handsome foliage, absolutely covered with white fragrant flowers in late Summer.

| | | | |
|----------------------------|-------------|------|-------|
| 5-in. pots | Each \$0 50 | 4 50 | 35 00 |
| 2 years; field-grown | 50 | 3 50 | 25 00 |

C. virginiana.

VIRGINS BOWER. Similar to paniculata, but more open grower. Use for banks and walls.

| | | | |
|------------------|-------------|------|-------|
| 5-in. pots | Each \$1 00 | 7 50 | 60 00 |
|------------------|-------------|------|-------|

EUONYMUS radicans.

WINTERCREEPER. Attractive dark green-leaved evergreen plants of slow-growing habit and very hardy. Attractive for covering walls, house foundations, as an undergrowth in Evergreen borders or for edging.

| | | | |
|---------------------------|-------------|------|-------|
| 3-in. pots | Each \$0 50 | 2 50 | 20 00 |
| 4-in. pots | 75 | 3 50 | 25 00 |
| 1-year; field-grown | 50 | 2 50 | 20 00 |
| 2-year; field-grown | 75 | 3 50 | 25 00 |

E. radicans carrierei.

GLOSSY WINTERCREEPER. Large, handsome, glossy, evergreen leaf; climber for buildings and walls.

| | | | |
|---------------------------|-------------|------|-------|
| 1-year; field-grown | Each \$0 50 | 2 50 | 15 00 |
| 2-year; field-grown | 75 | 3 50 | 20 00 |

E. radicans Kewensis.

A close clinging vine with small foliage.

| | | | |
|-------------------|-------------|------|-------|
| 2½-in. pots | Each \$0 50 | 3 00 | 25 00 |
|-------------------|-------------|------|-------|

E. radicans vegetus. (Evergreen.)

BIGLEAF WINTERCREEPER. Scarlet fruited, strong growing evergreen vine. Handsome foliage. Used as ground cover.

| | | | |
|---------------------------|-------------|------|-------|
| 4-in. pots | Each \$0 75 | 3 50 | 25 00 |
| 1-year; field-grown | 50 | 2 50 | 20 00 |
| 2-year; field-grown | 75 | 3 50 | 25 00 |

HEDERA helix.

ENGLISH IVY. Evergreen, strong growing, clinging vine. Useful on walls or ground covering in shade.

| | | |
|--|--------|---------|
| | Per 10 | Per 100 |
| 3-in. potsEach \$0 50 | \$3 00 | \$25 00 |
| Heavy; field-grown....per 1,000 \$185 00 | 3 00 | 25 00 |

H. helix baltica.

BALTIC IVY. A Russian type, very hardy. Dwarf-crinkled foliage.

| | | |
|-----------------------------|------|--|
| 4-in. potsEach \$0 75 | 6 50 | |
|-----------------------------|------|--|

JASMINUM nudiflorum.

WINTER JASMINE. Yellow.

| | | |
|-------------------------------------|------|-------|
| 4-in. pots; 2-yearEach \$0 75 | 5 00 | 35 00 |
|-------------------------------------|------|-------|

LONICERA japonica, var. Halleana.

HALLS JAPANESE HONEYSUCKLE. Dark, glossy green foliage; fragrant flowers from July till Fall. One of the best as fragrant thick screen on lattice or porch.

| | | |
|-----------------------------|------|-------|
| 4-in. potsEach \$0 50 | 4 00 | 30 00 |
| 2-year; field-grown | 3 00 | 20 00 |

PACHYSANDRA terminalis.

The best low evergreen ground cover. Plant five inches apart.

| | | | |
|-------------------|----------|------|-------|
| | Per 1000 | | |
| Field grown | \$50 00 | 1 50 | 7 50 |
| 2 in. pots | 65 00 | 2 00 | 10 00 |
| 2½ in. pots | 85 00 | 2 50 | 12 50 |
| 3 in. pots | 100 00 | 3 00 | 15 00 |

PUERARIA thunbergiana.

KUDZU VINE. A rapid climber with dark green foliage; pea shaped purple flowers in July.

| | | |
|-----------------------------|------|------|
| 4-in. potsEach \$0 75 | 5 00 | |
| 5-in. pots | 1 00 | 7 50 |

SCHIZOPHRAGMA hydrangeoides.

CLIMBING HYDRANGEA. A handsome woody vine with large bright green foliage; loose terminal cymes of white flowers.

| | | |
|--|-------|--|
| Ideal for rough walls or tree trunks.Each \$1 50 | 12 50 | |
|--|-------|--|

VINCA minor.

PERIWINKLE. A close-trailing vine; blue flowers; a splendid ground cover.

| | | |
|------------------------------|------|-------|
| 2½-in. potsEach \$0 50 | 2 50 | 17 50 |
| Field-grown | 50 | 2 00 |
| | | 15 00 |

WISTARIA. See page 102.



The Sorrel Tree
Fall Coloring

THE *Sorrel Tree*. Some day this tree (*Oxydendron Arboreum*) will be known to everyone as it is now known to those fortunate ones who have already made its acquaintance. It rivals its fellow native, the Dogwood in interest; it surpasses it in a certain grace of texture. Its early foliage is a lyric note in the jubilant chorus of Spring. But it releases its greatest charms as the season advances. At mid-summer while its neighbors are resting or sulking in their tents, it decks itself in festal plumes of white, like sprays of Lily-of-the-Valley. These it holds and finally shakes them out like golden fringe against its shining Autumn cloak of richest red.

See Prices page 61

WISTARIA frutescens.

AMERICAN WISTARIA. Strong growing climber; rapid, long runners; flowers of lilac purple.

| | | |
|-----------------|-------------|----------------|
| 3 to 4 ft. | Each \$2 50 | Per 10 \$20 00 |
|-----------------|-------------|----------------|

W. frutescens, var. magnifica.

YELLOW-EYE WISTARIA. Flowers in long racemes 6 to 8 inches; lilac with yellow spot. Blooms before "frutescens."

| | | |
|-----------------|-------------|-------|
| 3 to 4 ft. | Each \$2 00 | 15 00 |
| 4 to 5 ft. | 2 50 | 20 00 |

W. sinensis.

PURPLE CHINESE WISTARIA. Hardy climber with large racemes of violet-blue flowers. Trellis, porch and arbor work.


| | | |
|-------------------------------------|-------------|-------|
| 3 to 4 ft. field-grown | Each \$2 50 | 20 00 |
| 4 ft. standards; 18 in. heads | 10 00 | |
| 5 ft. standards; 24 in. heads | 15 00 | |

W. sinensis alba.

WHITE CHINESE WISTARIA. Same as sinenses, but with white flowers.

| | | |
|------------------------------------|-------------|-------|
| Heavy; field-grown; 2 to 3 ft..... | Each \$2 00 | 15 00 |
| Heavy; field-grown; 3 to 4 ft..... | 2 50 | 20 00 |
| Standards; 4 to 5 ft. | 7 50 | 50 00 |
| Standards; 5 to 6 ft. | 10 00 | 85 00 |

For the proper watering of trees
THE HYDROSPEAR



The importance of properly watering newly planted trees and shrubs is often neglected or very inadequately done because of the lack of a proper method of getting the water down to the roots where it will be readily absorbed.

THE HYDROSPEAR is a very handy implement for meeting this problem. By attaching it to the hose and inserting the spear-pointed end into the ground, the water can be placed at from 1 to 3 feet beneath the surface, where it will not only be readily available for the roots but will require less watering. It is a splendid insurance for all new plantings. In the case of large trees where a wide area has to be covered, it can be inserted at different points 6 or 8 feet apart and the whole soil area beneath the tree thoroughly watered.

We use and recommend them very highly.
THE PRICE IS ONLY \$3.75

ROSES

Here we offer a limited selection of the best standard varieties. If you require other than those listed let us have your list as we have access to the best selection in the East and can supply your needs.

CLIMBING AND RAMBLER ROSES

75c each—\$8.00 per dozen

AMERICAN PILLAR. The flowers are of large size, of a lovely shade of pink with a clear white eye.

BESS LOVETT. A clear bright red of good size and double form. Strong and very fragrant.

CLIMBING AMERICAN BEAUTY. A vigorous grower. Deep rose-pink of good form and substance.

DAYDREAM. Good-sized, semi-double flower, resembling a Water Lily of a blushing pink shade. A splendid pillar Rose.

DR. W. VAN FLEET. The long-pointed buds are rich flesh pink, carried on stems 12 to 18 inches long. Splendid for cutting.

GARDENIA. Bright yellow buds opening into double flowers of a rich cream color.

JACOTTE. A deep orangy yellow, tinted coppery red. Good sized, semi-double, very lasting flowers with moderate fragrance.

MARY LOVETT. Large, sweet-scented blooms of a pure waxy white color.

MARY WALLACE. Well-formed, semi-double flowers of a bright, clear rose-pink with salmon base to the petals. Flowers exceeding 4 inches in diameter.

PAUL'S SCARLET CLIMBER. A vivid scarlet, of large size, produced in clusters of flowers on long, strong stems.

SILVER MOON. Beautiful, fragrant, semi-double flowers 4½ inches and over in diameter. Creamy white petals of great substance.

THELMA. A delicate coral pink suffused with carmine. The flowers usually have three rows of petals.

EVERBLOOMING ROSES (Hybrid Teas)

75c each—\$8.00 per dozen

E. G. HILL. Long buds of perfect form. Full, double, high-centered flowers of dazzling scarlet, shading to a deeper red.

ETOILE DE HOLLANDE. Brilliant crimson-red. A vigorous grower, free and continuous bloomer. Fragrant flowers.

JOANNA HILL. A splendid clear yellow with golden heart. The long, pointed buds open to large full, semi-double, long-lasting, moderately fragrant flowers. A profuse bloomer.

McGREDY'S SCARLET. A scarlet red rose, free and continuous habit of flowering. The fragrant, full, double flowers are of good size. They are brilliant scarlet, orangy yellow at base of petals.

MME. EDOUARD HERRIOT. The buds are coral red shaded with yellow at the base. The open flowers are semi-double, a superb coral red shaded with yellow and passing to salmon-pink.

EVERBLOOMING ROSES (Hybrid Teas)

MME. JULES BOUCHE. A splendid white, slightly tinted with just a touch of tender blush pink. Long shapely buds and full, double, fragrant, well-formed flowers. A free bloomer.

PRESIDENT HOOVER. A splendid combination of cerise-pink, flame, scarlet and yellow, gives the most dazzling color effect. The buds are pointed, the large flowers fragrant.

RADIANCE. The popular carmine-pink which is bound to succeed everywhere.

RED RADIANCE. A sport of Radiance with attractive bright cerise blooms, vigorous and free blooming.

SOUVENIR DE CLAUDIUS PERNET. Rich sunflower yellow color. Long-pointed buds developing into very large, double flowers with pleasing and rich fragrance.

TALISMAN. Popular rose either as a cut flower or for the garden. The long-pointed buds are bright yellow. Develop into fair-sized, double, fragrant flowers that combine bright apricot, gold and deep rose-pink.

CAROLINE TESTOUT. Long-pointed buds and large, full, double, moderately fragrant flowers. Satiny rose with brighter center.

GOLDEN DAWN. The ideal yellow rose. The lemon yellow bud is heavy splashed with crimson and develops into a well-formed, sweetly scented, double, sunflower yellow flower.

KAISERIN AUGUSTA VICTORIA. A favorite white rose with shapely, long-pointed buds and double, fragrant flowers.

KILLARNEY DOUBLE WHITE. Lovely pure white blooms of moderate fragrance.

LADY MARGARET STEWART. The flowers are a deep Sunflower yellow heavily veined and splashed with orange-scarlet; reverse of the petals deeply suffused with carmine.

MEVROUW G. A. VAN ROSSEM. A blend of vivid orange and apricot on a golden yellow ground. The sweet-scented flowers are very large, of perfect formation.

MRS. AARON WARD. The fragrant, full, double flowers are a distinct Indian yellow.

ROSES

THE TRAILING ROSE WICHURIANA. Its spreading branches form a carpet on slope or bank and form a background of shining green to the delicate white blossoms.

Rosa Wichuriana. White.

| | | Per 10 | Per 100 |
|---------------------------------|-------------|--------|---------|
| 2½-in. pots | Each \$0 50 | \$3 00 | \$20 00 |
| 2-year-old; in 5-in. pots | 75 | 6 00 | |
| 2-year-old; field-grown | | 5 00 | 30 00 |

BUSH & BRIAR ROSES

RUGOSA. In height from two to four feet, these roses find their place on the front of the shrub border where their blossoms in Summer and scarlet fruit and bright twigs in Winter add a pleasing note of color.

| | | | |
|---|-------------|------|-------|
| rugosa. 1½ to 2 ft. | Each \$0 75 | 5 00 | 25 00 |
| rugosa alba. White. 1½ to 2 ft. | 1 00 | 5 00 | 25 00 |

HARDY PERENNIALS

N. B.—Quantities of 5 and 50 OF A VARIETY will be furnished at the 10 and 100 rates, respectively.

HERE is a strong appeal in the gardens of old farmhouse and cottage, with the glowing yellow and orange Day-lilies, bright flowered Phlox and Peonies, and their show of hardy Chrysanthemums; a demonstration of the ease with which these plants are grown and the little care they require when one thinks how little time the busy country housewife can spend in gardening. The old-fashioned perennials have been enriched with many improved varieties and species, and every corner of the grounds can be kept bright throughout the whole growing season; the tall growing varieties can be effectively planted in the shrubberies, their flowers showing against the background of evergreen or shrub, and the lower sorts blending the edge of shrubbery and lawn in naturalesque borders, or the woods edge made gay with Asters, Foxgloves, Ferns and many other shade-loving plants.

Of flowering plants, two things are demanded—Varieties which will brighten our lawns and gardens, and which can be cut for house decoration—these hardy herbaceous plants reward us bounteously in both requirements. The height, color and flowering season of each variety are given in the following list.

At \$2.50, 10-rate, single plants 35c.
At \$3.50, 10-rate, single plants 50c.
At \$5.00, 10-rate, single plants 75c.
At \$10.00, 10-rate, single plants \$1.50.

| | | |
|---|------------------|--------------------|
| ACHILLEA filipendulina (Fernleaf Yarrow). Yellow. July. 3 ft. | Per 10 \$2 50 | Per 100 \$15 00 |
| A. millefolium roseum, var. Cerise Queen. June to September. Amaranth-red. 1½ ft. | 2 50 | 15 00 |
| A. ptarmica (Sneezewort). All Summer. White. 2 ft. | 2 50 | 15 00 |
| A. ptarmica (The Pearl). All Summer. Double 12 in. | 2 50 | 15 00 |
| A. tomentosum (Woolly Yarrow). Bright yellow. July. 9 to 12 in. | 2 50 | 18 00 |
| ACONITUM autumnale (Autumn Monkshood). Blue. September to November. 3 to 5 ft. ... | 2 50 | 20 00 |
| A. Fischeri (Azure Monkshood). September. Blue. 3 to 4 ft. | 2 50 | 20 00 |
| A. napellus (Aconite) (Spark's Variety). July to August. Dark blue. 2 to 3 ft. | 2 50 | 20 00 |
| A. napellus album. White. September. 3 ft. ... | 2 50 | 20 00 |
| A. napellus bicolor. Blue and white. September. 3 ft. | 2 50 | 20 00 |
| A. pyrenaicum. Yellow. September. 3 ft. | 2 50 | 20 00 |

| | | |
|---|------------------|--------------------|
| ADONIS amurensis (Bird's Eye). Yellow. April. 9 in. | Per 10 \$3 50 | Per 100 \$25 00 |
| AJUGA genevensis (Geneva Bugle). May. Bright blue shade; carpet. 6 in. | 2 50 | 18 00 |
| ALTHÆA rosea (Hollyhock). June. Various col- ors. 4 to 6 ft. | 2 50 | 15 00 |
| ALYSSUM saxatile compactum. (Goldentuft.) May and June. Yellow. 1 ft. | 2 50 | 15 00 |
| A. saxatile citrinum. May and June. Citron yel- low rarer-color. | 3 50 | 20 00 |
| ANCHUSA italica, var. Dropmore (Bugloss). All Summer. Blue. 3 to 4 ft. | 2 50 | 15 00 |
| A. italica, var. Opal. A beautiful variety with pale blue flowers. All summer. 3 to 4 ft. | 2 50 | 15 00 |
| A. myosotidiflora. May and June. Blue. 10 to 12 in. | 3 00 | 20 00 |
| ANEMONE hupehensis (Dwarf Wind Flower). August and September. Mauve-rose. 18 in. .. | 3 00 | 18 00 |
| A. japonica alba (Wind Flower). September to November. 2 to 3 ft. | 2 50 | 18 00 |
| A. japonica rosea (Wind Flower). September to November. 2 to 3 ft. | 2 50 | 18 00 |
| A. pennsylvanica (Wind Flower). White. May. 1 to 2 ft. | 3 00 | 20 00 |
| A. pulsatilla (Pasque Flower). Violet purple. May. 9 in. | 3 50 | 25 00 |
| A. sylvestris (Snowdrop Anemone). White. May. 12 to 18 in. | 3 50 | 25 00 |
| A. whirlwind (Double Wind Flower). September to November. 2 to 3 ft. | 3 00 | 18 00 |
| ANTHEMIS tinctoria (Camomile). June to Sep- tember. Golden yellow. 2 ft. | 2 50 | 15 00 |
| AQUILEGIA californica. Pink and rose. Long spurs. June and July | 2 50 | 15 00 |
| A. canadensis (Native Columbine). Red and yel- low. April and May. 2 ft. | 2 50 | 15 00 |
| A. chrysantha (Golden Aquilegia). May to Au- gust. Golden yellow. 3 ft. | 2 50 | 15 00 |
| A. coerulea. Blue. May and June. 1½ to 2 ft.. | 2 50 | 15 00 |
| A. Dobbies Imperial Hybrids. Large range of colors, very hardy. May and June. 2 to 2½ ft. | 2 50 | 20 00 |
| A. Mrs. Scott Smith's Long-Spurred Hybrids. All colors. May and June. 2 to 2½ ft. | 2 50 | 18 00 |

| | | |
|---|------------------|--------------------|
| ARABIS alpina (Rock Cress). April and May. White. 12 in. | Per 10 \$3 00 | Per 100 \$18 00 |
| ARENARIA grandiflora (Sandwort). White. June. 6 in. | 2 00 | 15 00 |
| ARTEMESIA lactiflora (Southern wood). August and September. Creamy white. 3 to 4 ft. .. | 2 50 | 18 00 |
| ASCLEPIAS tuberosa (Butterfly Weed). Bright orange. July and August. 2 ft. | 2 00 | 15 00 |
| NEW HARDY BORDER ASTERS. Dwarf compact, free flowering plants. Height 12 in.; blooming in Sept. Useful for border or rockery. Dis- tinct varieties; clear pink, white, lavender flesh pink. | 3 00 | 25 00 |
| ASTER alpinus. Purple. June, July. 9 in. | 2 00 | 15 00 |
| A. amellus elegans. Blue. August and September. 1½ ft. | 2 00 | 15 00 |
| A. amethystinus (Amethyst Blue). September and October. 3 to 4 ft. | 2 00 | 15 00 |
| A. grandiflorus. Violet blue. October. 2 ft. | 2 00 | 15 00 |
| A. mauve cushion (Japanese Hardy Aster). Deli- cate mauve. October and November. 9 in. .. | 2 50 | 20 00 |
| A. Lady Trevelyan. White. September. 2½ to 3 ft. | 2 50 | 15 00 |
| A. Mother of Pearl. White, mauve pink at edges. September and October. 2 to 3 ft. | 2 50 | 15 00 |
| A. novae angliae. Purple. September and Octo- ber. 4 ft. | 2 50 | 15 00 |
| A. novae angliae rubra. Red. October. 3 ft. ... | 2 50 | 15 00 |
| A. tataricus. Purple. October and November. 5 ft. | 2 50 | 15 00 |
| ASTILBE japonica (Japanese Astilbe) | 3 50 | 25 00 |
| Var. Ceres. Spikes of rosy lilac. June and July. 2½ ft. | 4 00 | |
| Var. Peach Blossom. Pearl pink. June and July. 2 ft. | 4 00 | |
| AUBRETIA eyri (Purple Rock Cress). April. Purplish violet. Most compact variety. 4 in. | 2 50 | 18 00 |
| BAPTISA australis (Falseindigo). Dark blue. June and July. 2 ft. | 2 50 | 18 00 |
| BELLIS perennis (The Bride) (English Daisy). June. Double white. 6 in. | 2 00 | 15 00 |
| B. perennis (Longfellow). Red. 6 in. | 2 00 | 15 00 |

| | | |
|---|------------------|--------------------|
| BOCCONIA cordata (Plume Poppy). July and August. Creamy white. 8 ft. | Per 10 \$2 00 | Per 100 \$15 00 |
| BOLTONIA asterioides (False Chamomile). August and September. White. 4 ft. | 2 00 | 15 00 |
| B. latisquama . August and September. Lilac. 4 ft. | 2 00 | 15 00 |
| CALLIRHOE involucrata (Poppy Mallow). Rosy crimson. July and August. Spreading | 2 00 | 15 00 |
| CAMPANULA alliariaefolia (Bell Flower). White. June and July. 2 ft. | 2 50 | 18 00 |
| C. carpatica . Blue and white. June to September. 9 in. | 2 50 | 18 00 |
| C. carpatica alba . White. June. 9 in. | 2 50 | 18 00 |
| C. glomerata , var. dahurica alba (Dahurian Bell Flower). Deep-blue. June and July. 1½ ft. | 2 50 | 18 00 |
| C. persicifolia (Peach Bells). June and July. Blue. 18 in. | 2 50 | 18 00 |
| C. persicifolia alba . June and July. White. 18 in. | 2 50 | 18 00 |
| C. persicifolia (Telham Beauty). June and July. Larger flowers. China blue. 2 ft. | 3 50 | 25 00 |
| C. pyramidalis . Blue. August and September. 2 to 4 ft. | 2 50 | 18 00 |
| C. trachelium (Coventry Bells). Light purple. June and July. 2 to 3 ft. | 2 50 | 18 00 |
| CARYOPTERIS mastacanthus superbus . Hand-some plants of 2 to 3 ft. Free branching with large whorls of attractive flowers. Blue, pink or white | 3 00 | |
| CENTAUREA dealbata (Knapweed). July to September. Bright rose. 18 in. | 2 00 | 15 00 |
| C. montana (Mountain Bluett). June and July. Dark purple. 1½ ft. | 2 00 | 15 00 |
| CERASTIUM Boissieri . White; silvery foliage. A low plant for edging beds or for rock work. May and June. 6 in. | 2 50 | 20 00 |
| CERATOSTIGMA plumbaginoides (Plumbago). July to October. Blue. 6 in. | 2 50 | 18 00 |
| CHEIRANTHUS Allioni (Wall Flower). Mixed colors. May. 12 to 15 in. | 2 50 | 20 00 |
| CHELONE lyoni (Turtlehead). August and September. Rose purple. 3 ft. | 2 50 | 18 00 |

HARDY CHRYSANTHEMUMS

In the early Fall these hardy plants burst forth in a profusion of bloom, in colors which seem to catch the most delicate tints and shades of bronzing leaf and gorgeous Autumn sunset, while some foretell the purest white of coming snow, and pink of purpling shadows.

Planted in the hardy garden, border or lawn at edge of shrubbery, they will yield a wealth of bright flowers in late Autumn, and fill the house with cut flowers.

CHRYSANTHEMUM leucanthemum alaska (Shasta
Daisies). Large, white. All Summer. 2 ft. Per 10 Per 100
\$2 50 \$15 00

C. articum (Arctic Daisy). Pure white flowers.
September and October. 8 to 10 in. 2 50 15 00

C. coccinea roseum (Pyrethrum). Painted Lady.
June. 1½ ft. 2 50 20 00

C. uliginosum. White. September. 2½ to 3½ ft. 2 50 15 00

EARLY FLOWERING CHRYSANTHEMUMS

35c each; \$2.50 per 10; \$20.00 per 100

| | |
|--------------------------------|--|
| Evelyn . Bronze. | Excelsior . Yellow. |
| Gypsy Girl . Crimson. | Jessie Patterson . Rose. |
| Mrs. C. Coolidge . Red. | Mrs. J. W. Martin . Strawberry. |
| October Girl . Pink. | Euth Hatton . Ivory white. |
| Wolverine . Yellow. | |

POMPOM AND BUTTON

35c each; \$2.50 per 10; \$20.00 per 100

Bronze Doty. Bronze (Pompom).
Fireball. Crimson (Pompom).
Snow Cloud. White (Pompom).
Thyra. Pink (Pompom).
Irene. White (Button).
Little Dot. Bronze (Button).
Red Flare. Orange red (Button).

NEW KOREAN CHRYSANTHEMUMS

\$4.50 per 10

Hardy, single flowers, of exquisite charm.

Apollo. Bronze, yellow center.
Ceres. Chamois yellow and coppery shades.
Daphne. Daphne pink.
Diana. Lilac rose.
Mars. Deep amaranth red.

CIMICIFUGA racemosa (Cohosh Bugbane). July Per 10 Per 100
and August. Pure white. 4 to 5 ft. \$2 50 \$20 00

CLEMATIS davidiana (Shrub Clematis). Laven-
der blue. August and September. 2 to 3 ft. 3 50 25 00

C. crispa (Curly Clematis). June to September.
Lavender. 3 to 4 ft. 3 50 25 00

C. recta. June and July. White flowers in clus-
ters on long stems. 3 ft. 3 50 25 00

| | | |
|--|------------------|--------------------|
| CONVALLARIA majalis (Lily-of-the-Valley). May and June. White. 6 to 9 in..... | Per 10 \$3 50 | Per 100 \$30 00 |
| COREOPSIS lanceolata (Tickseed). June to October. Golden yellow. 2 ft. | 2 00 | 15 00 |
| CRUCIANELLA stylosa (Crosswort). June to September. Pink. 6 in. | 3 50 | 25 00 |
| DELPHINIUM belladonna (Larkspur). June to October. Turquoise blue. 2 to 3 ft..... | 2 00 | 15 00 |
| D. bellamosum . Dark blue. June. 2 to 3 ft. | 2 00 | 15 00 |
| D. chinense white and blue (Larkspur). July to September. 1½ ft. | 2 00 | 15 00 |
| D. de Luxe hybrids . June and July. Pale lavenders to deep blue; in mixed colors only | 5 00 | 35 00 |
| D. English Hybrids . June and July. Mixed | 5 00 | 35 00 |
| D. Gold Medal Hybrids . June and July. Pale lavenders to deep blue; in mixed colors only | 5 00 | 35 00 |
| D. Sutton's English Hybrids | 10 00 | 75 00 |
| D. Wrexham Hybrids . June and July. English Hollyhock strain | 10 00 | 75 00 |
| DIANTHUS alpinus allwoodii . Best of all rock pinks, glossy foliage, flowers rose and pink on short stems in July and August..... | 3 50 | 25 00 |
| D. barbatus, var. (Newport Pink). Salmon rose pink. May and June. 2 ft..... | 2 50 | 15 00 |
| D. barbatus . Deep maroon. May and June. 2 ft. | 2 50 | 15 00 |
| D. barbatus (Pink Beauty). May and June. 2 ft. | 2 50 | 15 00 |
| D. barbatus compacta alba . May and June. 1 ft. | 2 50 | 15 00 |
| D. Beatrix . May and June. Fragrant light salmon pink. New | 3 50 | 25 00 |
| D. deltoides brilliant (Maiden Pink). June and July. Pink. Creeping. 8 in. | 2 50 | 15 00 |
| D. plumaris fl. pl. (Hardy Pinks). Double flowers. White, pink. 1 ft. | 2 50 | 20 00 |
| DICENTRA eximia (Fringed Bleeding Heart). Flowers of deep rose—all Summer; excellent for shade. 1 ft. | 3 50 | 30 00 |
| D. spectabilis (Bleeding Heart). Deep rose. April to June. 1½ ft. | 4 50 | 35 00 |
| DICTAMNUS fraxinella (Gasplant). Rosy purple. June. 2 to 3 ft. | 3 00 | 25 00 |
| D. fraxinella alba . June, 2 to 3 ft. | 3 00 | 25 00 |
| DIGITALIS ambigua (Yellow Foxglove). June and July. 2 to 3 ft. | 2 50 | 18 00 |
| D. GIANT SHIRLEY . The most vigorous of the Hollyhocks. Flower heads 3 to 4 ft., in colors from white to deep rose | 2 50 | 18 00 |
| D. lanata (Grecian Foxglove). Grayish yellow. July. 2 to 3 ft. | 2 50 | 18 00 |
| D. purpurea (Common Foxglove). June and July. Mixed colors. 4 to 5 ft. | 2 50 | 18 00 |




A SPANISH GARDEN.

ANDORRA LANDSCAPE DEPT.

| | | |
|--|------------------|--------------------|
| DORONICUM austriacum (Austrian Leopardbane). Yellow. April. 2 ft. | Per 10 \$2 50 | Per 100 \$20 00 |
| D. caucasicum (Showy Leopardbane). Early April. Bright yellow daisy-like bloom. Excellent for cutting. 2 ft. | 2 50 | 20 00 |
| D. c. excelsum. Yellow April and May. 2 ft. .. | 2 50 | 20 00 |
| EPIMEDIUM coccineum (Scarlet). May. 6 in. .. | 4 50 | 40 00 |
| E. lilacea (Barrenwort). Lilac. May. 1 ft. | 4 50 | 40 00 |
| E. macranthum. Double white. May. 6 in. | 4 50 | 40 00 |
| E. sulphurium. Pale yellow. May, 6 in. | 4 50 | 40 00 |
| ERYNGIUM amethystina (Sea Holly). July; amethyst blue. 2 to 3 ft. | 2 50 | 20 00 |
| EUPATORIUM ageratoides (Snow Thoroughwort). White. August and September. 3 to 4 ft. | 2 00 | 15 00 |
| E. coelestinum. Bluish purple. August to October. 1½ to 2 ft. | 2 00 | 15 00 |
| EUPHORBIA corollata (Spurge). Pure white. June to August. 18 in. | 2 50 | 18 00 |
| FILIPENDULA hexapetola fl pl., spirea filipendula fl. pl. White. June and July | 3 50 | 25 00 |
| F. palmata. Pink. July. 2 to 3 ft. | 3 50 | 25 00 |
| F. ulmaria fl pl. White. June and July. 4 ft. .. | 3 50 | 25 00 |

| | | |
|--|------------------|--------------------|
| GAILLARDIA grandiflora (Blanket Flower). May to November. Yellow and red. 6 in. | Per 10 \$2 00 | Per 100 \$15 00 |
| GERANIUM sanguineum (Cranesbill). May to July. Rosy purple. 1½ ft. | 2 50 | 18 00 |
| GEUM chiloense (Avens) Mrs. Bradshaw . Immense double flowers; bright scarlet; superb for cutting. June. 18 in. | 2 50 | 20 00 |
| G. Lady Stratheden . Yellow. June to September. 2 ft. | 2 50 | 20 00 |
| GYPHOPHILLA (Bristol Fairy). Double. White. June and July. 2½ ft. | 4 50 | |
| G. paniculata Ehrli . White; double. July and August. 2½ ft. | 4 50 | |
| G. paniculata (Baby's Breath). White. June and July. 2 ft. | 2 50 | 15 00 |
| G. paniculata fl. pl. Double; white. June and July. 2 ft. | 4 50 | |
| G. repens . White; trailing. June and July | 2 50 | 15 00 |
| G. repens rosea . Pink; trailing. June and July. | 2 50 | 15 00 |
| HELENIUM autumnali rubrum (Sneezeweed). August and September. Bright terra cotta red. 3 to 4 ft. | 2 50 | 20 00 |
| H. autumnali superbum . September. Yellow. 4 ft. | 2 50 | 20 00 |
| H. hoopesi (Sneezewort). Orange-yellow. June. 2 to 3 ft. | 2 50 | 20 00 |
| H. Riverton Beauty . Rich lemon yellow. August and September. 4 ft. | 2 50 | 20 00 |
| H. Riverton Gem . August and September. Deep yellow to red. 3½ ft. | 2 50 | 20 00 |
| HELIANTHEMUM mutabile (Sun Rose). Light rose to lilac—to white. June and July. 6 to 12 in. | 2 50 | 20 00 |
| var. Buttercup . Golden yellow. Single. | | |
| var. Fireball . Fiery red. Double. | | |
| var. Rhodanthe carneum . Pink. Single. | | |
| HELIANTHUS maximiliani (Sunflower). September. Deep yellow. 6 to 8 ft. | 2 00 | 15 00 |
| H. mollis (Ashy Sunflower). September and October. Golden yellow. 4 ft. | 2 00 | 15 00 |
| HELIANTHUS scaberrimus (Woolly Dood). September. Deep yellow. 3 ft. | 2 00 | 15 00 |
| HELIOPSIS pitcheriana (Orange Sunflower). Yellow. July and August. 3 ft. | 2 00 | 15 00 |
| HELLEBORUS niger (Christmas Rose). January to March. White. 6 in. | 10 00 | |

| | | |
|--|------------------|--------------------|
| HEMEROCALLIS Dumortieri (Yellow Day Lily). May and June. Orange-yellow. 2 ft..... | Per 10 \$2 50 | Per 100 \$18 00 |
| H. flava (Yellow Day Lily). June. Yellow. 2 ft. | 2 00 | 15 00 |
| H. florham (Golden Day Lily). June and July. 3½ ft. | 2 00 | 15 00 |
| H. fulva (Tawny Day Lily). Orange-yellow. June and July. 4 to 5 ft. | 2 00 | 15 00 |
| H. kwanso (Double Orange Lily). July and August. Coppery yellow. 3½ ft. | 2 00 | 15 00 |
| H. thunbergi (Japanese Day Lily). June to August. Lemon-yellow. 2½ ft. | 2 50 | 18 00 |
| HESPERIS matronalis (Sweet Rocket). Scented white and pink flowers. May and June. 2 ft. | 2 50 | 18 00 |
| HEUCHERA Brizoides . May. Pale pink. 18 in. | 4 50 | 35 00 |
| HEUCHERA Rosamundi . June. Most desirable of coral pinks. 18 in. | 4 50 | 35 00 |
| HEUCHERA sanguinea (Alum Root). July. Coral red. 18 in. | 2 50 | 20 00 |
| H. sanguinea alba . July. 18 in. | 2 50 | 20 00 |
| HIBISCUS moscheutos (Rose Mallow). Mixed col- ors. 4 to 5 ft. | 3 50 | 25 00 |
| HOSTA (Funkia) fortunei (Day Lily). July and August. Blue. 1½ to 2 ft. | 2 50 | 20 00 |
| H. coerulea (Blue Plantainlily). Blue. July to August. 1 to 2 ft. | 2 50 | 20 00 |
| H. lanceolata (Lanceleaf Plantainlily). Lilac. Flowers in September. 2 ft. | 2 50 | 20 00 |
| H. subcordata, var. grandiflora (Niobe Plantain- lily). September. White. Fragrant. 2 ft. | 3 50 | 25 00 |
| H. undulata, var. media picta variegata . July and August. Lilac; variegated foliage. 1 ft. | 3 50 | 25 00 |
| HYPERICUM fragile (Aaron's Beard). Yellow- orange. July and August. 1 ft. | 5 00 | 40 00 |
| IBERIS gibraltarica . April, July. Pinkish laven- der. 6 in. | 3 00 | 20 00 |
| IBERIS sempervirens (Candytuft). April and May. White. 6 in. | 2 50 | 20 00 |
| INCARVILLEA delaveyi (Hardy Goxinea). Deep rose. June. 1½ to 2 ft. | 3 50 | 30 00 |
| INULA britannica (Flea Bane). July to Septem- ber. Light yellow. 2 ft. | 2 50 | 15 00 |



A JAPANESE IRIS GARDEN.

A Very Satisfactory Way to Utilize an Old Pond Bed or Bog

JAPANESE IRIS

IRIS KAEMPFERI

50c each; \$4.00 per 10 OF ONE VARIETY

\$35.00 per 100 in not less than 5 of a Variety

Of all the Iris family none equal the Japanese. The large blooms, carried well above the foliage, are gorgeous in their coloring.

(S) Single flowers. (D) Double flowers.

Blue Jay (S.)—Sky blue; distinct white lines.

Diana (D.)—French white, violet markings.

Dinah (D.)—Reddish purple, flaked with white.

Gold Bound (D.)—White.

Hannibal (D.)—White, veined with purple.

Mahogany (D.)—Deep velvety, mahogany red.

Mt. Hood (D.)—Deep blue.

Neptune (S.)—Rosy purple.

Oriole (D.)—Purple amaranth.

Prince Camille de Rohan (D.)—Deep rich dark blue.

Princess Clothilde (D.)—Ash gray blushed with purple.

Pyramid (D.)—Deep violet-purple, veined with white.

Red Riding Hood (S.)—Amaranth; white veinings.

Shadow (S.)—Deep purple.

Snow Bound (S.)—White.

Templeton (D.)—Six-petaled, violet-purple, marbled with white.

Zenobia (D.)—Light ground, suffused with reddish purple.

IRIS GERMANICA. STANDARD LIST

25c each; \$1.50 per 10 of one variety; \$10.00 per 100 in not less than 5 of a variety.

Bossuet. Tall; standard petals purplish bronze, fall petals purple.

Celeste. Beautiful satiny blue.

Clarissima. Standard petals pale yellow, fall petals deep purplish maroon.

Cordelia. Standard petals pale blue, fall petals rosy pink.

Delicata. Tall; standards yellow tinted, falls dashed with purple.

Edina. Clear satin blue, marked with dark blue.

Eytheria. Tall; a very light purple tinted variety; veined purple; very delicate.

Gazelle. Standard petals white, heavily frilled with clear blue; fall petals white, edged blue.

Hortense. Tall; light yellow, tinted with brown veins. One of the lightest varieties.

Hugh Block. Standards yellow, falls bronze.

La Tristesse. Standard petals dull yellow bronze; fall petals veined with maroon, dashed with purple.

Mad. Chereau. White, frilled, with border of clear blue.

Walneriana. Standard petals deep lavender blue, fall petals clear bright blue.

SELECT LIST OF GERMAN IRIS

50c each, \$4.50 per 10

ALCAZAR. Tall, fragrant; standards soft violet to orchid, falls rich velvety purple with white throat heavily veined bronze. Distinct and beautiful.

AMBASSADEUR. Light; standards deep lavender suffused with bronze, falls maroon with purplish cast. Unsurpassed in form and coloring.

APACHE. Medium; standards bright coppery red, falls dark crimson brown. Very distinct in coloring.

BALLERINE. Tall, fragrant, light. An exquisite light blue toned violet; free flowering.

DUKE OF BEDFORD. Tall; standards deep reddish violet, falls rich, velvety, blackish purple; free flowering.

LEUT A. WILLIAMSON. Tall; standards soft campanula violet, falls velvety pansy violet, with blending of yellow at throat.

LOHENGRIN. Tall. Self color Catleya rose.

LORD OF JUNE. Tall, fragrant; standards soft lavender blue, falls rich violet blue.

MARY BARNETT. Tall, fragrant. Soft shade of lavender blue; exquisite texture.

MILDRED PRESBY. Tall; late. A white bicolor with standards of creamy white and falls rich, dark, velvety pansy violet with a narrow lavender-white edging.

MOTHER OF PEARL. Tall; late. Iridescent Mother of Pearl coloring. White throat overlaid with gold.

QUEEN CATERINA. Tall, fragrant. Pale lavender violet with lights of pink tone, giving it an orchid coloring.

RHEIN NIXIE. Medium; standards white, falls velvety violet bordered with white.

SOUV. DE MME. GAUDICHAU. Tall, fragrant; largest, darkest and finest of the dark purple Iris. Falls strikingly brilliant velvety blackish purple.

WHITE KNIGHT. Medium, fragrant, snow-white with waxy texture.

IRIS SPECIES OF MERIT

50c each.

| IRIS cristata (Dwarf Crested Iris). April and May. | Per 10 | Per 100 |
|--|--------|---------|
| Light blue. 6 in. | \$2 50 | \$15 00 |
| I. pallida atrovioacea. May. Dark violet. 2 to 2½ ft. | 3 50 | 25 00 |
| I. pallida dalmatica. June. Light blue. 3 ft. ... | 3 50 | 25 00 |
| I. pallida Queen of May. May. Rosy lilac | 3 50 | 25 00 |
| I. pallida speciosa. June. Indigo-blue. 3 ft. ... | 3 50 | 25 00 |
| I. pseudacorus (Water Iris). June. Yellow. 2 to 3 ft. | 2 50 | 20 00 |
| I. pumila caerulea. Light blue. Early | 2 50 | 15 00 |
| I. pumila cyanea. Violet purple | 2 50 | 15 00 |
| I. pumila excelsa. Lemon yellow | 2 50 | 15 00 |
| I. pumila Schneekuppe. Pure white | 2 50 | 15 00 |
| I. siberica (Siberian Iris). May and June. Bright blue. 1½ ft. | 3 50 | 25 00 |
| I. siberica alba. May and June. White. 1½ ft. ... | 3 50 | 25 00 |
| I. siberica, var. orientalis. May. Deep blue. 1½ ft. | 2 50 | 20 00 |
| I. siberica, var. sanguinea. May. Red. 1½ ft. ... | 3 50 | 25 00 |
| I. siberica Snow Queen. May. White. 1½ ft. ... | 3 50 | 25 00 |
| I. tectorum (Roof Iris). Crested blue flowers ... | 2 50 | 20 00 |

| | | |
|--|------------------|--------------------|
| KNIPHOFIA Pfitzeri (Flame Flower). July to October. Orange-scarlet. 3 to 4 ft. | Per 10 \$2 50 | Per 100 \$18 00 |
| LAVENDULA vera (Lavender). July and August. 12 to 18 in. | 2 50 | 20 00 |
| L. spica (Spike Lavender). Lavender. July. 1½ to 2 ft. | 2 50 | 20 00 |
| LIATRIS pycnostachya (Kansas Gay Feather). Rosy purple. August and September. 4 to 5 ft. | 2 50 | 20 00 |
| LIMONIUM latifolium (Bigleaf Statice). August and September. Lavender. 1½ to 2 ft. | 3 50 | 25 00 |
| L. latifolium var. elegantissima. Blooms larger, flowers richer than latifolia | 3 50 | 25 00 |
| LINUM flavum. Yellow. Summer. 12-inch. fine variety | 2 50 | 20 00 |
| L. perenne (Flax). Blue. Summer. 18 in. | 2 00 | 15 00 |
| LOBELIA cardinalis (Cardinal Flower). August and September. Scarlet 2 to 3 ft. | 2 50 | 18 00 |
| L. syphilitica (Blue Lobelia) Blue. July to September. 1½ to 2 ft. | 2 50 | 18 00 |
| LYCHNIS coronaria (Rose Campion). June and July. Crimson. 1½ to 2 ft. | 2 50 | 18 00 |
| L. flos cuculi plenissima (Ragged Robin). Rose. June. 1½ ft. | 2 50 | 18 00 |
| L. haageana (Haage Campion). Scarlet and orange. June. 1½ ft. | 2 50 | 18 00 |
| L. vespertina alba plena. July 12 to 15 in. | 2 50 | 18 00 |
| LYSIMACHIA clethroides (Loosestrife). White. July. 15 to 18 in. | 2 00 | 15 00 |
| L. nummularia (Moneywort). Yellow; creeping. July | 2 00 | 15 00 |
| LYTHRUM roseum superbum (Purple Loosestrife). July to September. 3 to 4 ft. | 2 00 | 15 00 |
| L. salicaria (Spiked Loosestrife). Pink. July. 3 ft. | 2 00 | 15 00 |
| MATRICARIA var. Goldenball. June-August. Yellow. 15 in. New | 2 50 | 18 00 |
| MERTENSIA virginica (Blue Bells). Light blue, pink tipped. May. 18 to 24 in. | 2 50 | 15 00 |

| | | |
|---|----------------------|------------------------|
| MONARDA didyma var. Cambridge Scarlet. July. 2 to 3 ft. | Per 10 \$2 00 | Per 100 \$15 00 |
| M. didyma rosea. Rose. July and August. 2 to 3 ft. | 2 00 | 15 00 |
| MYOSOTIS alpestris, var. Victoria. May. Light blue. 6 to 9 in. | 2 00 | 15 00 |
| M. scorpioides "palustris" (Forget-me-not). May and June. Light blue. Spreading..... | 2 00 | 15 00 |
| NEPETA mussini (Ground Ivy). July and August. Dense tufts. Violet blue. 12 in. | 2 00 | 15 00 |
| NIEREMBERGIA rivularis (Trailing Cupflower). Large creamy-white cup-shaped flowers. June till September. 8 in. | 2 50 | 20 00 |
| OENOTHERA fraseri. Yellow. June. 1½ ft. ... | 2 50 | 18 00 |
| O. fruticosa major (Bush Sundrops). Yellow. July. 15 to 18 in. | 2 50 | 18 00 |
| O. fruticosa, var. youngi (Young's Primrose). June. Lemon yellow. 1½ to 2 ft. | 2 50 | 18 00 |
| O. missouriensis (Ozark Sundrops). June and July. Yellow. 1 ft. | 2 50 | 18 00 |
| O. speciosa (White Primrose). June. 1½ ft. .. | 2 50 | 18 00 |
| PACHYSANDRA terminalis (Japanese Spurge). Evergreen. May and June. White. Field grown.....\$50 00 per 1000 2½-in. pots. Heavy 100 00 per 1000 3 -in. pots. Heavy 125 00 per 1000 | 1 50 2 00 3 50 | 7 50 15 00 20 00 |
| PAPAVER nudicaule (Iceland Poppy). Scarlet, white, yellow. May to August. 1 ft. | 2 00 | 15 00 |
| P. orientalis (Oriental Poppy). Red. June and July. 2 to 3 ft. | 2 50 | 18 00 |
| P. orientalis. Mrs. Perry. Salmon-rose. June and July. 2 to 3 ft. | 2 50 | 18 00 |
| PENTSTEMON barbatus torreyi (Beard Tongue). June and July. Scarlet. 2 to 3 ft. | 2 00 | 15 00 |
| P. laevigatus, var. digitalis (Beard Tongue). White. June and July. 2 to 3 ft. | 2 00 | 15 00 |
| P. ovatus (Egg Leaf Pentstemon). Blue. June. and July. 2 to 3 ft. | 2 00 | 15 00 |

PAEONIA—PEONIES

PRICES. 75c each, \$5.00 per 10 of one variety. \$35.00 per 100 in not less than 10 of a variety.

DOUBLE PEONIES

- Red. **ARMANDIN MECHIN.** Large flowers; red flushed with bright garnet.
- Red. **ATROSANGUINEA (Calot 1858).** Purplish scarlet, shaded with blackish violet; large semi-double bloom, showing golden stamens.
- Red. **BARRYMORE (Kelway).** Deep cherry-red.
- Violet. **BOSSUET.** Brilliant violet-rose.
- Carmine. **CHARLES VERDIER.** Carmine flushed with bright violet; lilac reflex; full bloom, bright and handsome; dwarf habit, free bloomer, late and fragrant.
- White. **COURONNE D'OR (Calot 1873).** Fine white with yellow reflex, center petals sometimes bordered with carmine; the center showing a circle or crown of golden stamens; large imbricated, ball-shaped bloom.
- Rose. **DUC DE CAZES.** Deep salmon rose.
- White. **DUCHESS DE NEMOURS (Calot).** Sulphur-white; good in bud; late.
- White. **FESTIVA MAXIMA (Mieliez 1851).** Pure snow-white, shading to creamy white at base of petal, some petals flaked with crimson-purple. Blooms extra large, of shell shape, with broad petals. Early and fragrant. A variety of robust habit.
- Rose. **LADY BRAMWELL (Kelway).** Silvery rose. Bloom of good size and substance, free bloomer and fragrant. Early.
- Rose. **LOUIS D'ESTREE.** Deep rose-pink, fragrant.
- Cherry. **LOUIS VAN HOUTTE (Calot 1867).** Bright purplish cherry-red; large, full globular bloom; fragrant; late.
- White. **MARION DELORNE.** White, tinted flesh pink.
- Pink. **MARIE HOUILLON (Calot 1869).** Large satiny rose-pink. Very good bloom. Late.
- Rose. **MME. CABOT (Meillez).** Shaded rose, buff centre.
- Pink. **MME. CHAUMY (Calot 1864).** Soft satiny rose-pink, shaded with bright rose, clearer color on border of petals; center flesh. Late; fragrant.
- Pink. **MME. COSTE (Calot 1873).** Guard petals soft shell-pink, center tinted with glossy sulphur-white, sometimes with crimson stain, tufted.
- Rose. **MME. DUCCEL (Mechin).** Salmon-rose; dwarf.

| | |
|-----------|--|
| Carmine. | MODESTE GUERIN (Guerin 1845). Rosy carmine, purple tinted towards the center. A large, full globular bloom; fragrant. Early. |
| Scarlet. | PRINCE IMPERIAL (Calot). Brilliant purplish-scarlet. |
| Rose. | ROSE QUINTAL (Calot 1857). Transparent carmine-rose, with salmon tintings; dwarf. |
| Rose. | SATURNALIA (Origin unknown). Lilac-rose, with silvery reflex; enormous flower of fine form. |
| Rose. | SOSTHENES (Kelway). Light rose edged with white. |
| Crimson. | SURPASSE POTTSI (Foulard). Rich purplish crimson. |
| White. | SULPHUREA (Lemon). Sulphur white, delicately tinted. Dwarf. |
| Tricolor. | TRICOLOR GRANDIFLORA (Buyck 1843). Pink center, intermixed with salmon and pink. A high-built bloom; very fragrant. Free-flowering habit; late. |
| Violet. | VIOLACEA (Verdier 1856). Deep purple-violet; blooms large and full; distinct color. |

SINGLE PEONIES

The single varieties have been much neglected in favor of the double sorts, but this should not be, as they are quite as showy, and as single specimens or for massing in the shrubberies they are unexcelled. The blooms, from 6 to 8 inches in diameter, are held well above the foliage on stems sufficiently strong to hold them erect, even after heavy rains, when the double varieties droop to the ground. The flowers are of delicate texture and coloring, and if cut when in the bud, open well in the house and are quite dainty and desirable, especially for table decoration. All have prominent golden stamens.

| | | |
|----------|--|-------------|
| Pink. | AMIABLE. Delicate rose pink..... | Each \$1 00 |
| Rose. | JOSEPHINE. Bright rose; large loose flowers, with broad petals. A strong grower..... | 1 00 |
| Crimson. | LUCRINUS. Medium-sized flowers of rich crimson. Tall..... | 75 |
| Crimson. | MARDONIUS. Bright crimson blooms of round form; very bright coloring. A dwarf, compact grower. | 75 |
| Lilac. | MEDUSA. Rosy lilac..... | 75 |

OTHER SPECIES OF PEONIES

| | |
|--|------|
| Officinalis rubra plena. This is the very early deep crimson double variety that is so generally used by florists for cut-flowers in early April. It is the third species to bloom... | 1 00 |
| Tenuifolia plena. This is the double form of tenuifolia . The bloom is of the same color, but the compactness of the bloom makes the color seem much deeper..... | 1 00 |

PHLOX

PHLOX PANICULATA—HYBRID PERENNIAL PHLOX

A succession of flowers of greatest beauty from early July until frost, in softest tones of pink and rose, salmon, mauve and silvery white in great paniced blooms, will brighten the hardy border of mixed varieties of Phlox. Easy of culture, and perfectly hardy, the plants can be used at the edge of shrub border or in the garden, spaced about eighteen inches apart.

THE FOLLOWING CHOICE VARIETIES

25c each; \$2.00 per 10 of a variety; \$15.00 per 100, not less than 5 of a variety at the 10 rate

- Beacon.** Cherry red.
- B. Comte.** Tall; medium. Intense rich purplish crimson.
- Champs-Elysees.** Medium; early. Intense rich purple-crimson.
- Eclaireur.** Tall; early. Crimson-purple, rosy white center.
- Elizabeth Campbell.** Salmon-pink, light shadings, dark eye.
- Europea.** Medium. White with red edge.
- Evelyn.** Rich salmon rose.
- Frau Buchner.** Dwarf. Pure white.
- Girondin.** Medium; early. Dark carmine-rose, shading blush to the center.
- Henri Murger.** Medium. Large, pure white, large carmine center.
- Independence.** Tall; early. Pure white, large flowers.
- La Vague.** Medium; early. Silvery rose.
- Miss Lingard.** Tall; early. Fine, free-flowering, white.
- Miss Verboom.** This is the rose-pink **Miss Lingard**. June.
- Mrs. Jenkins.** Tall; white.
- Peach Blow.** Delicate pink, rose center.
- Prof. Virchow.** Medium. Carmine, overlaid with orange-scarlet.
- Rynstrom.** Medium. Carmine rose.
- R. P. Struthers.** Tall; early. Bright salmon, crimson eye.
- Thor.** Medium. Deep salmon pink, with scarlet glow. Aniline red eye.
- Widar.** Dwarf. Reddish-violet. White center.

| | | |
|---|------------------|--------------------|
| PHLOX amoena (Amoena Phlox). June. Bright pink. 3 to 4 in..... | Per 10 \$2 00 | Per 100 \$15 00 |
| P. ovata-caroliniana. Rosy red. May. 8 to 12 in. | 3 00 | 20 00 |
| P. divaricata (Wild Sweet William). May and June. Lavender. 8 to 10 in. | 2 50 | 15 00 |
| P. divaricata laphami. May and June. Blue. 12 in., improved var. | 3 00 | 20 00 |

| | | |
|--|------------------|--------------------|
| PHLOX subulata alba. April and May. White. Creeping | Per 10 \$2 00 | Per 100 \$15 00 |
| P. subulata Fairy (Moss Phlox). Pale blue with dark purple eye. Creeping. April and May.. | 2 00 | 15 00 |
| P. subulata. F. G. Wilson. Blue-purple. April and May. Creeping. | 2 00 | 15 00 |
| P. subulata lilacina. Lilac. April and May. Creeping | 2 00 | 15 00 |
| P. subulata rosea (Mountain Pink). April and May. Rose. Creeping | 2 00 | 15 00 |
| P. subulata Vivid. Bright salmon pink. April and May. Creeping | 2 50 | 15 00 |
| PHYSOSTEGIA grandiflora (False Dragonhead). Mid-Summer. Mauve. 1½ to 2 ft..... | 2 00 | 15 00 |
| P. virginiana (False Dragonhead). August. Deep rose. 3 ft. | 2 00 | 15 00 |
| P. virginiana alba. August. 3 ft. | 2 00 | 15 00 |
| PLATYCODON grandiflorum (Balloon Flower). June to October. Blue. 1½ ft. | 2 00 | 15 00 |
| P. grandiflorum album. White. June to October. 1½ ft. | 2 00 | 15 00 |
| P. mariesi (Marie's Balloon Flower). Deep blue. June to October. 1 ft. | 2 50 | 18 00 |
| POLEMONIUM cœruleum (Jacob's Ladder). Blue. May and June. 1½ to 2 ft. | 2 50 | 20 00 |
| P. cœruleum album. White. May and June. 1½ to 2 ft. | 2 50 | 20 00 |
| PRIMULA veris Invincible (Cowslip). May. Yellow. 1 ft..... | 2 50 | 20 00 |
| PYRETHRUM—See CHRYSANTHEMUM. | | |
| RANUNCULUS acris fl. pl. (Yellow Bachelor's Buttons). May. 2 ft. | 2 00 | 18 00 |
| RUDBECKIA laciniata (Golden Glow). July to gust to September. 3 to 4 ft. | 2 50 | 18 00 |
| R. newmani "speciosa" (Showy Coneflower). Dark orange-yellow flowers. July to September. 3 ft. | 2 00 | 15 00 |
| R. nitida (Autumn Sun). Pale yellow. August and September. 5 to 6 ft. | 2 00 | 15 00 |
| R. purpurea (Purple Coneflower). Purple. July to October. 3 ft. | 2 00 | 15 00 |
| R. triloba Yellow, black cone. September. 3 to 4 ft. | 2 00 | 15 00 |

| | | |
|--|------------------|--------------------|
| SALVIA azurea (Azure Salvia). Sky blue. August to September. 3 to 4 ft. | Per 10 \$2 50 | Per 100 \$18 00 |
| S. farinacea . Pale blue. All Summer. 2 ft. ... | 2 50 | 18 00 |
| S. pitcheri " azurea grandiflora " (Great Azure Salvia). August and September. Rich gentian blue. 3 to 4 ft..... | 2 50 | 18 00 |
| S. pratensis (Meadow Sage). Deep blue. June and July. 2 ft. | 2 50 | 18 00 |
| SANTOLINA incana (Lavender Cotton). Deep yellow. July. 1 ft..... | 2 00 | 15 00 |
| SAPONARIA ocymoides (Rock Soapwort). Bright crimson flowers. May to July. 4 in. | 2 00 | 15 00 |
| SCABIOSA caucasica (Caucasian Scabiosa). Lavender. June to September. 1½ to 2 ft..... | 2 50 | 20 00 |
| S. japonica (Japanese Scabiosa). Lavender blue. July to September. 2 ft. | 2 50 | 20 00 |
| SEDUM acre (Golden Moss). Yellow. May and June. Spreading | 2 50 | 18 00 |
| S. album (Stonecrop). White. May to July. 6 in. | 2 50 | 18 00 |
| S. kamschaticum (Orange Sedum). Prostrate growth. Orange-yellow flowers. July and August | 2 50 | 18 00 |
| S. sarmentosum (Stringy Sedum). Yellow-orange. May to July. Trailing..... | 2 50 | 18 00 |
| S. sexangulare (Hexagon Stonecrop). Yellow. June. Creeping | 2 50 | 18 00 |
| S. sieboldi (Siebold's Sedum). Pink. August and September. 6 to 8 in. | 2 50 | 18 00 |
| S. spectabile (Showy Sedum). Rose. July to October. 12 to 15 in. | 2 50 | 18 00 |
| S. stoloniferum (Running Sedum). Pink flowers. June. 6 in. | 2 50 | 18 00 |
| S. telephoides (Wild Orpine). Pink. July and August. 1 ft. | 2 50 | 18 00 |
| SEMPERVIVUM (Houseleek). For September bloom in the Rockery or Wall garden it is one of the most effective plants that can be used. Our offering is unusual as to varieties. Potted plants in varieties: arenarium, arachnoideum, glaucum, globiferum | 2 50 | 18 00 |
| SIDALCEA nimmerdof (Scarlet Beauty). Brilliant pink | 3 50 | 20 00 |
| STACHYS lanata (Woolly Betony). Pink. July. 1 ft. | 2 00 | 15 00 |



| | | |
|--|------------------|--------------------|
| STATICE armeria laucheana (Thrift). May and June. Rosy red. Free flowering. 9 in..... | Per 10 \$2 00 | Per 100 \$15 00 |
| S. elegantissima . Blooms larger, flowers richer color than latifolia . 1½ to 2 ft. | 2 75 | 18 00 |
| S. latifolia —See Limonium . | | |
| S. maritima , var. splendens (Thrift). Summer. Rose. 9 in. | 2 00 | 15 00 |
| S. pseudo armeria (False Thrift). Rosy pink. All Summer. 9 in. | 2 00 | 15 00 |
| STOKESIA laevis (cyanea) (Stokesia). July and August. Lavender and white. 1½ ft. | 2 00 | 15 00 |
| THALICTRUM adiantifolium (Maidenhair Meadowrue). Yellow. June. 18 in. | 2 50 | 20 00 |
| T. aquilegifolia (Meadowrue). White. June to July. 3 ft. | 2 50 | 20 00 |
| T. dipterocarpum (Yunnan Meadowrue). Lilac. August and September. 4 ft. | 2 50 | 20 00 |
| T. glaucum (Dusty Meadowrue). Yellow. June and July. 2 to 3 ft. | 2 50 | 20 00 |
| T. polygamum (Tall Meadowrue). White. June. 3 to 4 ft. | 2 50 | 20 00 |
| THERMOPSIS carolina (Carolina Thermopsis). Yellow. June. 3 to 4 ft. | 2 50 | 18 00 |
| THYMUS citriodora (Lemon Thyme). White. June and July. 2 ft. | 2 50 | 20 00 |
| T. languinosum (Wolly-leaved Thyme). Bright pink. 5 in. | 2 50 | 20 00 |
| T. serpyllum . Fragrant foliage. 6 to 10 in.... | 2 50 | |

| | | |
|--|------------------|--------------------|
| TRADESCANTIA virginiana (Spiderwort). June to October. Blue. 2 ft..... | Per 10 \$2 00 | Per 100 \$15 00 |
| TRILLIUM erectum (Wake Robin). Purple. April and May. 9 to 12 in. | 1 50 | 10 00 |
| T. grandiflorum (Woods Lily). White. April and May. 12 to 18 in. | 1 50 | 10 00 |
| TROLLIUS europaeus (Globe Flower). Bright yellow. April to June. 1 to 2 ft. | 3 00 | 25 00 |
| T. orange globe. Large flowers. May and June. 18 in. Excellent for cutting | 3 00 | 25 00 |
| TUNICA saxifraga (Tunica Flower). All summer. Light pink. 6 to 8 in. | 2 00 | 15 00 |
| VALERIANA coccinea (Valerian). Showy red blossoms. June to October. 2 ft. | 2 00 | 15 00 |
| VERBENA venosa (Tuber Verbena). Bluish purple. All Summer. 1 ft. | 3 00 | 20 00 |
| VERONICA longifolia rosea (Speedwell). Rose. July. 1½ to 2 ft. | 2 50 | 18 00 |
| V. longifolia subsessilis. Deep blue. August and September. 1½ to 2 ft. | 2 50 | 18 00 |
| V. repens (Creeping Speedwell). Light blue. May. Creeping; for rock work | 2 50 | 18 00 |
| V. rupestris (Rock Speedwell). May. Bright blue. 3 to 4 in. Spreading | 2 50 | 18 00 |
| V. spicata (Spike Speedwell). June and July. Bright blue. 1½ ft. | 2 50 | 18 00 |
| V. spicata alba. June and July. White. 1 ft. ... | 2 50 | 18 00 |
| V. spicata rosea. Delicate pink. June and July. 1½ ft. | 2 50 | 18 00 |
| VINCA minor (Periwinkle). May. Bright blue. Spreading. A most useful cover plant, especially for shaded positions | 2 50 | 15 00 |
| VIOLA Jersey Gem. Pure violet. May to end of season | 2 50 | 15 00 |
| V. lutea. Rich golden yellow. All season. 4 in. | 2 50 | 15 00 |
| V. lutea splendens. Rich golden yellow. All season. 4 in. | 2 50 | 15 00 |
| V. Perfection. Light blue. All season. 4 in. ... | 2 50 | 15 00 |

HARDY FERNS

50c each; \$3.50 per 10; \$25.00 per 100

in not less than 5 of a variety

ADIANTUM pedatum (Maidenhair Fern). The most graceful of our Ferns, attaining a height of from 12 to 18 inches in moist, shady locations. It requires a well drained situation. Plant about an inch below the surface of the ground.

ASPIDIUM acrostichoides (Christmas Fern). An evergreen species about a foot high, with deep green fronds. Easily grown in shade, in good garden soil well drained. Plant with the new crowns or buds just at the surface.

A. aculeatum braunii (Prickly Shield Fern). A rare Fern with light, glossy green foliage and when grown in very rich soil attains a height of 12 to 15 inches. It is spreading in its habit, similar to the Christmas Fern. Plant with the new crowns just above the surface.

A. cristatum (Crested Wood Fern). For rather wet places, attaining a height of about a foot. Fine for lining walks in moist situations or planting in colonies in shade. Set the crown just above the surface.

A. marginale (Evergreen Wood Fern). Evergreen. Dark green fronds which are rather stiff in appearance. Used for ground-covers under shrubbery. Plant the crowns just above the surface.

A. noveboracense (Shield Fern). A slender Fern growing about a foot high. Fronds 3 to 4 inches wide. For moist, shady locations. Pale green foliage. Should be planted just below the surface of the ground.

ASPLENIUM filix-foemina (Lady Fern). Handsome Fern, 2 to 3 feet high, with finely cut foliage. For moist places in sun or shade, in good, rich soil.

CAMPTOSORUS rhizophyllus (Walking Leaf). For rocks where always shaded. Plant with plenty of leaf mold.

DICKSONIA punctilobula (Gossamer Fern). For either sun or shade. It propagates itself by underground root-stalks.

ONOCLEA sensibilis (Sensitive Fern). For wet places, or in moist soils in sunny locations or shaded spots. Height 1 foot.

OSMUNDA regalis (Flowering Fern). Pale green fronds. Will grow in still water, 2 to 3 inches deep, setting the crowns just above the water; also in moist soils, sun or shade. Grows 2 to 3 feet high.

PELLAEA atropurpurea (Purple Cliffbrake). Useful for wall planting. The roots cling to crevices in the stone. Fronds 4 to 12 inches long.

POLYPODIUM vulgare (Common Polypody). Evergreen. For rockwork. 4 to 10 inches high, forming dense mats. In planting, set the crown just beneath the soil.

PTERIS aquilina (Common Brake). For light, sandy soil or in thin woodlands, in either sun or shade.

WOODWARDIA angustifolia (Chain Fern). For moist garden soil, or rock-gardens. 12 inches high.

Sunoco Spray Oil

A heavy oil which readily gives a permanent and uniform emulsion when mixed with water. For all scale insects, mealy bugs, woolly aphids, mix at strength of one part oil to twenty parts of water (1 qt. to 5 gallons). This also kills the eggs and prevents Summer infestations of red spider, aphids and many other insects. January, February and March are favorable months for this treatment, but the late Fall, just after the leaves drop, is just as good. It is also used as a Summer spray and as a spreader for Bordeaux, lead arsenate or nicotine sulphate. Do not use with lime sulphur.

| | | |
|-----------------------|---|----------------|
| 1 gallon cans | @ | \$1.50 |
| 5 gallon cans | @ | 5.75 |
| 15 gallon drums | @ | .70 per gallon |
| 30 gallon drums | @ | .60 per gallon |
| 50 gallon drums | @ | .50 per gallon |

ARSENATE OF LEAD. A thorough protection against JAPANESE BEETLES. One thorough spraying will protect the foliage during the Beetle season. Should be used with sticker. Use at the rate of four (4) pounds to fifty (50) gallons of water, or, six (6) ounces to five (5) gallons.

| | | |
|-------------------------|---|--------|
| 1 4-pound package | @ | \$1.00 |
| 24 pounds | @ | 4.50 |
| 100 pounds | @ | 17.00 |

FERTILIZERS

C. P. O. LIQUID SOAP. For use with contact insecticides for control of many forms of aphids (plant lice) and other soft-bodied sucking insects.

| | | |
|-----------------------|---|--------|
| 1 quart cans | @ | \$1.00 |
| 1 gallon cans | @ | 2.50 |
| 10 gallon drums | @ | 10.00 |

PEAT (Holland Peat). This is very finely ground. Excellent for potted plants or for Azaleas, Rhododendrons and similar plants.

The brand we offer is the same that we use for our own plants, and we believe is the best for plant growth.

Do not confuse Holland with German Peat.

| | | |
|----------------|---|---------------|
| Per bale | @ | \$4.00 |
| 5 bales | @ | 3.50 per bale |
| 10 bales | @ | 3.00 per bale |

Car load lots price on application.

FINE GROUND RAW BONE. For lawns apply 1000 lbs. per acre. Bag of 200 lbs.@ \$7.00
Per ton (2000 lbs.)@ 57.50

F. & I. TOBACCO. Fine ground, excellent as a grass fertilizer. Bag of 100 lbs.@ \$4.50
Per ton (2000 lbs.)@ 45.00

"DAVEY" TREE FOOD. A well balanced fertilizer for trees, shrubs. 50 lb. bag@ \$5.00

SHEEP MANURE, PULVERIZED. For lawns, Perennials and garden flowers, an excellent fertilizer.

| | | | |
|---------------|--------|----------------|--------|
| 25 lbs.@ | \$1.25 | 100 lbs.@ | \$3.50 |
| 50 lbs.@ | 2.00 | Per ton@ | 55.00 |

DEPARTMENTS

| | PAGE | | PAGE |
|---------------------------------|------|-------------------------|------|
| General Instructions and Terms. | 4 | Roses | 103 |
| Evergreen Trees | 7 | Herbaceous Plants | 105 |
| Evergreen Shrubs | 30 | Ferns | 126 |
| Deciduous Trees | 43 | Insecticides | 127 |
| Deciduous Shrubs | 71 | Fertilizers | 127 |
| Vines and Climbing Plants..... | 98 | | |

| A | PAGE |
|-----------------------|---------------------|
| Aaron's Beard | 113 |
| Abelia | 71 |
| Abies | 7 |
| Acanthopanax | 71 |
| Acer | 43 |
| Achillea | 105 |
| Aconitum | 105 |
| Actinidia | 98 |
| Adam's Needle | 42 |
| Adiantum | 126 |
| Adonis | 106 |
| Aesculus | 46-71 |
| Ailanthus | 46 |
| Ajuga | 106 |
| Akebia | 98 |
| Almond, Flowering.. | 72 |
| Althaea (see also Hi- | biscus)S1-106 |
| Alum Root | 113 |
| Alyssum | 106 |
| Amelanchier | 71 |
| Ampelopsis | 98 |
| Amur Maple | 43 |
| Amygdalus | 72 |
| Anchusa | 106 |
| Andromeda | 38-61 |
| Anemone | 106 |
| Anthemis | 106 |
| Apples, Flowering . | 59 |
| Aquilegia | 106 |
| Arabis | 107 |
| Aralia | 46 |
| Arborvitae | 25 |
| Arenaria | 107 |
| Aristolochia | 98 |
| Armeria | 125 |
| Aronia | 72 |
| Arrow-Wood | 94 |
| Artemesia | 107 |
| Aselepias | 107 |
| Ash | 54 |
| Asplenium | 126 |
| Asspidium | 126 |
| Aster | 107 |
| Astilbe | 107 |
| Anbretia | 107 |
| Azalea | 30, 72 |
| B | |
| Babysbreath | 112 |
| Bachelor's Button... | 122 |
| Bald Cypress | 66 |
| Balloonflower | 122 |
| Baptisa | 107 |
| Barberry | 32, 74 |
| Barrenwort | 111 |
| Bayberry | 86 |
| Beach Plum | 88 |
| Beard Tongue | 118 |
| C | |
| Beauty Berry | 75 |
| Beauty Bush | 84 |
| Beech | 53 |
| Bell Flower | 108 |
| Bellis | 107 |
| Benzoin | 74 |
| Berberis | 32, 74 |
| Betony | 123 |
| Betula | 47 |
| Bignonia | 98 |
| Birch | 47 |
| Bittersweet | 99 |
| Black Haw | 95 |
| Blanket Flower..... | 112 |
| Bleeding Heart..... | 110 |
| Blue Bells..... | 117 |
| Blue Berry..... | 94 |
| Bocconia | 108 |
| Boltonia | 108 |
| Boston Ivy..... | 98 |
| Boxwood | 34 |
| Brake Fern..... | 126 |
| Bridal Wreath..... | 90 |
| Buckthorn | S2-S8 |
| Buddleia | 75 |
| Bugbane | 109 |
| Bugle | 106 |
| Bugloss | 106 |
| Bush Cranberry ... | 95 |
| Bush Honeysuckle. | 78-85 |
| Butterfly Bush..... | 75 |
| Butterfly Weed.... | 107 |
| Button Bush..... | 75 |
| Buttonwood | 62 |
| Buxus | 34 |
| D | |
| Callicarpa | 75 |
| Callirhoe | 108 |
| Calycanthus | 75 |
| Campanula | 108 |
| Camptosorus | 126 |
| Candytuft | 113 |
| Canterbury Bells... | 104 |
| Cardinal Flower.... | 117 |
| Carpinus | 47 |
| Caryopteris | 108 |
| Catalpa | 47 |
| Cedar | 7, 10-15 |
| Cedrus | 7 |
| Celastrus | 99 |
| Celtis | 47 |
| Centaurea | 108 |
| Cephalanthus | 75 |
| Cerastium | 108 |
| Cerasus | 47 |
| Ceratostigma | 108 |
| Cercidiphyllum | 48 |
| Cercis | 48-75 |
| Chain Fern | 126 |
| Chamaecyparis | 8 |
| Chamomile | 106 |
| Chaste Tree..... | 97 |
| Chelone | 108 |
| Cherry, Flowering.. | 47 |
| Chieranthus | 108 |
| Chionanthus | 75 |
| Chokeyberry | 72 |
| Christmas Berry.... | 88 |
| Christmas Fern.... | 126 |
| Christmas Rose.... | 112 |
| Chrysanthemum ... | 109 |
| Cimicifuga | 109 |
| Citrus | 76 |
| Cladrastis | 48 |
| Clematis | 99-109 |
| Clethra | 76 |
| Climbing Hydrangea. | 100 |
| Coffee Tree..... | 54 |
| Columbine | 106 |
| Comptonia | 76 |
| Cone Flower..... | 122 |
| Convallaria | 110 |
| Coral Berry..... | 91 |
| Coreopsis | 110 |
| Cork Tree..... | 62 |
| Cornelian Cherry.... | 76 |
| Cornus | 49-76 |
| Corylus | 77 |
| Cotoneaster | 35 |
| Coventry Bells..... | 108 |
| Cowslip | 122 |
| Crab Apple, Flower- | ing 59 |
| Cranberry Bush.... | 95 |
| Cranesbill | 112 |
| Crataegus | 33-35-51 |
| Crested Wood Fern. | 126 |
| Crosswort | 110 |
| Crucianella | 110 |
| Cryptomeria | 10 |
| Cup Flower..... | 118 |
| Cupressus | 8-66 |
| Cydonia | 77 |
| Cypress | 8, 66 |
| E | |
| Daisy | 107-109 |
| Daphne | 35 |
| Day Lily..... | 113 |
| Delphinium | 110 |
| Deutzia | 78 |
| Dianthus | 110 |
| Dicentra | 110 |
| Dicksonia | 126 |
| Dictamnus | 110 |
| Diervilla | 97 |
| Digitalis | 110 |

| | PAGE |
|-----------------|-------|
| Diospyros | 52 |
| Dogwood | 49-76 |
| Doronicum | 111 |

E

| | |
|---------------------------|----------|
| Elderberry | 89 |
| Eleagnus | 78 |
| Elm | 68 |
| Engelmann's Creeper | 98 |
| English Holly | 11 |
| English Ivy | 100 |
| Enkianthus | 35 |
| Epimedium | 111 |
| Eryngium | 111 |
| Euonymus | 35-79-99 |
| Eupatorium | 111 |
| Euphorbia | 111 |
| Evergreen Creeper | 99 |
| Evergreen Thorn | 35 |
| Evergreen Wood | |
| Fern | 126 |
| Exochorda | 79 |

F

| | |
|------------------------|-------|
| Fagus | 53 |
| False Chamomile | 108 |
| False Dragonhead | 122 |
| False Indigo | 107 |
| Fetterbush | 38 |
| Filbert | 77 |
| Fir | 7, 21 |
| Five Leaf Vine | 98 |
| Flag | 115 |
| Flame Flower | 117 |
| Flax | 117 |
| Flea Bane | 113 |
| Flowering Fern | 116 |
| Flowering Quince | 77 |
| Forget-Me-Not | 118 |
| Forsythia | 79 |
| Foxglove | 110 |
| Franklin Tree | 54 |
| Fraxinus | 54 |
| Funkia | 114 |

G

| | |
|------------------------|--------|
| Gaillardia | 112 |
| Gas Plant | 110 |
| Geranium | 112 |
| Geum | 112 |
| Ginkgo | 54 |
| Gleditschia | 54 |
| Globe Flower | 84-125 |
| Glossy Buckthorn | 88 |
| Gold Flower | 83 |
| Golden Bell | 79 |
| Golden Chain | 55 |
| Golden Glow | 122 |
| Golden Moss | 123 |
| Golden Tuft | 106 |
| Gordonia | 54 |
| Gossamer Fern | 126 |
| Ground Ivy | 118 |
| Gymnocladus | 54 |
| Gypsophilla | 112 |

H

| | |
|----------------------|-----|
| Hackberry | 47 |
| Halesia | 55 |
| Hamamelis | 81 |
| Hardy Gloxinia | 113 |
| Hardy Orange | 76 |
| Hardy Roses | 103 |
| Hawthorn | 52 |
| Hazel | 77 |
| Hedera | 100 |
| Helenium | 112 |
| Helianthemum | 112 |
| Helianthus | 112 |
| Heliopsis | 112 |
| Helleborus | 112 |
| Hemerocallis, or Day | |
| Lily | 113 |
| Hemlock | 29 |

| | PAGE |
|----------------------|-----------|
| Hesperis | 113 |
| Heuchera | 113 |
| Hibiscus | 81-113 |
| Hicora | 55 |
| Hickory | 55 |
| Hippophaea | 82 |
| Holly | 11, 36-84 |
| Holly Grape | 37 |
| Hollyhock (see also | |
| Althaea) | 106 |
| Honeysuckle | 85-100 |
| Hop Tree | 88 |
| Hornbeam | 47 |
| Horse-Chestnut | 46-71 |
| Hosta | 113 |
| Hydrangea | 83-100 |
| Hypericum | 83-113 |

I

| | |
|-------------------|-------------|
| Iberis | 113 |
| Ilex | 11, 36-84 |
| Incarvillea | 113 |
| Ink Berry | 36 |
| Inula | 113 |
| Iris | 114-115-116 |
| Itea | 84 |
| Ivy | 100 |

J

| | |
|---------------------------|-----|
| Jacob's Ladder | 122 |
| Japan or Boston Ivy | 98 |
| Japan Quince | 77 |
| Japanese Cedar | 10 |
| Japanese Holly | 36 |
| Japanese Iris | 114 |
| Japanese Maple | 44 |
| Japanese Spurge | 110 |
| Japanese Walnut | 55 |
| Japanese Water Elm | 62 |
| Jasmine | 100 |
| Jasminum | 100 |
| Jethead | 89 |
| Juglans | 55 |
| Juniperus | 11 |

K

| | |
|--------------------------|-----|
| Kalmia | 37 |
| Kansas Gay Feather | 117 |
| Katsura Tree | 48 |
| Kentucky Coffee | |
| Tree | 54 |
| Kerria | 84 |
| Knapweed | 108 |
| Kniphofia | 117 |
| Koeleruteria | 55 |
| Kolkwitzia | 84 |
| Kudzu Vine | 100 |

L

| | |
|--------------------------|-----------|
| Laburnum | 55 |
| Lady Fern | 126 |
| Larch | 55 |
| Larix | 55 |
| Larkspur | 110 |
| Laurel | 37 |
| Lavender | 117 |
| Lavender-Cotton | 123 |
| Lavendula | 117 |
| Leopardbane | 111 |
| Leucothoe | 37 |
| Liatris | 117 |
| Ligustrum | 84 |
| Lilac | 91 |
| Lily-of-the-Valley | 110 |
| Linden | 68 |
| Limonium | 117 |
| Linum | 117 |
| Liquidambar | 56 |
| Liriodendron | 56 |
| Lobelia | 117 |
| Locust | 54-65 |
| Lonicera | 37-85-100 |
| Loosestrife | 117 |
| Lychnis | 117 |
| Lycium | 86 |

| | PAGE |
|------------------|------|
| Lysimachia | 117 |
| Lythrum | 117 |

M

| | |
|--------------------------|-------|
| Magnolia | 56-67 |
| Mahonia | 37 |
| Maidenhair Fern | 126 |
| Maidenhair Tree | 54 |
| Mallow | 113 |
| Malus | 59 |
| Maple | 43 |
| Mapleleaf Viburnum | 94 |
| Matricaria | 117 |
| Matrimony Vine | 86 |
| Meadow Rue | 124 |
| Meadow Sage | 123 |
| Meadowsweet | 123 |
| Mertensia | 117 |
| Mockorange | 87 |
| Monarda | 118 |
| Moneywort | 117 |
| Monkshood | 105 |
| Morus | 61 |
| Mountain Ash | 66 |
| Mountain Bluett | 108 |
| Mountain Pink | 122 |
| Mulberry | 61 |
| Myosotis | 118 |
| Myrica | 86 |

N

| | |
|--------------------|-----|
| Nannyberry | 95 |
| Nepeta | 118 |
| Newport Pink | 110 |
| Nierembergia | 118 |
| Ninebark | 88 |
| Nordman Fir | 9 |
| Nyssa | 61 |

O

| | |
|----------------------|--------|
| Oak | 63 |
| Oenothera | 118 |
| Onoclea | 126 |
| Oriental Plane | 62 |
| Osier | 76 |
| Osmunda | 126 |
| Oswego Beebalm | 118 |
| Oxydendron | 61-101 |

P

| | |
|--------------------------|------------|
| Pachysandra | 37-110-118 |
| Pagoda Tree | 66 |
| Papever | 118 |
| Pasque Flower | 106 |
| Pavia—See Aesculus | 71 |
| Peach, Flowering | 61 |
| Pearl Bush | 79 |
| Pellaea | 126 |
| Penstemon | 118 |
| Peonies | 119 |
| Pepperbush | 76 |
| Periwinkle | 100-125 |
| Persica | 61 |
| Persimmon | 52 |
| Phelodendron | 62 |
| Philadelphus | 87 |
| Phlox | 120 |
| Photina | 88 |
| Physocarpus | 88 |
| Physostegia | 122 |
| Picea | 17 |
| Pieris | 38 |
| Pine | 18-21 |
| Pinks | 110 |
| Pinus | 18 |
| Pipe Vine | 98 |
| Plane | 62 |
| Planera | 62 |
| Plantain Lily | 113 |
| Platanus | 62 |
| Platycodon | 122 |
| Plumbago | 108 |
| Plume Poppy | 108 |
| Polymonium | 122 |

| | PAGE | | PAGE | | PAGE |
|----------------------|-------|---------------------|------------|---------------------|---------|
| Polypodium | 126 | Shad Bush..... | 71 | Tuber Verbena..... | 125 |
| Polypody | 126 | Shasta Daisy..... | 109 | Tulip Tree..... | 56 |
| Poplar | 62-63 | Shield Fern..... | 126 | Tunica | 125 |
| Poppy | 118 | Sidalcea | 123 | Tupelo | 61 |
| Poppy Mallow..... | 108 | Silver Bell..... | 55 | Turquoise Berry.... | 91 |
| Populus | 62-63 | Silver Vine..... | 98 | Turtlehead | 108 |
| Prickly Shield..... | 126 | Smoke Tree..... | 89 | | |
| Primrose | 118 | Sneezeweed | 112 | U | |
| Primula | 122 | Sneezewort | 105 | Ulmus | 68 |
| Privet | 84 | Snowball | 96 | Umbrella Pine..... | 21 |
| Prunus | 88 | Snowberry | 91 | | |
| Pseudotsuga | 21 | Snowhill Hydrangea. | 83 | V | |
| Ptelea | 88 | Sophora | 66 | Vaccinium | 94 |
| Pteris | 126 | Sorbaria | 89 | Valeriana | 125 |
| Pueraria | 100 | Sorbus | 66 | Varnish Tree..... | 55 |
| Purple Cliff Brake.. | 126 | Sorrell Tree | 61-101 | Verbena | 125 |
| Purple Filbert..... | 77 | Sour Gum..... | 61 | Veronica | 125 |
| Purple Fringe..... | 89 | Sour Wood..... | 61 | Viburnum | 94 |
| Pyrethrum | 122 | Speedwell | 125 | Vinca | 100-125 |
| | | Spice Bush..... | 74 | Vines and Climbing | |
| Q | | Spiderwort | 125 | Plants | 98 |
| Quercus | 63 | Spiraea | 90 | Viola | 125 |
| Quince | 77 | Spruce | 17 | Virginia Creeper... | 98 |
| | | Spurge | 37-111-118 | Virgins Bower..... | 99 |
| R | | Stachys | 123 | Vitex | 97 |
| Ragged Robin..... | 117 | Statice | 117-124 | | |
| Ranunculus | 122 | Stephanandra | 91 | W | |
| Red Bud or Judas.48- | 75 | Stokesia | 124 | Wake Robin..... | 125 |
| Red Osier..... | 77 | Stonecrop | 123 | Walking Leaf Fern. | 126 |
| Retinospora | 8 | Sumac | 65-89 | Wallflower | 108 |
| Rhamnus | 88 | Summersweet | 76 | Walnut | 55 |
| Rhododendron | 38 | Sun Flower..... | 112 | Water Elm..... | 62 |
| Rhodotypus | 89 | Sun Rose..... | 112 | Water Locust..... | 54 |
| Rhus | 65-89 | Sundrops | 118 | Wax Myrtle..... | 86 |
| Robinia | 65-89 | Sweet Fern..... | 76 | Wayfaring Tree.... | 95 |
| Rock Cress..... | 107 | Sweet Gum..... | 56 | Weigelia | 97 |
| Rock Soapwort..... | 123 | Sweet Rocket..... | 113 | White Fringe..... | 75 |
| Rose Champion..... | 117 | Sweet Shrub..... | 75 | Wichuriana Roses... | 99 |
| Rose Mallow..... | 113 | Sweet Spire..... | 84 | Wild Indigo | 104 |
| Rose of Sharon.... | 81 | Sweet William..... | 110 | Wild Orpine..... | 123 |
| Roses | 103 | Sycamore | 62 | Wild Sweet William. | 121 |
| Rudbeckia | 122 | Symphoricarpus | 91 | Willow | 66 |
| Rugosa Roses..... | 104 | Symplocus | 91 | Wind Flower..... | 106 |
| | | Syringa | 91 | Winter Berry..... | 84 |
| S | | | | Winter Creeper.... | 99 |
| St. John's Wort.... | 83 | T | | Wistaria | 102 |
| Salisburia | 54 | Tamarix | 93 | Witch Hazel..... | 81 |
| Salix | 66 | Taxodium | 66 | Withe Rod..... | 94 |
| Salvia | 123 | Taxus | 21 | Wood's Lily..... | 125 |
| Sambucus | 89 | Thalictrum | 124 | Wood-fern | 126 |
| Sandwort | 107 | Thermopsis | 124 | Woodwardia | 126 |
| Santolina | 123 | Thorns | 33-35-51 | Woolly-betony | 123 |
| Saponaria | 123 | Thoroughwort | 111 | Woolly Dodd..... | 112 |
| Sassafras | 66 | Thrift | 124 | | |
| Savin | 14 | Thuja | 25 | X | |
| Scabiosa | 123 | Thyme | 124 | Xanthorhiza | 95 |
| Scarlet Haw..... | 51 | Thymus | 124 | | |
| Schizophragma | 100 | Tickseed | 110 | Y | |
| Sciadopitys | 21 | Tilia | 68 | Yarrow | 105 |
| Sea Buckthorn..... | 82 | Tradescantia | 125 | Yellow Root..... | 97 |
| Sea Holly..... | 111 | Trillium | 125 | Yellow Wood..... | 48 |
| Sedum | 123 | Trollius | 125 | Yew | 21 |
| Sempervivum | 123 | Trumpet Creeper.... | 98 | Yucca | 42 |
| Sensitive Fern..... | 126 | Tsuga | 29 | | |
| | | | | Z | |
| | | | | Zanthorhiza | 97 |

Order from Andorra for Spring

Order from Andorra for Spring

Order from Andorra for Fall

